DAILY RAINFALL 1911 1920

RADNORSHIRE

ABBEY CWMHIR.	1914	1916
BIRMINGHAM W.W. CLAERWEN.	1911	1920
" " NANTGWILLT	1911	1920
" " TYNANT	1911	1920
" " TYRMYNYDD	1911	1920
BOUGHROOD CASTLE	1914 - 17,	1919
BUILTH CEFNDYRYS.	1911 - 15, 17,	1919
GLASBURY-ON-WYE. HAMPTON SCHOOL	1914	1920
LLANDRINDOD WELLS KIMBERLEY	1911	1920
NEW RADNOR EIPNOL	1911	1912
PRESTEIGNE NORTON MANOR GARDENS	1911, 13 -	1917
" ST DAVID'S	1913 - 17, 19 -	1920
RHAYADER PENRALLEY	1919	1920
" VICARAGE		1915

D2/

REGIST... 1911

BIRMINGHAM. W.W
TYRMYNYDD
1911 – 1920

FORM A2. BRITISH RAINFALL. 2/51
20 JAN 1912

Kept at Rhayader, Ty... top ... in.
in the County of Radnor ... above Ground ... ft. ... in.
„ Sea Level ... ft.
by E. Antony Lees
...tion { Name ... Distance ... Direction ...

IMPORTANT NOTE.—Rain... and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.84		.13		.04	.11			.48	.22	1
2			.15	.03	.36		.01	.21		.03	.05	.56	2
3			.04	.04	.81			.18	.04		.58	.33	3
4			.11		.09			1.03		.01	.64	1.04	4
5	.92		.07	.03				.78		.36	.35	.01	5
6	.02		.02					.22			.27	1.22	6
7	.04										.42	.01	7
8	.35		.40								.27	1.12	8
9	.02		.06								.22	.36	9
10	.28	.14	.47									1.70	10
11	.35		.04		.03			.01	.12		.40	.24	11
12		.02	.32		.15				1.45		2.14	.31	12
13			.02							.05	.31	.09	13
14		.25	.01								.11	.86	14
15	.04	.23	.02			.02					.41	.07	15
16		.09				.80					.22	.45	16
17		.09	.01	.05		1.55					.42	.75	17
18		.84	.18	.47		.49				.07	.23	.58	18
19		.11		.48		.16	.18	.02	1.01	.48	.03	.79	19
20		.18		.23		.01		.12	.17	.24		.40	20
21		.60	.08	.03		.17	.05	1.16	.05	.88		.40	21
22		.32		.18		.21			.02	1.31	.01	.92	22
23	.02	.09	.04		.03	.05		.13	.20	.61		.39	23
24	.18	.27	.02	.05		.40		.06	.10	.32		.47	24
25	.12	.12		.19		.11	.02	.03	.24	.17		.40	25
26	.01	.59		.52	.06	.03		.14	.05	.49	.09	.18	26
27		.35	.11	.35			.03	1.05	.44		.03	.19	27
28		.82	.02	.21		.01		.20	.09		.04	.10	28
29				.08		.43	.23	.01	.64	.77	.01	.07	29
30			.08		.01	.02	.01		.03	.47	.14		30
31			.02		.01		.02			.09		.01	31
Total	2.36	5.11	3.13	2.94	1.68	4.76	.59	5.46	4.65	6.35	7.87	14.24	TOTAL for year 59.14
No. of Rain Days	13	17	23	15	10	15	9	17	15	16	24	30	204

9,000, IX. '10.

D2/

REGISTER OF RAINFALL IN 1911

FORM A 2. BRITISH RAINFALL. 2/51

20 JAN 1912

Kept at Rhayader, Tyrmynydd

in the County of Radnor

by E. Antony Lees

RAIN GAUGE { Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. „ „ „ Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station { Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.84		.13		.04	.11			.48	.22	1
2			.15	.03	.36		.01	.21		.03	.05	.56	2
3			.04	.04	.81			.18	.04		.58	.33	3
4			.11		.09			1.03		.01	.64	1.04	4
5	.92		.07	.03				.78		.36	.35	.01	5
6	.02		.02					.22			.27	1.22	6
7	.04										.42	.01	7
8	.35		.40								.27	1.12	8
9	.02		.06								.22	.36	9
10	.28	.14	.47									1.70	10
11	.35		.04		.03			.01	.12		.40	.24	11
12		.02	.32		.15				1.45		2.14	.31	12
13			.02							.05	.31	.09	13
14		.25	.01								.11	.86	14
15	.04	.23	.02			.02					.41	.07	15
16		.09				.80					.22	.45	16
17		.09	.01	.05		1.55					.42	.75	17
18		.84	.18	.47		.49				.07	.23	.58	18
19		.11		.48		.16	.18	.02	1.01	.48	.03	.79	19
20		.18		.23		.01		.12	.17	.24		.40	20
21		.60	.08	.03		.17	.05	1.16	.05	.88		.40	21
22		.32		.18		.21			.02	1.31	.01	.92	22
23	.02	.09	.04		.03	.05		.13	.20	.61		.39	23
24	.18	.27	.02	.05		.40		.06	.10	.32		.47	24
25	.12	.12		.19		.11	.02	.03	.24	.17		.40	25
26	.01	.59		.52	.06	.03		.14	.05	.49	.09	.18	26
27		.35	.11	.35			.03	1.05	.44		.03	.19	27
28		.82	.02	.21		.01		.20	.09		.04	.10	28
29				.08		.43	.23	.01	.64	.77	.01	.07	29
30			.08		.01	.02	.01		.03	.47	.14		30
31			.02		.01		.02			.09		.01	31
Total	2.36	5.11	3.13	2.94	1.68	4.76	.59	5.46	4.65	6.35	7.87	14.24	TOTAL for year 59.14
No. of Rain Days	13	17	23	15	10	15	9	17	15	16	24	30	204

9,000, IX. '10.

D2 /

REGIS

1912

FORM A2
BRITISH RAINFALL.

25 JAN 1913

BIRMINGHAM W.W.
TYRMYNYDD
1912 ~ 1920

Kept at Rhayader,

in the County of Radnor

by

r of top ..... in.

f top above Ground ..... ft. ..... in.

„ „ Sea Level ..... ft.

ion .....

Station { Name .....
Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured [illegible] m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.65		.03	.42	.05	.13	.03	.01		.49	1
2	.01		.70	.08	.01	.68	.01	.03				.03	2
3	.52		1.20		.10	.06		1.19	.23		.06	.25	3
4	.86		1.15	.06	.05	.11		1.04			.46	.03	4
5	.94	.16	.46	.01	.14	.02		.32	.11		.01	.24	5
6	.68	.31	.08		.12			.03	.01		.02	.02	6
7	.02	.52	.35	.01	.13	.38	.25	.15	.03			.18	7
8	.69	.25	.30	.11	.01	.23		.02	.08				8
9	.05	.27	.25	.29		.11	.05	.29	.01		.09	.35	9
10	.60	.04				.08	.04	.22			.91	.07	10
11	.01	.03					.05				.42	.55	11
12	.07	.20	.56	.07	.02	.35	.13				.05	.05	12
13	.11					.18	.02	.45		.22	.01	.87	13
14	.15	.02	.60			.17		.35				.48	14
15	.03	.10	.11		.22	.28		.07				.55	15
16	.60	.09	.69		.17	.02		.25	.01	.24	.04	.25	16
17	.30	.04	.10		.06	.35		.37			.24	1.19	17
18	.18	.06	.35					.51		.31	.04	.17	18
19	.05	.25	.01			.08	.12	1.23		.34	.02	.19	19
20	.06	.02	.78		.13	.02		.38		.58	.50	.05	20
21		.03	.61		.23		.03	.60		.62		.11	21
22	.42	.47	.02		.26	.03	.33	.85		.02	.02	.29	22
23	.22	.01	.48			.17	.15	.63		.05	.47	.08	23
24	.02	.01	.11		.03	.45	.01	.01			.03	.42	24
25		.03	.05			.22	.05	1.16			1.16	1.12	25
26		.24	.24			.02	.10	.46		1.48	.80	.16	26
27		.06	.34			.95	1.03			1.32	.04	.81	27
28		.21	.01			.17	1.29	.43	.31	.64	.87	.06	28
29		.53	.45			.01	.17	.38	.40	.30		.05	29
30			.12			.58	.13	.01	.01	.73		.05	30
31	.03		.14		.03		.78	.14		.01		.19	31
Total	6.62	3.95	10.91	.63	1.74	6.14	4.79	11.70	1.23	6.87	6.26	9.65	TOTAL for year 70.49
No. of Rain Days	23	24	28	4	17	26	20	28	11	15	21	30	250

9,000, IX. '10.

82

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

Kept at Rhayader, Tyrmynydd

in the County of Radnor

by

RAIN GAUGE: Pattern; Diameter of top ... in.; Height of top above Ground ... ft. ... in.; " " " Sea Level ... ft.

Time of Observation

Nearest Railway Station: Name; Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.65		.03	.42	.05	.13	.03	.01		.49	1
2	.01		.70	.08	.01	.68	.01	.03				.03	2
3	.52		1.20		.10	.06		1.19	.23		.06	.25	3
4	.86		1.15	.06	.05	.11		1.04			.46	.03	4
5	.94	.16	.46	.01	.14	.02		.32	.11		.01	.24	5
6	.68	.31	.08		.12			.03	.01		.02	.02	6
7	.02	.52	.35	.01	.13	.38	.25	.15	.03			.18	7
8	.69	.25	.30	.11	.01	.23		.02	.08				8
9	.05	.27	.25	.29		.11	.05	.29	.01		.09	.35	9
10	.60	.04				.08	.04	.22			.91	.07	10
11	.01	.03					.05				.42	.55	11
12	.07	.20	.56	.07	.02	.35	.13				.05	.05	12
13	.11					.18	.02	.45		.22	.01	.87	13
14	.15	.02	.60			.17		.35				.48	14
15	.03	.10	.11		.22	.28		.07				.55	15
16	.60	.09	.69		.17	.02		.25	.01	.24	.04	.25	16
17	.30	.04	.10		.06	.35		.37			.24	1.19	17
18	.18	.06	.35					.51		.31	.04	.17	18
19	.05	.25	.01			.08	.12	1.23		.34	.02	.19	19
20	.06	.02	.78		.13	.02		.38		.58	.50	.05	20
21		.03	.61		.23		.03	.60		.62		.11	21
22	.42	.47	.02		.26	.03	.33	.85		.02	.02	.29	22
23	.22	.01	.48			.17	.15	.63		.05	.47	.08	23
24	.02	.01	.11		.03	.45	.01	.01			.03	.42	24
25		.03	.05			.22	.05	1.16			1.16	1.12	25
26		.24	.24			.02	.10	.46		1.48	.80	.16	26
27		.06	.34			.95	1.03			1.32	.04	.81	27
28		.21	.01			.17	1.29	.43	.31	.64	.87	.06	28
29		.53	.45			.01	.17	.38	.40	.30		.05	29
30			.12			.58	.13	.01	.01	.73		.05	30
31	.03		.14		.03		.78	.14		.01		.19	31
Total	6.62	3.95	10.91	.63	1.74	6.14	4.79	11.70	1.23	6.57	6.26	9.65	TOTAL for year 70.49
No. of Rain Days	23	24	28	7	17	26	20	28	11	15	21	30	250

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 28 JAN 1914

Kept at Tyrmynydd

in the County of Radnor

by E. A. Lees.

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 832 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.07	.32	.39	.18	.06				.03		.32	.06	1
2	.02	.16	.40	.07	.14	.05				.75	.37	.12	2
3	.28	.06	.42	.01	.18				.01	.04	.02	.73	3
4	.76	.14	.25		.05	.02			.55	.28	.12	1.00	4
5	.29	.15	.14		.26	.30	.06		.02	.48	.18	.01	5
6	.34	.48	.65		.14	.30	.21			.41	.03	.46	6
7	.05	.71	.16		.48	.42	.01			.86	.29	.01	7
8	.01	.34			.43	.03	.04	.31	.01	.11		.02	8
9		.47	.23	.04	.29	1.67	.24	.25	.01		.58	.17	9
10	.99		.12	.02	.15		.01	.40	.02	.13	.30	.01	10
11	.78			.61	.13	.03		.02	.02	.15	1.15	.06	11
12	.04				.14	.04			.13		1.10	.15	12
13	.03		.58	.07	.01		.06	.06	1.12		.51		13
14	.48		.40	.21					.43	.30	.29	.02	14
15	.47		1.00	1.44				.08	.02		.32	.06	15
16	.11		.60	.12			.02	.01			.25	.01	16
17	.16		.11	.21			.48		.01		.25		17
18	.17		.72	.48	.13	.01	.07				.28		18
19	.79		.08		.02	.26	.02		.16	.32	.13		19
20	.15		.38	.68	.06				.01	.33	1.11		20
21			.30	.08	.30	.03	.12	.15		.07	.18		21
22	1.19		1.29		.04	.25		.65	.65				22
23	.25		.05		.01	.06		.15	.16		.16	.04	23
24	.34	.08		.12		.01		.02			.14	.02	24
25		.06		.56					.17	.02	.16	.19	25
26		.10		1.90		.03		.01	.04	.01		1.03	26
27	.22	.02	.19	.30						.52	.02	.11	27
28	.10		.40	.72	.08					.29		.04	28
29			.30	.46	.03			.10		.57	.12		29
30	.56		.01	.01	.07					.21	.48		30
31	.07		.42		.03					.17			31
Total	8.72	3.09	9.59	8.31	3.23	3.51	1.34	2.21	3.57	6.02	8.86	4.32	YEAR'S TOTAL 62.74
Rain Days.	26	13	25	21	23	16	12	13	19	20	26	21	235

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 23 JAN 1915

Kept at Tynmynydd

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 832 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.28	.10	.01		.14	.36	1.15			.07	.27	1
2	.01	.02	.06		.08	.01	.79	.10			.35	.74	2
3	.18		1.05	.13	.54			.10		.10		.84	3
4	.96		.45	.33	.38		.73	.11			.80	1.26	4
5	.27		.46	.57	.40		.12				.30	.10	5
6	.14	.23	.06	.29	.12	.04	.10	.07			.02	.35	6
7	.03	.63	.68	.22	.46	.02	.31	.11	.08		.07	.82	7
8	.29	.01	.11	.29	.76	.14	.02	1.05			.03	.12	8
9	.46	.15	.04	.47	.15	.67		.37	.04		.14	-	9
10	.10	.78	.17	.32	.07	.20		.01	.17		.03	.01	10
11		.40	.68		.09	.16	.02		.04		1.25	.88	11
12		1.63	.23		.01	.01			.44		.84	.25	12
13		.63	.75	.04			.09		.34	.11	.50	.18	13
14		.87	.60				.03	.01	.09	.05	.50		14
15		.05	.88				.02		.20	.01	.14	.28	15
16		.15	.21				.05		.35			.16	16
17	.03	.73	.39				.04		.63			1.51	17
18		.08	.21				.02		.08	.02		.24	18
19		.11	.03				1.05		.18		.12	.46	19
20		.84	.37			.36						.30	20
21		.52	.05				.04	.19		.31		.04	21
22		.41	.08	.05	.11	.40		.15		.73			22
23		.20	.25	.01	.06	.01	.29	.01		.15	.02	.01	23
24	.05	.03	.37	.01		.03	.50	.17		.01	.14		24
25	.66	.02	.29				.52	.61		.65	.14	.30	25
26	.07	.01					.47	.14		.38	.44	.74	26
27	.16	.04							.01	.34	.94	1.24	27
28	.35	.11	.28		.14		.02		.02	.02	.08	.68	28
29	.35		.15	.30	.07			.01		.07	1.10	.06	29
30	.05		.63	.03				.01		.06	.88	1.25	30
31	.77		.11		.02		.49			.43		.32	31
Total	4.93	8.93	9.74	3.07	3.46	2.19	6.08	4.37	2.67	3.44	8.90	13.41	YEAR'S TOTAL 71.19
Rain Days.	18	25	29	15	16	13	22	18	14	16	23	27	236

W.7,000, XI. 13

82.

REGISTER OF RAINFALL IN 1915

4212 3/52

FORM A. BRITISH RAINFALL.

Kept at Tyrmynydd

in the County of Radnor

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·13	·33	·21	·01	·48			·95	·09	·32	·01	·52	1
2	·16	·64	·69	·29		·07	·01	1·18	·16	·02		·12	2
3	·01	·42	·16	·10	·05		·56	·07				·37	3
4	·21	·44	·01		·10		·09		·01			1·20	4
5	·14	·64	·06	·07	·01	·06		·05				1·37	5
6	·33	·10	·19	·35			·45	·15				·25	6
7	·42	1·10		·12	·60		·20	·07			·01	·50	7
8	·72	·56		·12				·01			·36	·10	8
9	·09	·70		·57				·06			·75	·92	9
10	1·01	·04	·04	·08			·03	·21		·07	·50	·20	10
11	·31		·05	·01			·01	·19		·02	2·00	·13	11
12	·36	·11		·05	·35			·06		·16	·78	·04	12
13	·12	·36		·01	·61			·33		·01	·23	·20	13
14	·28	·02		·01	·01			·56	·04		·10	·64	14
15	1·40	·04			·28		·16	·50	·08	·01	·18	·30	15
16	·14	1·86			·62		1·56	·04	·03			·11	16
17	·01	1·00	·01	·01	1·21							·02	17
18	·05	1·10	·10		·01		·01	·05					18
19	·02	·10	·03	·15	·31		·46						19
20	·72		·02	·10	·01		·02	·01				·32	20
21	·54	·11			·19		·38	·01		·23		·43	21
22	·06	·16	·03	·01	·21		·56		·03	·01		·59	22
23		·14	·13			·28	·25		·01	·73		·44	23
24			·07	·03			·01		·06	·56		·75	24
25		·05	·05			·67	·14		·05			·31	25
26		·36					·46		·07	·01		1·14	26
27		·34				·08	·57		·01	·68		·75	27
28		·41				·05	·01	·02	·10	·06	·01	·04	28
29						·27	·01	·01	·12		·26	·16	29
30	·34			·12		·54		·02	·01	·37	·44	·53	30
31	·08						·24	·24		·21		1·03	31
Total	8·65	11·13	1·85	2·21	5·05	2·02	6·19	4·79	·87	3·47	5·63	13·45	YEAR'S TOTAL 65·31
Rain Days.	24	25	16	19	16	8	22	22	15	16	13	29	225

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

20 JAN 1917

Kept at Tyrmynydd

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28	.06	.07		.07	.24	.28			.42	.16		1
2	.64	.44	.26			.04	1.26		.55	.72	.28		2
3	.01	1.79	.02		.01	.11	.03		.48	.46	.27	.01	3
4	.57	.20		.02	.38	.61	.04		.13	.05	.62		4
5	.01	.14	.02		.09	.42				.90	.29		5
6	.31	.53	.04		.28	.06	.47			.30	.80	.01	6
7	.47	.14	.06		.24				.03	.54	.39	.01	7
8		.15	.04	.01	.59	.12				.12	.34	.12	8
9	.03	.06			.08	.13	.24				.04	.13	9
10	.11	.26	.02	.15	.02	.01	.06		.01	.06	.01	.01	10
11	.39	.05	.03	.88	.11	.18	.01		.03				11
12	.06	.32	.03	.16	.26		.51	.32	.01	.32			12
13	.05	.24	.29	.39	.02			.82	.01	.23		.01	13
14	.03	.48	.22	.20	.11			.32		.44			14
15	.02	1.28	.10	.10	.18			.18	.09	.25			15
16	.01	.05		.32	.02		.02	.01		.19			16
17	.27	.27		1.37				.01	.93	.45	.31	.01	17
18	.10	1.11	.15	1.40					.41	.15	.28	.25	18
19	.33		.65	.23				.08	.01	.01	.16	.04	19
20	.39	.14	.21	.04							.38	.30	20
21	.39		.52	.07		.02	.01				.04	.01	21
22	.01	.01	.01			.09				.68	.01	.21	22
23	.14	.04	.01	.09		.10		.20		.39	.21	.56	23
24		.35	.01	.05	1.95	.03		.26		.47	.04	.10	24
25		.12	.48		.06	.03		.33	.06	.14	.80	.05	25
26	.17	.12	.33		.01	.20		.70	.25	.40	.04		26
27	.01	.08	.42		.03	.03		.76	.46	1.55			27
28	.02	.20	.04			.01				.42	.08	.70	28
29		.11	.03		.02	.45		.25		.87	.05	.88	29
30		X				.13		.08		.50		.09	30
31		X		X	.01	X		.21	X	.68	X	.27	31
Total	4.82	8.74	4.06	5.48	4.54	3.01	2.93	4.53	3.46	11.71	5.60	3.77	YEAR'S TOTAL 62.65
Rain Days.	25	27	25	16	21	20	11	15	15	27	22	20	244

W. 3,000. X. 15

16 ✓ 26 ✓ 16 ✓ 14 ✓ 13 ✓ 14 ✓ 7 ✓ 13 9 ✓ 26 ✓ 20 ✓ 13 ✓ 187 ✓

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

Kept at Tyrmynydd, Birmingham N.W.

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.13	.29		.14		.06	.39			.39	1
2	.01			.22		.22				.01	.14	.04	2
3	.20	.07	.04	.14		.08				.58	.01	.02	3
4	.01	.06	.32							.69			4
5	.57		.29	.23		.06			.54	.57	.37		5
6	.05		.31			.10				.19	.65	.16	6
7	.75		.09				.11	.09		.79	.52	.04	7
8	.25		.09	.57			.41	.97		1.03	.39	.12	8
9			.24	.47	.12			.56		.22	1.08		9
10	.21		1.17	.32	.10			.39		.05			10
11	.23			.05				.72		.48	.12		11
12	.16		.01	.05	.94			.36		.42		.03	12
13	.03		.02	.28		.03		1.42	.39	.09	.03	.11	13
14	.01			.10	.02		.32	.26		.18		.01	14
15	.02			.14	.02		.14	.02		.45		.57	15
16		.06	.01	.21			.05	.12	.02	.01		.27	16
17		.01	.11	.35	.09		.55	1.15	.19	.32	.02		17
18			.06		.08		.14	.09	.52	.10			18
19	.01	.32	.70			.43		.01	.16		.08		19
20		.18	.01		.60	.83		.23	.44		.53		20
21		.03				.04		.01		.13	.03		21
22		.01						.98	.05	.19	.21		22
23		.15			.43	.11		.71		.18		.05	23
24		.03				.14		.46		.77	.33	.06	24
25		.10	.13					.12		.29	.15		25
26					.39	.07	.03	.48	.24	.43	.86		26
27		.01			.76	.39	.42	2.00		.15	.28		27
28		.09	.29		.12	.01	.03	1.24		.05	.03		28
29			.14				.01	.33		.82	.02	.22	29
30	.01	X						.39		.06	.10		30
31		X	.24	X	.73	X		.45	X	.01	X		31
Total	2.56	1.12	4.40	3.42	4.40	2.65	2.21	13.62	2.94	9.26	5.95	2.09	YEAR'S TOTAL 54.62
Rain Days.	16	13	20	14	13	14	11	26	10	28	21	14	200

W. 8,000, VIII. 16

W Days 9 8 16 14 11 12 8 23 9 25 15 11 161 39

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 28.1.19

Kept at Tyrmynydd

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.08		.22	.04			.09	1.03	.06	.60		1
2		.25		.01				.33	.11	.05	.04	.36	2
3		.22		.23	.34			.02	.93	.26	.02		3
4	.05	.07							.50	1.05	1.08	.45	4
5		.15	.02	.15	.44			.14	.16	.61		.02	5
6	.08	1.11		.45		.08			.19	.67		.12	6
7		.25		.03	.48			.01	.38	.66	.52	.10	7
8	.40	.64				.04	.10		.30	.40	.04	.04	8
9	.06	1.45		.22		1.26	.22		.82	.19	.02	.32	9
10	.10	.15		.02			.27		.05	.17	.44	.56	10
11	.10	.23	.10	.06	.12		.77		.43	.01		.35	11
12	.03	.52			.08	.03	.05		.30			.05	12
13	.02					.10			.17	.02		.16	13
14	.67		.03		.01	.14	.39	.01	.29	.09		.54	14
15	.57					.13	.89		.38	.01		.59	15
16	.14			.23			.10	.13	.52			.57	16
17	1.14					.04	.25	.03	.31	.12		.42	17
18	.85					.54	.19		.48	.03		1.17	18
19	.33	.08	.13	.06			.27		.31	.02		.61	19
20	.65	.20		.14		.12			.41				20
21	.40	.39		.18		.02	.12		.79			.32	21
22	.10	.06			.58		.20		.67	.02		.70	22
23	.31				1.50		.26		.19		.02	.05	23
24	.11	.12					.02	.34	.19		.35	.40	24
25		.02			.14		.95	.84	.09	.02	.04	.05	25
26	.05	.02		.02			.06	.01	.14	.02	.25	.79	26
27	.02	.18	.85			.05		.32	.68		.38	1.11	27
28		.02	.93						.04	.01	.66	.43	28
29			.10						.76			.12	29
30			.53					.13		.08	.09	.36	30
31			.84					.05		.02		.15	31
Total	6.18	6.21	3.55	2.02	3.73	2.55	5.11	2.45	11.64	4.59	4.55	10.91	63.49
Rain Days.	21	21	9	14	10	12	17	14	29	23	15	28	213

YEAR'S TOTAL

W. 8,000, VIII. 16

18 18 7 10 9 10 16 9 29 13 12 27 178

REGISTER OF RAINFALL IN 1919

3767 FORM A. BRITISH RAINFALL

Kept at Tyrmynydd

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.47		.13		.42		.51	.02	.31	.60		.68	1
2	.46		.20					.07		.07	.01	.48	2
3					.05	.06	.04					.50	3
4		.13	.31		.01	.04	.02	.03	.28			.40	4
5	.18	.34							.05		.03	.92	5
6	.29		.97									.45	6
7	.24		.15	.04								.07	7
8	.67		.04	.14		.12					.04		8
9	.37		.03	.14							.03	.01	9
10	.35		.95	.14	.03					.07	.06	.61	10
11	.07		2.27	.09	.13	.04	.09			.05		.15	11
12	.03		.28	.18		2.19				.21	.09	.01	12
13	.42			.45			.02		.27	.50		.22	13
14	.38	.03		.91			.07		.06	.19		.28	14
15	.40	.05		.43						.26		.96	15
16	.21	1.18						.21			.65	.06	16
17		.24		.02		.08	.35	.30			1.30	.01	17
18	.05	.48	.64				.07	.53	.18		.15	.32	18
19	.32	.19	.52			.26		.26	.27		.55	.07	19
20	.71	.10	.27			.02			.23		.39	.70	20
21	.11	.87					.46	.01	.18		.04	.28	21
22		.36				.08			.42		.07	1.59	22
23				.04		.19				.57	.12	.09	23
24	.01			.02	.01	.12			.06	.44	.38	.60	24
25	.18			.24	.07			.66	.20	.02	.39	.03	25
26	.36	.01	.61	.05		.02		.60	.07			1.01	26
27	.26		.27	.53			.01	.65	.08				27
28			.22	.05				.28				.62	28
29			.16	.03				.27		.10		.34	29
30		X	.06	.40		.10		.07			.63	.74	30
31		X	.14	X		X	.10		X	.04	X	.07	31
Total	6.54	3.98	8.22	3.90	.72	3.32	1.74	3.96	2.66	3.12	4.93	12.27	YEAR'S TOTAL 55.36
Rain Days.	22	12	19	16	7	13	11	14	14	13	17	29	182
Days with .01 in.	20	10	18	15	4	11	8	11	14	12	14	25	162

W. 6,500, VII. 18. W W C

3666

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lysmynydd

in the County of Radnor

by E. A. Lees

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, ,, ,, ,, Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.02	.22	.76		.42		.07	.22		.56	1
2	.17	.05		.20	.03		.37	.04	.15	.17		.20	2
3	.04	.14		.13	.26		.54	.03	.17	1.04		.30	3
4					.01		.01	.68	.26	.15			4
5		.02	.34	.04	.84		.28	.26	.55	.04			5
6			.54	.15	.16		.03			.45	.31	.04	6
7	.11	.09	.08	.12			.19						7
8	.70	.04		.67	.18		.38	.29					8
9	.93	1.09		.48			.13	.15	.02		.02		9
10	1.16	.67	.18			.66	.32				.04	.03	10
11	.13	.05	.44	.80	.33	.03	.06						11
12	.40	.24	.15	.51	.02	.80	.15	.28			.20	.02	12
13	.16	.05	.56	.75		.47					.08	.01	13
14	.03	.04	.81	.80		.06	.13		1.03	.83	.81	.02	14
15		.21	.27	.86	.02	.09				.03	.21		15
16		.01	.40	.20	.24	.16	.61		.35	1.43	.10		16
17	.17		.02		.69	.34		.20	.57	.24			17
18	.32			.27	.60	.10			.38				18
19	.13	.89		1.05	.29	.04	.06	.02	.02				19
20	.26			.51		.04	.06		.03			.45	20
21				.08		.02	.20					.26	21
22	.27			.10		.02	.25	.08				.21	22
23	.11		.02	.01			.27					.57	23
24	.08		.59	.04							.20	.40	24
25	.23	.07	.32	.32	.20	.15	.85					.14	25
26	.24	.37	.73	.50	.03		.15				.09	.15	26
27	.39	.12	.89	.25	.01	.34	.05				.03	.67	27
28	.88		.45	.16		.13	.01					.16	28
29	.58		.21	.04	.41	.08	.38				.21	1.10	29
30	.18		.50	.53	.05	.44	.01		.74	.07	.32	.55	30
31	.34		.47				.09			.91		.09	31
TOTAL	8.01	4.18	7.99	9.79	5.13	3.97	6.00	2.03	4.34	5.58	2.32	5.93	YEAR'S TOTAL 65.27
Days with .01 in. or more	24	18	21	27	19	18	26	10	13	12	13	20	221
	23	15	18	26	13	15	22	8	10	11	10	16	187

(44,283) Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4234

RHAYADER
PENRALLEY
1919 – 30

3775

FORM A. 2. METEOROL… …ANIZATION.

R…

9..

Kept at Rhayad… …3° 31' W

in the County of R… …GMT.

by E. D. Prot…

…n Gauge……in.

…ve Ground…1…ft.–…in.

Sea Level…758…ft.

IMPORTANT NOTI… …ntered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

1924

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.9	–	1.6	1.3	10.6	–	15.1	0.3	4.0	10.7	–	11.2	1
2	11.3	–	2.6	–	0.7	–	0.3	2.0	0.8	1.5	1.0	12.3	2
3	0.3	0.2	–	–	1.4	2.2	1.2	–	–	–	0.5	16.0	3
4	0.2	2.4	8.8	–	0.2	0.8	0.7	0.5	3.5	0.2	0.5	7.6	4
5	1.7	9.8	0.2	–	–	–	–	–	0.3	0.2	0.5	25.2	5
6	3.2	2.4	14.3	–	–	–	–	–	–	–	0.2	10.8	6
7	2.8	0.4	3.3	1.6	–	–	–	–	0.2	–	–	2.6	7
8	16.7	–	0.7	0.7	–	2.3	–	–	–	–	1.3	0.2	8
9	9.2	–	0.6	2.7	–	–	–	–	–	–	0.8	–	9
10	7.2	–	16.4	2.0	1.6	0.1	–	–	–	0.9	1.2	17.1	10
11	3.0	–	52.2	1.3	3.0	–	1.8	–	0.2	0.8	0.2	2.3	11
12	2.4	–	15.0	2.8	–	32.3	0.2	–	0.2	5.0	1.5	0.2	12
13	6.5	–	–	11.0	–	0.3	0.2	–	9.6	6.8	1.3	3.8	13
14	6.8	0.9	–	15.9	–	–	2.0	–	0.7	0.9	–	5.5	14
15	8.0	1.1	–	9.6	0.3	–	–	–	–	2.8	–	28.4	15
16	3.0	–	–	0.3	–	–	–	4.1	0.2	–	7.6	0.3	16
17	1.1	15.1	–	–	–	1.2	7.8	2.8	–	0.1	27.1	0.3	17
18	1.6	2.2	17.2	–	–	0.2	1.5	9.5	1.5	0.1	1.5	4.6	18
19	5.0	8.1	16.9	–	–	3.5	–	8.4	7.2	–	9.4	0.5	19
20	12.5	2.6	8.2	–	0.1	1.8	–	0.5	4.4	–	5.0	12.0	20
21	0.5	19.2	0.4	–	–	0.2	7.2		1.6	–	0.5	6.2	21
22	0.3	2.6	–	–	–	2.0	0.2	–	7.0	–	1.0	27.2	22
23	–	–	–	1.3	–	1.3	–	–	–	22.1	3.4	3.5	23
24	–	0.3	–	2.3	0.7	2.3	–	0.1	1.0	6.8	7.0	12.0	24
25	4.0	–	–	3.5	0.6	0.4	–	12.8	2.8	0.5	8.2	0.8	25
26	5.8	2.0	16.5	9.5	–	0.7	–	11.0	2.3	0.3	–	17.1	26
27	7.7	0.2	4.0	4.8	–	–	0.6	11.5	0.2	0.3	0.8	0.2	27
28	0.8	–	5.4	2.4	–	–	–	13.0	0.4	0.4	0.3	12.5	28
29	0.5		1.7	1.6	–	0.2	–	4.5	–	5.0	–	4.0	29
30	0.3		1.0	3.7	–	2.9	–	2.5	0.4	0.2	10.0	11.3	30
31	0.3		–		–		1.8	–		1.7		1.4	31
TOTAL	131.6	69.5	187.0	78.3	19.2	54.7	40.6	83.5	48.5	67.3	90.8	257.1	YEAR'S TOTAL 1128.1
Days with 0·2 mm. or more	29	16	20	19	9	17	14	14	21	19	24	30	232

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

3775

FORM A. 2. METEOROLOGICAL [redacted] ANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rhayader (M.O.)

in the County of Radnor

by E. D. Protheroe

Lat. 52° 31′ N Long. 3° 31′ W

Time of Observation 9 h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 758 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.9	–	1.6	1.3	10.6	–	15.1	0.3	4.0	10.7	–	11.2	1
2	11.3	–	2.6	–	0.7	–	0.3	2.0	0.8	1.5	1.0	12.3	2
3	0.3	0.2	–	–	1.4	2.2	1.2	–	–	–	0.5	16.0	3
4	0.2	2.4	8.8	–	0.2	0.8	0.7	0.5	3.5	0.2	0.5	7.6	4
5	1.7	9.8	0.2	–	–	–	–	–	0.3	0.2	0.5	25.2	5
6	3.2	2.4	14.3	–	–	–	–	–	–	–	0.2	10.8	6
7	2.8	0.4	3.3	1.6	–	–	–	–	0.2	–	–	2.6	7
8	16.7	–	0.7	0.7	–	2.3	–	–	–	–	1.3	0.2	8
9	9.2	–	0.6	2.7	–	–	–	–	–	–	0.8	–	9
10	7.2	–	16.4	2.0	1.6	0.1	–	–	–	0.9	1.2	17.1	10
11	3.0	–	52.2	1.3	3.0	–	1.8	–	0.2	0.8	0.2	2.3	11
12	2.4	–	15.0	2.8	–	32.3	0.2	–	0.2	5.0	1.5	0.2	12
13	6.5	–	–	11.0	–	0.3	0.2	–	9.6	6.8	1.3	3.8	13
14	6.8	0.9	–	15.9	–	–	2.0	–	0.7	0.9	–	5.5	14
15	8.0	1.1	–	9.6	0.3	–	–	–	–	2.8	–	28.4	15
16	3.0	–	–	0.3	–	–	–	4.1	0.2	–	7.6	0.3	16
17	1.1	15.1	–	–	–	1.2	7.8	2.8	–	0.1	27.1	0.3	17
18	1.6	2.2	17.2	–	–	0.2	1.5	9.5	1.5	0.1	1.5	4.6	18
19	5.0	8.1	16.9	–	–	3.5	–	8.4	7.2	–	9.4	0.5	19
20	12.5	2.6	8.2	–	0.1	1.8	–	0.5	4.4	–	5.0	12.0	20
21	0.5	19.2	0.4	–	–	0.2	7.2		1.6	–	0.5	6.2	21
22	0.3	2.6	–	–	–	2.0	0.2	–	7.0	–	1.0	27.2	22
23	–	–	–	1.3	–	1.8	–	–	–	22.1	3.4	3.5	23
24	–	0.3	–	2.3	0.7	2.3	–	0.1	1.0	6.8	7.0	12.0	24
25	4.0	–	–	3.5	0.6	0.4	–	12.8	2.8	0.5	8.2	0.8	25
26	5.8	2.0	16.5	9.5	–	0.7	–	11.0	2.3	0.3	–	17.1	26
27	7.7	0.2	4.0	4.8	–	–	0.6	11.5	0.2	0.3	0.8	0.2	27
28	0.8	–	5.4	2.4	–	–	–	13.0	0.4	0.4	0.3	12.5	28
29	0.5		1.7	1.6	–	0.2	–	4.5	–	5.0	–	4.0	29
30	0.3		1.0	3.7	–	2.9	–	2.5	0.4	0.2	10.0	11.3	30
31	0.3		–		–		1.8	–		1.7		1.4	31
TOTAL	131.6	69.5	187.0	78.3	19.2	54.7	40.6	83.5	48.5	67.3	90.8	257.1	YEAR'S TOTAL 1128.1
Days with 0·2 mm. or more	29	16	20	19	9	17	14	14	21	19	24	30	232

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rhayader

in the County of Radnor

by John Jones, for M.O.

Lat. 52° 18' N Long. 3° 31' W

Time of Observation 9 h 0 M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 757 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	0·2	0·5	3·0	17·2	-	5·3	0·3	1·4 6·9	4·5	0·2	12·2	1
2	2·0	0·4	-	4·1	0·3	-	9·3	0·9	0·2	13·1	-	4·5	2
3	0·3	1·4	-	5·2	2·6	-	15·5	0·2	2·8 ~~0·3~~	39·1	-	6·8	3
4	-	-	-	0·3	0·2	-	0·3	14·8	1·5 ~~5·4~~	3·6	-		4
5	-	-	4·0	1·8	13·5	0·1	10·1	2·2	6·8	5·0	-	—	5
6	-	-	11·6	2·0	5·0	-	1·1	0·2	0·5 ~~7·2~~	7·1	0·9	0·5	6
7	1·5	3·0	1·6	2·2	0·5	-	2·8	-	~~4·3~~	-	-	0·4	7
8	19·4	0·5	0·2	20·6	5·1	-	5·2	5·8	-	-	-	—	8
9	19·8	21·0	-	14·0	-	-	2·6	1·5	0·2 ~~1·3~~	-	1·1	—	9
10	19·6	21·8	0·9	0·3	-	19·6	4·3	-	~~9·0~~	-	0·3	0·5	10
11	2·1	2·0	8·7	11·6	6·2	0·5	1·0	-	~~1·7~~	-	-	0·1	11
12	9·0	1·8	2·1	11·0	-	21·2	2·0	6·0	0·1 ~~9·0~~	1·1	5·4	0·3	12
13	6·0	1·7	11·0	10·3	-	1·2	-	-	~~6·8~~	0·1	0·1	0·2	13
14	0·7	0·6	11·5	12·2	-	1·3	1·8	-	22·0	10·2	14·8	0·3	14
15	0·2	4·1	8·4	17·8	1·1	4·1	-	0·1	~~2·5~~	1·3	1·8	—	15
16	-	0·5	6·0	5·5	4·1	7·4	12·5	0·6	8·7 ~~1·3~~	24·4	2·7	—	16
17	3·2	-	0·4	2·1	12·5	4·3	-	3·0	12·1 ~~4·4~~	2·0	0·5	—	17
18	3·8	0·2	-	3·5	8·5	0·8	-	0·5	7·2	-	-	—	18
19	2·6	25·2	-	16·8	9·4	2·0	0·8	0·4	0·2 ~~6·8~~	-	-	—	19
20	3·2	0·4	-	11·0	-	0·5	1·0	-	1·1 ~~4·0~~	-	-	5·2	20
21	0·1	-	-	0·6	-	0·3	3·8	-	~~4·0~~	-	-	6·8	21
22	3·5	-	-	1·7	0·1	-	3·2	2·8	~~4·4~~	0·1	-	3·0	22
23	0·8	-	1·2	2·0	-	-	6·0	0·1	~~4·4~~	-	-	13·2	23
24	1·5	-	12·2	-	-	-	-	-	~~7·4~~	-	4·0	6·2	24
25	3·4	1·7	7·8	4·5	0·3	1·3	19·5	-	~~0·4~~	-	-	1·5	25
26	8·2	8·2	23·6	6·8	9·4	0·2	2·0	-	~~2·8~~	-	-	2·5	26
27	10·8	1·6	30·2	5·3	6·6	7·5	1·7	-	~~8·4~~	-	2·0	11·0	27
28	12·5	0·6	11·2	1·6	0·2	1·8	0·2	-	~~4·1~~	-	-	2·8	28
29	10·0	-	5·3	1·8	3·0	1·5	11·8	-	~~3·6~~	-	3·2	19·2	29
30	3·2		13·0	11·7	1·3	6·0	0·2	-	11·0	-	6·0	11·4	30
31	5·2		8·4		-		2·0	-		16·8		2·1	31
TOTAL	152·6	96·9	179·8	191·3	107·1	81·6	126·0	39·4	75·8 ~~40·5~~	128·4	43·0	110·7	YEARS TOTAL ~~67·5~~
Days with 0·2 mm. or more	25	20	22	29	20	18	26	14	14	12	13	21	234

(44,284). Wt. 21,958—218. 500. 10/19. Gp. 133. A.&E.W. 5

Copied from 1921 3203.

ABBEY CWMHIR

RADNOR

1914-1916

FORM A. BRITISH RAINFALL.

JAN 1915

Kept at A

in the County of

by W.

3' W.

-4-bont

in.

round 1 ft. - in.

ea Level 912 ft.

IMPORTANT

previous day. If

requested to add th

for it at the end

the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

e result entered to the sal rule, he is earnestly in the space provided nt of rain,

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·31	·15	·02		·13	·80	1·12			·20	·16	1
2			·05		·05		·88	·03			·20	·34	2
3			·22	·20	·37			·31			·01	·42	3
4	·68		·38	·19	·08		·45	·08			·44	·58	4
5	·40		·40	·42	·40						·30		5
6	·04	·12	·02	·10	·14	·04		·01			·01	·20	6
7	·01	·22	·64	·10	·37	·08	·21	·31			·04	·39	7
8	·18	·005	·03	·07	·23	·42	·30	·21			·02	·07	8
9	·14	·11	·03	·36	·09	·75	·01	·23	·02		·05		9
10		·41	·10	·33	·02	·07			·20		·01		10
11		·36	·50		·02	·09	·14		·10		·60	·58	11
12		·84	·24						·47		·45	·10	12
13		·19	·43				·06			·20	·38	·20	13
14		·33	·40				·03		·18	·05	·31		14
15		·04	·36				~~·005~~	·03	·24	·02	·10	·02	15
16		·04	·09				·05				·01	·05	16
17		·20	·23			·03	·04		·14			·55	17
18		·01	·10			·26	·06		·21			·20	18
19		·01	·03				·21		·10		·10	·30	19
20		·42	·10			·30	·05		·15			·39	20
21		·12	·005			·05	·30	·30			·02	·01	21
22		·16			·05	·06	·07	·30		·09			22
23		·16	·24		~~·005~~	·02	·05			·60	·02		23
24		·005	·18				·27	·02		·12	.04		24
25			·06				·20	·52		·28	·04	·11	25
26		·03	·06				·30	·21		·28	·27	·37	26
27		·03	·005				·11			·16	·65	1·25	27
28		·06	·09				·09			·26		·45	28
29			·07		·25					·06	·60		29
30	·65	X	·21	·04						·14	·30	·55	30
31		X	·02	X		X	·35		X	·03	X	·12	31
Total	2·10	4·18	5·44	1·83	2·07	2·30	5·03	3·68	1·81	2·29	5·17	7·46	YEAR'S TOTAL 43·36
Rain Days.	7	22	29	10	12	13	23	14	10	13	25	23	201

W. 8,000. X. 14.

REGISTER OF RAINFALL [illegible]

FORM A. BRITISH RAINFALL. 8 – JAN 1915

Kept at Abbeycwmhir

in the County of Radnor

by W. T. H. Ward.

Lat. 52° 19' 45" Long. 3° 23' W.

Time of Observation 9 am

Nearest Railway Station Pen-y-bont

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 912 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·31	·15	·02		·13	·80	1·12			·20	·16	1
2			·05		·05		·88	·03			·20	·34	2
3			·22	·20	·37			·31			·01	·42	3
4	·68		·38	·19	·08		·45	·08			·44	·58	4
5	·40		·40	·42	·40						·30		5
6	·04	·12	·02	·10	·14	·04		·01			·01	·20	6
7	·01	·22	·64	·10	·37	·08	·21	·31			·04	·39	7
8	·18	·005	·03	·07	·23	·42	·30	·21			·02	·07	8
9	·14	·11	·03	·36	·09	·75	·01	·23	·02		·05		9
10		·41	·10	·33	·02	·07			·20		·01		10
11		·36	·50		·02	·09	·14		·10		·60	·58	11
12		·84	·24						·47		·45	·10	12
13		·19	·43				·06			·20	·38	·20	13
14		·33	·40				·03		·18	·05	·31		14
15		·04	·36				~~·005~~	·03	·24	·02	·10	·02	15
16		·04	·09				·05				·01	·05	16
17		·20	·23			·03	·04		·14			·55	17
18		·01	·10			·26	·06		·21			·20	18
19		·01	·03				·21		·10		·10	·30	19
20		·42	·10			·30	·05		·15			·39	20
21		·12	·005			·05	·30	·30			·02	·01	21
22		·16			·05	·06	·07	·30		·09			22
23		·16	·24		~~·005~~	·02	·05			·60	·02		23
24		·005	·18				·27	·02		·12	·04		24
25			·06				·20	·52		·28	·04	·11	25
26		·03	·06				·30	·21		·28	·27	·37	26
27		·03	·005				·11			·16	·65	1·25	27
28		·06	·09				·09			·26		·45	28
29			·07		·25					·06	·60		29
30	·65	X	·21	·04						·14	·30	·55	30
31		X	·02	X		X	·35		X	·03	X	·12	31
Total	2·10	4·18	5·44	1·83	2·07	2·30	5·03	3·68	1·81	2·29	5·17	7·46	YEAR'S TOTAL 43·36
Rain Days.	7	22	29	10	12	13	23	14	10	13	25	23	201

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 3 JAN 191[illegible]

Kept at ABBEY-CWMHIR

in the County of Radnor

by Rev° W.F.B. Ward.

Lat. 52° 19' 45" N Long. 3° 23' 0" W.

Time of Observation 9 am

Nearest Railway Station Penybont

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 912 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·61	·23	·04		·45			·30	·02	·40	·01	·43	1
2	·13	·21	·37	·15		·09	·10	1·56	·10	·08		·12	2
3	·05	·32	·07	·16			·30	·06				·42	3
4	·22	·43	·02		·12		1·38	·01	·02			·90	4
5	·08	·29	·07			·12	·01	·05				·98	5
6	·17	·09		·33			·54	·13				·19	6
7	·40	·85		·15	·13		·04	·11				·47	7
8	·30	·18		·10				·12			·24		8
9	·08	·49		·25				·30			·27	·65	9
10	·59	·03	·02	·09			·01	·04		·02	·15	·15	10
11	·20			·03	·01		·10	·03			1·20	·06	11
12	·10			·05	·25			·02		·15	·70	·01	12
13	·02	·75			·31			·46		·01	·05	·05	13
14	·05	·01						·90	·19		·13	·48	14
15	·65	·01			·28		·15	·42	·01	·04	·04	·17	15
16	·15	·65			·75		1·33	·05	·04			·14	16
17	·01	·53	·03		·62			·01					17
18	·02	·45	·04				·01						18
19	·01	·04		·15	·23		·34						19
20	·48						·01			·01		·06	20
21	·22	·01		·01	·03		·18			·10		·03	21
22	·02	·05	·07	·08			·29			·04		·23	22
23		·[illegible]4	·14			·05	·02			·77		·52	23
24			·09	·05					·10	·54		·51	24
25						·52	·02		·01	·01	·01	·23	25
26		·13					·40		·03			·97	26
27		·13					·50			·46		·20	27
28		·29				·11	·06		·09	·03		·03	28
29		—				·15	[illegible]	·03	·16		·08	·13	29
30	·10	—		·11		·06	·03		·02	·09	·39	·36	30
31	·02	—		—		—	·15	·13	—	·25	—	·72	31
Total	4·68	6·21	0·96	1·71	3·18	1·10	5·07	4·73	·75	3·00	3·27	9·18	YEAR'S TOTAL 44·74
Rain Days.	24	23	11	14	11	7	22	19	12	16	12	27	198

REGISTER OF RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL

Kept at ABBEY-CWMHIR

in the County of Radnor

by Rev°. W. F. B. Ward

Lat. 52° 19' 45" N. Long. 3° 23' 0" W.

Time of Observation 9 am

Nearest Railway Station Penybont

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 912 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·36		·07			·07	·21						1
2	·30	·20	·22				·68		·59				2
3		1·00					·14		·23				3
4	·21	·25		·02	·44	·52			·13				4
5	·16	·12	·02		·04	·30	·01						5
6	·20	·38	·10		·20	·02	·55						6
7	·26	·07	·11		·43	·02			·05			·06	7
8		·08	·09		·33	·14	·04					·11	8
9		·03	·01		·12	25	·05					·14	9
10	·02	·38		·06	·02		·01						10
11	·13	·02	·03	·30	·12	·02	·01		·03				11
12	·05	·08	·03	·10			·22	·28					12
13	·01	·30	·08	·20	·01		·02	·44	·01				13
14		·32	·20	·09	·04			·45					14
15		1·00	·10	·21	·11		·04	·15	·08				15
16	·01	·19		·24	·02		·01						16
17	·20	·32		·57				·03	·39				17
18	·03	·25	·20	·43					·43				18
19	·17		·27	·12				·12				·04	19
20	·10		·45	·13								·80	20
21	·11	·01	·24	·04		·03	·01					·30	21
22	·01		·01	·03		·07						·40	22
23	·04		·02	·03		·17		·18			·02	·24	23
24			·01	·11	1·48	·01		·16			·01		24
25		·50	·24		·01	·10		·47			·06		25
26	·05	·25	·09		·07	·23		·23					26
27	·04	·09	(Snow) ·50 ?			·01		·13					27
28	·01	·30	·07			·03						·10	28
29		·15	·05			·48		·32			·01	·20	29
30		X				·16		·01					30
31		X		X	·02	X		·08	X		X		31
Total	2·42	6·29	3·21	2·68	3·46	2·63	2.00	~~3·09~~ 3·05	Complete only				YEAR'S TOTAL
Rain Dys.	21	23	~~25~~ 24	16	16	18	14	14	to Aug. 1916.				

W. 8,000. X. 15.

82

REGI

1911

Form A2.
British Rainfall.
26 JAN 1912

BIRMINGHAM. W.W.
CLAERWEN
1911 – 1920

Kept at Claerwen, ...

in the County of Radn...

by E. A. Lees

...er of top ..... in.

...f top above Ground ..... ft. ..... in.

„ „ Sea Level ..... ft.

...tion .....

Station { Name .....
Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		1.25				.05				.30	.10	1
2			.40		.30			.20		.15	.10	.35	2
3			.10	.05	.70			.20	.05		.40	.25	3
4			.35		.15			.40		.05	.50	.65	4
5	.30		.20					.55		.25	.15		5
6	.20		.25					.30			.30	.65	6
7	.15										.35		7
8	.95		.35								.20	.65	8
9	.10		.15								.40	.40	9
10	.15	.30	.35									1.55	10
11	.30		.05					.10	.15		.30	.20	11
12			.40		.05				2.20		2.40	.15	12
13			.15		.05						.30	.25	13
14		.20			.05						.05	.45	14
15	.10	.15									.50	.35	15
16		.15				.55					.20	.25	16
17		.10				1.15					.40	.55	17
18		.55	.15	.40		.35				.10	.25	.80	18
19		.10		.50		.60	.10	.05	.75	.30	.30	1.00	19
20	.05	.10		.20		.10		.35	.45	.15	.10	.40	20
21		.35		.10		.15	.25		.15	.60		.35	21
22				.05		.20			.05	1.60	.05	.35	22
23		.20	.05			.05		.25	.35	.45		.30	23
24	.15	.20			.15	.55				.55		.30	24
25	.20	.05		.65		.45	.25	.10	.20	.15		.30	25
26	.05	.20		.50	.60	.05		.10	.15	.40		.25	26
27		.35	.05	.20			.05	1.15	1.00		.10	.75	27
28		.70		.25		.05			.15			.20	28
29						.60	.25		.70	.50		.30	29
30			.10	.05	.05	.10			.05	.40	.10		30
31					.20		.15			.20		.15	31
Total	2.75	3.70	4.35	2.95	2.30	5.25	1.10	3.75	6.40	6.15	7.75	12.25	TOTAL for year 58.70
No. of Rain Days	13	15	16	11	10	14	7	12	14	15	22	28	177

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL 1911

Kept at Claerwen, Birmingham W.W.

in the County of Radnor

by E. A. Lees

RAIN GAUGE: Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. " " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		1.25				.05				.30	.10	1
2			.40		.30			.20		.15	.10	.35	2
3			.10	.05	.70			.20	.05		.40	.25	3
4			.35		.15			.40		.05	.50	.65	4
5	.30		.20					.55		.25	.15		5
6	.20		.25					.30			.30	.65	6
7	.15										.35		7
8	.95		.35								.20	.65	8
9	.10		.15								.40	.40	9
10	.15	.30	.35									1.55	10
11	.30		.05					.10	.15		.30	.20	11
12			.40		.05				2.20		2.40	.15	12
13			.15		.05						.30	.25	13
14		.20			.05						.05	.45	14
15	.10	.15									.50	.35	15
16		.15				.55					.20	.25	16
17		.10				1.15					.40	.55	17
18		.55	.15	.40		.35				.10	.25	.80	18
19		.10		.50		.60	.10	.05	.75	.30	.30	1.00	19
20	.05	.10		.20		.10		.35	.45	.15	.10	.40	20
21		.35		.10		.15	.25		.15	.60		.35	21
22				.05		.20			.05	1.60	.05	.35	22
23		.20	.05			.05		.25	.35	.45		.30	23
24	.15	.20			.15	.85				.85		.30	24
25	.20	.05		.65		.45	.25	.10	.20	.15		.30	25
26	.05	.20		.50	.60	.05		.10	.15	.40		.25	26
27		.35	.05	.20			.05	1.15	1.00		.10	.75	27
28		.70		.25		.05			.15			.20	28
29						.60	.25		.70	.50		.30	29
30			.10	.05	.05	.10			.05	.40	.10		30
31					.20		.15			.20		.15	31
Total	2.75	3.70	4.35	2.95	2.30	5.25	1.10	3.75	6.40	6.15	7.75	12.25	TOTAL for year 58.70
No. of Rain Days	13	15	16	11	10	14	7	12	14	15	22	28	177

9,000, IX. '10.

carly communicated 6.III.13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

25 JAN 1913

498

Kept at Clacrwen

in the County of Radnor

by E. A. Lees.

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation ...

Nearest Railway Station { Name ... ; Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.20			.30	.05	.20	.10	.05		.20	1
2	.10		.55	.20		.55	.10	.05					2
3	.75		.10		.05	.05		.75	.60		.20	.20	3
4	1.50		1.30	.10	.10	.05		1.00			.65	.05	4
5	.30	.05	.70		.20			.90	.20		.05	.10	5
6	.65	.20			.05			.50	.05		.05	.05	6
7		.45	.20		.30	.25		.35	.15	.05	.05	.10	7
8	.50	.25	.50	.10	.05	.20		.20	.40		.05		8
9	.05	(.25)	.15	.20		.05	.05	.40			.15	.25	9
10	.35	.05				.75		.35			.90	.05	10
11	.05			.05	.05	.05	.10				.70	.80	11
12	.05	.15	.40	.15	.05	.15	.20				.10	.15	12
13	.05		.05			.25	.10	.10		.20		1.10	13
14	.10		.90			.15		1.40	.05	.05		.55	14
15	.30	.05	.10		.40	.50		.30				.45	15
16	.40	.25	.45		.20	.10		.15		.30	.10	.20	16
17	.20	.05	.15		.10	.80		.45			.55	1.10	17
18	.05	.05	.30			.05		.50		.80	.20	.10	18
19	.05	.45	.05		.05	.15	.15	1.05		.35	.05	.10	19
20	.10	.10	.20		.20			.40		.90	.95	.10	20
21		.05	.90		.25		.05	.75		.90	.10	.15	21
22	.20	.30	.05		.35	.05	.05	1.00		.05	.10	.15	22
23		.20	.35			.20	.20	2.00		.05	.40	.30	23
24	.10	.05	.25		.05	.60		.05			.05	.35	24
25			.05			.30	.30	.50			.70	.60	25
26		.15	.40			.10	.10	1.20		1.00	.80	.50	26
27		.05	.75			.40	1.40			.85	.30	.45	27
28		.15	.15			.35	.80	.30	.10	.35	.40	.05	28
29		.20	.25			.05	.55	.60	.30	.20		.15	29
30			.15	.05	.05	.30	.10		.05	.70			30
31	.10		.15				.80	.35		.05		.15	31
Total	5.95	3.45	9.75	.85	2.50	6.75	5.10	15.70	2.00	6.85	7.60	8.50	TOTAL for year 75.00
No. of Rain Days.	21	21	28	7	17	26	19	27	10	17	23	28	242

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 5·00

31 JAN 1914

Kept at Claerwen

in the County of Radnor

by E A Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·10	·10	·15	·20	·10						·20	·15	1
2		·30	·30	·10	·10	·10				1·05	·45	·15	2
3	·15	·05	·40		·60					·15	·05	·70	3
4	·75	·15	·10		·10				·40	·45		·85	4
5	·35	·15	·30		·25	·50	·25		·05	·45	·20	·05	5
6	·25	·25	·30		·30	·50	·40			·50	·10	·65	6
7	·15	·55	·25		·40	·30	·05			·55	·10	·05	7
8	·05	·25			·55	·10	·05	·40		·25		·10	8
9		·45	·55	·10	·15	2·20	·15	·50	·10		·40	·40	9
10	·30		·20	·10	·10		·05	1·10	·10	·30	·50		10
11	·60		·05	1·20	·10	·15	·05	·05	·05	·20	·60	·20	11
12	·10		·05		·20	·10	·15		·20		1·75	·20	12
13			·60	·05	·05			·35	·75		·65		13
14	·35		·40	·20				·05	·10	·60	·35	·15	14
15	·25		·50	1·15				1·15	·10		·20	·10	15
16	·25		·30	·20			·15				·30	·05	16
17	·25			·40	·05		·90				·25		17
18	·25		·45	·45	·10	·05	·25				·25		18
19	·45		·10		·20	·70	·30		·30	·35	·15		19
20	·40		·20	·15	·10	·10			·05	·15	1·00		20
21			·40		·50		·20	·10		·15	·25		21
22	1·70		1·00		·15	·30		1·20	·65			·05	22
23	·15							·30	·05		·30	·05	23
24	·50	·05		·35		·05					·10	·10	24
25		·05		·30					·20	·05	·20	·25	25
26		·05		1·70		·20			·15	·05		·80	26
27	·05	·05	·10	·25						·40	·05	·20	27
28	·10		·15	·50	·15					·45	·05	·20	28
29			·40	·60	·05			·15		·45	·30		29
30	·45		·20	·05	·10					·25	·80		30
31	·05		·40							·15			31
Total	8·00	2·45	7·85	8·05	4·40	5·35	2·95	5·40	3·25	6·95	9·55	5·45	69·65
Rain Days.	24	13	25	19	22	14	13	11	15	20	26	21	223

YEAR'S TOTAL

W. 7,500, XI. 12

88
4 83
FORM A.
BRITISH RAINFALL.
22 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Claerwen

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.15	.25	.10		.15	.65	.95			.05	.35	1
2	.10	.05			.05		.60	.20		.10	.20	.55	2
3	.25		1.80	.10	.70			1.00		.15		.65	3
4	1.15		.60	.30	.35		.20				.65	.65	4
5	.30		.80	.40	.70		.20				.15	.15	5
6	.20	.10	.15	.15	.20	.15	.10	.15			.05	.25	6
7	.05	.30	.85	.05	.35	.05	.45	.20			.10	.30	7
8	.70	.10		.15	1.30	.25	.05	.40	.15	.05	.10	.30	8
9	.80	.15	.10	.30	.30	.65		.65	.15		.30		9
10	.35	.45	.20	.35	.25	.20		.05	.35		.05		10
11		.35	.60		.15	.10			.10		1.00	.75	11
12		1.15	.20		.05				.40		.90	.30	12
13		.40	.55	.15	.10		.10		.90	.25	.70	.10	13
14		.45	.40				.05		.15	.05	.25		14
15		.15	.80				.05		.35		.30	.45	15
16		.05	.20				.10		.35			.25	16
17		.50	.35				.15		.50			1.20	17
18		.10	.05				.05		.25	.05		.25	18
19		.30					.65		.20		.15	.65	19
20		.65	.30			.60						.15	20
21		.40	.05				.10	.25		.30			21
22		.40		.15	.10	.30		.30		.30	.05		22
23		.10	.35	.05			.50	.10		.15	.05		23
24	.05	.10	.50			.10	.80	.10			.20		24
25	.40		.15				.60	.55		.50	.10	.25	25
26	.20	.05					1.10	.40		.25	.65	.70	26
27	.50	.05					.05			.60	.85	1.65	27
28	.20	.30	.10		.25			.05	.10	.15		.50	28
29	.20		.20	.15	.10			.15		.15	.70	.15	29
30	.05		.45					.10		.05	.60	1.05	30
31	.40		.20		.10		.50			.65		.20	31
Total	5.90	6.80	10.20	2.40	5.25	2.55	7.05	5.60	3.95	3.75	8.15	11.80	YEAR'S TOTAL 73.40
Rain Days.	17	24	25	13	16	10	21	17	13	16	23	24	219

W.7,000, XI. 13

4217
465

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Llaerwen

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.95	.30	.15	.05	.95			.50	.10	.50		.35	1
2	.20	.55	.65	.50		.10	.05	.60	.25	.10		.20	2
3		.40	.25	.35	.05		.20	.20				.25	3
4	.55	.50	.05		.95							1.20	4
5	.10	.80	.25	.05		.25		.10				1.30	5
6	.45	.15	.15	.45			.25	.30				.35	6
7	.70	1.10	.05	.15	.20		.65	.30				.55	7
8	.60	.40		.10				.10		.05	.70	.05	8
9	.10	.30		1.15				.05			.70	1.05	9
10	1.00	.10	.25	.20			.25	.05		.15	.55	.10	10
11	.10		.10					.20		.05	1.75	.10	11
12	.80	.05		.15	.15			.20		.25	.70	.05	12
13	.10	.30		.05	.30			.65	.10	.05	.20	.15	13
14	.40	.10						1.30	.05		.20	.65	14
15	1.05	.10		.05	.40		.15	.65	.35		.10	.35	15
16	.10	.80		.10	.25		1.15	.40	.15			.20	16
17	.05	1.05	.10		.65		.05	.25				.05	17
18	.10	1.05	.05				.60						18
19	.10	.20	.05	.40	.15		.05	.25					19
20	1.40			.10				.20				.95	20
21	.40	.10			.35		.50	.10		.20		1.25	21
22	.10	.15	.20	.05			.15		.05			.35	22
23		.10	.20			.15	.25			.70		.65	23
24			.05						.05	.60		.60	24
25			.05			.60	.15			.05	.10	.25	25
26		.35					.45		.10			.75	26
27		.20				.05	.25		.20	.45		.30	27
28		.35				.45	.50	.05	.05	.25			28
29						.20		.05	.10		.25	.20	29
30	.30	X		.40		.05			.15	.45	.30	.40	30
31	.15	X		X		X	.30	.30	X	.25	X	.60	31
Total	9.80	9.50	2.60	4.30	3.60	1.85	5.95	6.80	1.70	4.10	5.55	13.25	YEAR'S TOTAL 69.00
Rain Days.	23	24	16	17	11	8	18	22	13	15	11	28	206

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 20 JAN 1917

Kept at Claerwen

in the County of Radnor

by E. A. Lees

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	.05	.05			.25	.55			.20	.40		1
2	.55	.70	.10			.05	1.85	.05	.40	1.10	.35		2
3		1.05		.10	.05	.10	.05		1.40	.50	.25	.05	3
4	.60	.35		.10	.30	.95	.05		.35	.50	.50		4
5	.20	.10	.05		.10	.40				.30	.25		5
6	.60	.65			.15	.20	.65			.65	.35		6
7	.25	.10	.05		.70	.10				.20	.45	.05	7
8	.10	.10	.05	.05	.30	.30				.05	.45	.40	8
9	.20	.20			.25	.40	.05			.20	.05	.05	9
10	.15	.35		.30	.05	.10	.10		.05	.20	.10		10
11	.60	.15		1.10	.05	.55	.10		.30				11
12	.20	.40	.05	.30	.40		1.15	.40	.35	.40			12
13	.15	.35	.15	.30	.10			.65	.10	.15			13
14	.10	.30	.10	.05	.30			.95		.20		.05	14
15	.10	.90	.10	.20	.25		.10	.60	.35	.35			15
16	.05	.05		.90	.10				.05	.30			16
17	.30	.70		.95			.20	.10	2.50	.70			17
18	.10	1.20	.05	2.30				.05	.80	.25		.10	18
19	.35		.65	.60				.30			.30		19
20	.35	.10	.25	.35							.55	.35	20
21	.30		.35	.10	.05	.10	.10				.10	.05	21
22	.05					.10				.50	.05	.05	22
23	.20			.10		.15		.25		.20	.15	.60	23
24		.20		.15	1.40	.15		.25		.65	.05	.10	24
25	.05		.30		.30	.05		.45	.10	.10	.85	.15	25
26	.40		.25		.20	.35		.30	.35	.35	.05		26
27	.05	.25	(.55)		.05			.30	.40	1.50		.05	27
28	.05					.05				.55	.15	1.00	28
29		.10			.10	.45		.15		.70	.15	.90	29
30		X				.05		.05		.90		.30	30
31		X	X		X			.15	X	.50	X	.25	31
Total	6.20	8.35	(3.10) 2.60	7.95	5.20	4.85	4.95	5.00	7.50	12.20	5.55	4.50	YEAR'S TOTAL (75.35) 74.85
Rain Days.	26	22	16	17	20	20	12	16	14	27	20	17	227

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Llaerwen

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.35	.05		.25		.15	.20		.15	.20	1
2	.05			.35		.40				.20	.20	.05	2
3	.55	.15	.05	.05		.10				.30	.05		3
4		.15	.05							1.20		.05	4
5	1.35		.10	.65		.05		.60	.80	.95	.25		5
6	.05		.20			.60				.20	.55	.10	6
7	.70							.15		.70	.40		7
8	.20			.30		.05	.40	1.30	.10	.95	.60	.30	8
9			.05	.20	.05			1.60		.45	1.75	.05	9
10	.20		.65	.10	.05			.70		.25	.05		10
11	.35			.05				.25		.25	.25		11
12	.15		.10	.10	1.00			.15		.80		.10	12
13	.10		.05	.40		.05		1.05	1.00	.20	.25	.15	13
14				.20	.05		.20	.40		.40	.05	.25	14
15				.10	.05		.80	.35	.05	.35		.15	15
16		.10		.10			.15	.05		.05	.05	.10	16
17		.05	.30	1.90	.15		.30	1.15	.15	.25	.10		17
18			.10	.20	.05		.50	.25	.65	.15			18
19		.35	.30	.05		.50		.05			.15		19
20		.55	.35		.40	1.00		.25	.55		1.15		20
21			.10			.10		.05		.10	.50		21
22		.05						1.00	.50	.55	.25		22
23		.35				.15		.75	.05	.45	.05	.15	23
24		.15	.05		.35	.30		.60		.45	.20	.30	24
25		.35	.15					.20		.45	.25		25
26			.15		.30	.10	.10	.30	.30	.40	1.40		26
27		.05	.05		.80	.80	.70	.85		.20	.15		27
28		.50	.25		.40		.10	2.55		.20	.10		28
29			.10				.30	.70		.65	.10	.15	29
30		X						.70		.15	.15	.10	30
31		X	.20	X	.30	X		.50	X	.05	X		31
Total	3.70	2.80	3.70	4.80	3.95	4.45	3.55	16.65	4.35	11.30	9.15	2.20	YEAR'S TOTAL 70.60
Rain Days.	10	12	21	16	13	14	10	27	11	28	26	15	203

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

22.1.19

Kept by Claerwen

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.05		.30	.05			.10	1.35	.25	.90		1
2		.15		.10				.35	.20	.10		.40	2
3		.10		.10	.40	.35		.05	.80	.30	.25	.05	3
4	.15	.10						.05	1.05	.55	.60	.30	4
5		.10		.10	.55				.15	.95	.15	.05	5
6	.10	1.05		.65		.20			.05	.50		.10	6
7		.20		.15	.40			.05	.25	.60	.45	.10	7
8	.25	.35					.35		.65	.20	.05	.10	8
9	.05	.85		.35		1.90	.20		.85	.60	.10	.20	9
10	.15	.25		.05			.50		.35	.20	.80	.70	10
11	.30	.20	.15		.20		.85		.85	.10	.10	.70	11
12	.10	1.00			.10	.15	.10		.40			.10	12
13		.10			.10	.25			.15			.25	13
14	.60				.05	.20	.25		.45	.15		.55	14
15	.20					.15	.80		.40	.15		.85	15
16	.05			.30			1.00	.15	.30	.15		.70	16
17	1.05		.05			.05	.25	.10	.25	.15		.30	17
18	.90	.05	.25			.25	.30		.50	.05		1.00	18
19	.30	.25		.10				.05	.35	.05		.75	19
20	.75	.20		.30		.30	.25		.90			.05	20
21	.40	.30		.15		.10	.30		.65			.25	21
22	.10	.10			.75		.30	.05	.35	.10		.95	22
23	.30	.05			2.60		.40		1.05		.10	.10	23
24	.10	.20			.15		.20	.35	.45		.60	.50	24
25		.05			.20		.45	(1.00)		.05	.10		25
26	.05	.10					.20	.40	.30	.10	.35	.65	26
27	.05	.05	.40			.20		.50	.60	.05	.70	1.00	27
28		.05	1.70						.05	.05	1.70	.80	28
29			.10						.70			.20	29
30		X	.30					.30	.25	.05	.20	.60	30
31		X	1.50	X		X		.15	X		X	.05	31
Total	5.95	5.90	4.45	2.65	5.55	4.10	6.70	(2.65)	14.65	5.45	7.15	12.35	YEAR'S TOTAL 78.55
Rain Days.	20	24	8	12	12	12	17	14	29	23	16	29	216

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Llaerwen

in the County of Radnor

by E. A. Lees

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40		.05		.60		.35	.05	.10	.50		.60	1
2	.40		.15		.05			.05	.60	.25	.05	.70	2
3		.20			.15						.05	1.05	3
4			.40		.05	.10	.25	.30	.10			.25	4
5	.25	.15		.10					.05			1.05	5
6	.20		.70						.05			.65	6
7	.10		.30	.15		.05			.05			.15	7
8	.50		.10	.05		.15			.05		.05	.05	8
9	.40		.05	.35							.15		9
10	.45		.90	.35	.05					.15	.05	.55	10
11	.15		1.45	.25	.10		.15			.10		.10	11
12	.35		.40	.15		2.80				.45	.10		12
13	.35			.40			.30		.05	.85		.15	13
14	.60	.05		.95			.50	.05	.05	.30		.25	14
15	.60			.65						.50		.55	15
16	.60	.95		.05			.05	.10			1.10	.05	16
17	.05	.30		.35		.25	.35	.20			1.20	.10	17
18			.85	.05			.20	.40	.55		.10	.20	18
19	.10	.25	.55			.30		.25	.45		.40	.55	19
20	.40	.25	.20			.10		.20	.50		.40	1.45	20
21	.20	.60					1.00		.15		.20	.45	21
22		.65				.15	.05		.80		.05	3.00	22
23						.35				.60	.15	.30	23
24	.10			.10	.20	.15		.05	.15	.35	.40	.50	24
25	.35			.35	.20			.50	.05	.05	.50	.15	25
26	.20		.70	.25		.15		.85	.40		.05	.60	26
27	.30		.15	.40				.30	.15				27
28			.15	.15				.45				.55	28
29	.05		.05	.10		.15		.30		.10		.60	29
30		X	.15	.45		.25		.10			.45	.50	30
31		X	.25	X		X	.45		X	.05	X	.20	31
Total	7.10	3.40	7.55	5.65	1.40	4.95	3.65	4.15	4.30	4.25	5.45	15.30	YEAR'S TOTAL 67.15
Rain Days.	23	9	19	20	8	13	11	16	18	13	18	28	196

W, 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Birmingham W.W. Claerwen

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....
Time of Observation .....
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05		.25	.60		.35	.05	.20	.45		.50	1
2	.05	.05	.10	.45	.05		.55		1.10	.15		.30	2
3	.05	.20		.20	.35		.45		.35	1.30		.35	3
4					.05			.85	.50	.15			4
5			.35	.05	.95		.40		1.45	.15			5
6			.40	.15	.50		.25		.20	.55	.10	.05	6
7	.20	.05	.20	.15	.45		.10	.65			.05		7
8	.60	.20	.05	.70	.10		.60	.20					8
9	.75	1.10	.10	.70			.35	.40	.05		.05		9
10	.85	1.15	.15			.40	.30				.25		10
11	.10	.10	.20	.40	.35	.05	.60						11
12	.45	.20		.30		.90	.05	.25			.40		12
13	.15	.15	.55	.70					.10		.10		13
14	.05	.05	.20	.45		.10	.25		1.10	1.10	.55		14
15	.05	.25	.45	.80	.05	.10			.15	.15	.10		15
16	.05	.10	.55	.45	.40	.05	.65	.10	.40	1.00	.15		16
17	.30		.10	.05	.45	.35	.10	.45	.45	.15			17
18	.30			.25	.45	.05		.20	.50				18
19	.20	1.00		.30	.45	.05	.10	.10	.05				19
20	.55	.10		.80		.05	.15		.20			.20	20
21				.05			.20	.10				.30	21
22	.30			.10		.10	.30	.30				.25	22
23	.10		.15	.05			.50					.30	23
24	.15		.60	.20		.05						.40	24
25	.10	.15	.25	.45		.40	.60					.15	25
26	.40	.50	.70	.75	.05	.20	.25				.10	.15	26
27	.50	.40	.75	.60	.20	.50	.05				.05	.55	27
28	.40	.10	.65	.20	.15	.20	.10				.10	.15	28
29	.30		.20	.15	.90	.05	.65				.10	.80	29
30	.25		.45	.60	.15	.45	.35		.45	.05	.40	.40	30
31	.30		.30		.15		.10			1.15		.15	31
TOTAL	7.50	5.90	7.45	10.30	6.80	4.05	8.35	3.65	7.25	6.35	2.50	5.00	YEAR'S TOTAL 75.10
Days with .01 in. or more	26	19	22	28	20	18	26	12	16	12	14	16	229

(4243). Wt. 21/1958—21/7500. H. & p. Gp.152. A.&E.W.

82

REGIST… 1911

BIRMINGHAM W.W
NANTGWILT
1911

FORM 2. BRITISH RAINFALL. 26 JAN 1912 [illegible] 228

Kept at Nantgwillt-

in the County of Radn…

by E. A. Lees

…top…in.
…p above Ground…ft.…in.
„ Sea Level…ft.

…ation { Name…
Distance… Direction…

IMPORTANT NOTE.—Rain should be measured …, and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		1·02		·14		·05	·11			·37	·42	1
2			·19	·03	·39		·02	·28		·04	·07	·69	2
3			·05	·04	1·15			·12	·05		·58	·39	3
4			·11		·09			1·13		·01	·75	1·11	4
5	·80		·08	·04				·58		·32	·35	·03	5
6	·03		·05					·20			·28	1·13	6
7	·04										·63	·01	7
8	·43		·42								·36	1·01	8
9	·03		·09								·22	·47	9
10	·19	·13	·48									1·98	10
11	·43		·04		·03			·02	·10		·40	·31	11
12		·02	·38		·18				1·46		1·95	·45	12
13			·02							·03	·34	·09	13
14		·24	·01								·13	·95	14
15	·05	·24	·02			·04					·49	·11	15
16		·09				·64					·23	·53	16
17		·10	·01	·05		1·93					·43	1·01	17
18		·95	·15	·65		·57				·08	·30	·86	18
19		·13		·81		·17	·19	·04	·70	·55	·03	·89	19
20		·16		·36		·01		·18	·16	·15		·39	20
21		·55	·09	·04		·16	·06	1·66	·05	·75		·33	21
22		·39		·17		·36			·02	1·55	·02	·84	22
23	·03	·09	·06		·05	·04		·13	·19	·50		·48	23
24	·15	·30	·01	·05		·45		·09	·07	·30		·43	24
25	·10	·11		·27		·16	·02	·02	·35	·15		·42	25
26	·01	·36		·49	·09	·04		·15	·07	·53	·07	·22	26
27		·35	·11	·30			·02	1·15	·51		·03	·24	27
28		·82	·02	·25		·03		·14	·08		·06	·14	28
29		×		·08		·43	·26	·02	·74	·93	·01	·14	29
30		×	·08		·02	·04	·01		·03	·67	·15		30
31		×	·02	×	·02	×	·02	[illegible]	×	·08	×	·02	31
Total	2·30	5·03	3·51	3·63	2·16	5·07	·65	6·02	4·58	6·64	8·25	16·09	TOTAL for year 63·93
No. of Rain Days	13	17	23	15	10	16	9	17	16	16	24	30	204

9,000, IX. '10.

81

REGIST[illegible] 1911

FORM 42. BRITISH RAINFALL. 26 JAN 1912

Kept at Nantgwilli-

in the County of Radnor

by E. A. Lees

RAIN GAUGE: Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. " " " Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station: Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		1.02		.14		.05	.11			.37	.42	1
2			.19	.03	.39		.02	.28		.04	.07	.69	2
3			.05	.04	1.15			.12	.05		.58	.39	3
4			.11		.09			1.13		.01	.75	1.11	4
5	.80		.08	.04				.58		.32	.35	.03	5
6	.03		.05					.20			.28	1.13	6
7	.04										.63	.01	7
8	.43		.42								.36	1.01	8
9	.03		.09								.22	.47	9
10	.19	.13	.48									1.98	10
11	.43		.04		.03			.02	.10		.40	.31	11
12		.02	.38		.18				1.46		1.95	.45	12
13			.02							.03	.34	.09	13
14		.24	.01								.13	.95	14
15	.05	.24	.02			.04					.49	.11	15
16		.09				.64					.23	.53	16
17		.10	.01	.05		1.93					.43	1.01	17
18		.95	.15	.65		.57				.08	.30	.86	18
19		.13		.81		.17	.19	.04	.70	.55	.03	.89	19
20		.16		.36		.01		.18	.16	.15		.39	20
21		.55	.09	.04		.16	.06	1.66	.05	.75		.33	21
22		.39		.17		.36			.02	1.55	.02	.84	22
23	.03	.09	.06		.05	.04		.13	.19	.50		.48	23
24	.15	.30	.01	.05		.45		.09	.07	.30		.43	24
25	.10	.11		.27		.16	.02	.02	.35	.15		.42	25
26	.01	.36		.49	.09	.04		.15	.07	.53	.07	.22	26
27		.35	.11	.30			.02	1.15	.51		.03	.24	27
28		.82	.02	.25		.03		.14	.08		.06	.14	28
29		X		.08		.43	.26	.02	.74	.93	.01	.14	29
30		X	.08		.02	.04	.01		.03	.67	.15		30
31		X	.02	X	.02	X	.02	[illegible]	X	.08	X	.02	31
Total	2.30	5.03	3.51	3.63	2.16	5.07	.65	6.02	4.58	6.64	8.25	16.09	TOTAL for year 63.93
No. of Rain Days	13	17	23	15	10	14	9	17	16	16	24	30	204

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

493
FORM A28
BRITISH RAINFALL.
25 JAN 1913

Kept at Nantgwyllt

in the County of Radnor

by E. A. Lees

RAIN GAUGE { Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. ,, ,, ,, Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station { Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.59		.04	.44	.05	.10	.04	.02		.45	1
2	.02		.87	.10	.01	.71	.04	.02				.05	2
3	.66		.92		.11	.08		1.23	.27		.07	.23	3
4	.96		1.40	.09	.06	.18		1.09			.54	.04	4
5	.64	.15	.61	.01	.15	.01		.34	.16		.01	.18	5
6	.68	.32	.05		.12			.05	.01		.02	.04	6
7	.02	.65	.35	.01	.09	.29	.18	.15	.03			.18	7
8	.65	.30	.27	.11	.01	.11		.03	.10				8
9	.04	.38	.21	.35		.13	.05	.30	.01		.09	.37	9
10	.58	.04				.06	.05	.20			1.25	.07	10
11	.01	.03					.04				.62	.90	11
12	.10	.18	.69	.07	.03	.43	.13				.10	.06	12
13	.13					.18	.03	.39		.32	.02	.92	13
14	.17	.02	.62			.08		.36				.52	14
15	.08	.10	.13		.29	.31		.10				.60	15
16	.51	.16	.87		.20	.02		.24	.01	.29	.07	.25	16
17	.28	.05	.10		.07	.43		.37			.24	1.28	17
18	.28	.06	.45					.54		.34	.06	.12	18
19	.05	.25	.01			.08	.17	1.22		.32	.02	.18	19
20	.06	.02	.66		.15	.04		.40		.68	.60	.06	20
21		.06	.67		.25		.02	.67		.68		.10	21
22	.42	.64	.02		.30	.03	.36	.83		.02	.03	.22	22
23	.25	.01	.40			.17	.13	.66		.05	.44	.09	23
24	.02	.01	.13		.05	.48	.01	.01			.04	.38	24
25		.04	.05			.27	.05	1.10			1.16	1.10	25
26		.25	.28			.02	.12	.52		1.61	.86	.27	26
27		.07	.50			.89	1.13			1.36	.06	.83	27
28		.30	.01			.19	1.37	.45	.29	.70	.66	.06	28
29		.55	.44			.01	.25	.65	.35	.32		.06	29
30		X	.09			.41	.10	.01	.01	.80		.04	30
31	.03	X	.13	X	.03	X	.62	.14	X	.04	X	.21	31
Total	6.64	4.64	11.52	.74	1.96	6.05	4.90	12.17	1.28	7.55	6.96	9.86	TOTAL for year 74.27
No. of Rain Days.	23	24	28	7	7	26	20	28	4	15	21	30	260

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

Ex DL

5000 FORM BRITISH RAINFALL. RX 228

31 JAN 1914

Kept at Rhaiadr-gwy

in the County of Radnor

by E. A. Lees

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.29	.36	.15	.08				.03		.35	.06	1
2	.02	.19	.53	.06	.10	.07				.70	.48	.07	2
3	.25	.06	.45	.01	.19				.01	.05	.02	.85	3
4	.87	.16	.27		.05	.02			.59	.25	.10	1.27	4
5	.38	.16	.15		.24	.35	.09		.02	.50	.15	.01	5
6	.54	.47	.75		.17	.45	.13			.43	.02	.50	6
7	.12	.81	.23		.45	.42	.01			.66	.22	.01	7
8	.02	.39			.52	.06	.05	.30	.01	.11		.02	8
9		.45	.30	.04	.32	1.76	.19	.23			.59	.22	9
10	.88		.13	.03	.13		.01	.55	.02	.12	.39		10
11	.70			.77	.11	.05		.02	.02	.16	1.17	.09	11
12	.05				.18	.04			.17		1.20	.19	12
13	.04		.60	.09	.01		.02	.09	1.10		.79		13
14	.39		.45	.22					.40	.39	.33	.02	14
15	.53		1.05	1.90				.06	.04		.30	.06	15
16	.13		.54	.18			.02	.01			.26	.01	16
17	.17		.09	.25			.54		.01		.25		17
18	.13		.83	.41	.15	.01	.08				.35		18
19	.69		.09		.03	.42	.02		.17	.37	.16		19
20	.15		.38	.51	.08				.01	.35	1.11		20
21			.37	.08	.29	.02	.12	.15		.05	.22		21
22	1.39		1.26		.06	.25		.80	.68				22
23	.23		.04		.01	.06		.18	.14		.20	.05	23
24	.60	.09		.15		.01		.03			.15	.03	24
25		.06		.61					.15	.03	.21	.15	25
26		.12		2.65		.05		.01	.05	.02		1.10	26
27	.16	.02	.20	.30						.55	.02	.09	27
28	.10	[illegible]	.32	.85	.08					.32		.03	28
29		X	.26	.52	.05			.12		.60	.12		29
30	.68	X	.01	.01	.09					.20	.46		30
31	.09	X	.42	X	.09	X			X	.12	X		31
Total	9.45	3.27	10.08	9.79	3.48	4.04	1.28	2.55	3.62	5.98	9.62	4.83	YEAR'S TOTAL 67.99
Rain Days.	20	13	25	21	23	16	12	12	15	20	20	20	235

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

483

FORM 228 BRITISH RAINFALL

22 JAN 1915

Kept at Rhaitgwyllt

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.31	.17	.01		.15	.24	1.10			.06	.22	1
2	.01	.03	.08		.06	.01	.80	.08		.01	.36	.86	2
3	.24		1.17	.14	.64			.10		.11		1.10	3
4	1.14		.56	.31	.36		.60	.07			.75	1.20	4
5	.29		.52	.60	.53		.10				.26	.19	5
6	.19	.24	.04	.25	.15	.05	.15	.05			.02	.37	6
7	.03	.71	.74	.19	.49	.04	.25	.15	.07		.07	.76	7
8	.37	.01	.10	.32	1.06	.16	.02	.91			.04	.10	8
9	.46	.13	.06	.46	.18	.56		.32	.01		.15		9
10	.15	.85	.15	.32	.09	.20		.01	.16		.02	.01	10
11		.36	.66		.08	.17	.01		.05		1.32	.67	11
12		1.66	.21		.01	.01			.47		.82	.22	12
13		.70	1.10	.03	.01		.06		.45	.11	.55	.13	13
14		1.05	.52				.03	.01	.10	.05	.51		14
15		.04	1.11				.02		.25	.01	.12	.32	15
16		.12	.28				.03		.40			.18	16
17	.03	.75	.34				.03		.72			1.74	17
18		.07	.25				.02		.08	.01		.28	18
19		.14	.03				.90		.18		.13	.44	19
20		.83	.44			.37						.28	20
21		.46	.03				.05	.38		.36		.02	21
22		.45	.06	.06	.06	.34		.17		.64			22
23		.10	.24	.02	.04	.01	.31	.01		.14	.02	.01	23
24	.09	.05	.35	.02		.03	.50	.13		.01	.12		24
25	.66	.03	.20				.53	.61		.61	.24	.34	25
26	.09	.02					.56	.15		.32	.46	.74	26
27	.17	.06							.01	.44	1.14	1.30	27
28	.27	.13	.24		.12		.02		.03	.02	.06	.64	28
29	.37	X	.14	.47	.06			.01		.09	1.20	.05	29
30	.05	X	.58	.02				.01		.04	.84	1.40	30
31	.85	X	.15	X	.01	X	.42		X	.46	X	.33	31
Total	5.46	9.30	10.54	3.22	3.95	2.10	5.65	4.27	2.98	3.43	9.26	13.90	YEAR'S TOTAL 74.06
Rain Days.	~~16~~	25	29	15	14	13	~~22~~	18	14	17	28	27	236

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

4213
4165
FORM 228
BRITISH RAINFALL

Kept at Nantgwyllt

in the County of Radnor

by E. A. Lees

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.12	.34	.18	.02	.43			.99	.11	.31	.01	.36	1
2	.21	.58	.66	.34		.08	.01	1.12	.14	.02		.12	2
3	.01	.75	.17	.17	.02		.44	.09				.44	3
4	.21	.43	.02		.12		.08		.01			1.17	4
5	.18	.82	.05	.06	.01	.06		.05				1.58	5
6	.32	.10	.23	.31			.45	.14				.29	6
7	.49	1.23		.12	.57		.23	.09			.01	.55	7
8	.80	.52		.15				.12			.45	.11	8
9	.12	.76		.60				.02			.80	.93	9
10	.87	.02	.05	.09			.05	.16		.07	.51	.24	10
11	.25		.06	.01			.02	.16		.02	1.91	.10	11
12	.31	.11		.04	.31		.01	.06		.18	.79	.02	12
13	.11	.36		.01	.51			.39		.01	.25	.19	13
14	.28	.02		.01	.01			.60	.05		.09	.76	14
15	1.30	.05			.25		.13	.54	.07	.01	.19	.29	15
16	.14	1.67			.49		1.50	.05	.03			.13	16
17	.01	1.28	.02	.01	1.21							.02	17
18	.06	.90	.09		.01		.02	.06					18
19	.02	.19	.03	.20	.31		.61						19
20	.83		.02	.09	.01		.02	.01				.33	20
21	.60	.08			.17		.37	.01		.25		.40	21
22	.04	.12	.03		.64		.50		.02	.01		.76	22
23		.12	.13			.27	.25		.03	.76		.45	23
24			.05	.03			.01		.08	.54		.78	24
25		.05	.05			.63	.15		.05		.01	.27	25
26		.34					.46		.07	.01		1.09	26
27		.28				.05	.61		.01	.67		.87	27
28		.42				.06	.02	.01	.10	.08	.01	.02	28
29		X				.21		.01	.17		.22	.18	29
30	.26	X		.18		.51		.01	.02	.45	.37	.47	30
31	.11	X		X		X	.23	.23	X	.18	X	1.24	31
Total	8.65	11.54	1.84	2.44	5.07	1.89	6.17	4.92	.96	3.57	5.62	14.16	YEAR'S TOTAL 66.81
Rain Days.	24	23	16	18	16	8	22	22	13	16	14	29	223

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

Kept at Nantgwyllt

in the County of Radnor

by E. A. Lees

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

FORM A. BRITISH RAINFALL. 30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.45	.06	.05		.08	.26	.34			.42	.21		1
2	.68	.54	.19			.06	1.60		.53	.80	.35		2
3	.01	1.90	.01		.01	.17	.02		.53	.45	.38	.02	3
4	.64	.16		.02	.38	.67	.06		.11	.13	.66		4
5	.13	.20	.02		.09	.47				.90	.30		5
6	.38	.62	.03		.31	.14	.54			.32	.95	.01	6
7	.54	.20	.03		.26	.01			.03	.52	.49	.15	7
8		.18	.03	.01	.58	.14				.10	.40	.11	8
9	.03	.09			.06	.13	.10				.04	.11	9
10	.12	.28	.01	.18	.02	.01	.04		.01	.09	.02	.01	10
11	.37	.07	.02	1.10	.10	.18	.01		.03				11
12	.06	.35	.04	.15	.24		.53	.35	.08	.30			12
13	.07	.24	.26	.41	.02			.86	.02	.25		.01	13
14	.02	.52	.20	.19	.12			.45		.46			14
15	.02	1.24	.11	.11	.19			.25	.08	.23			15
16	.01	.06		.34	.02		.03	.01		.15			16
17	.34	.31		1.42				.01	1.12	.51	.34	.01	17
18	.14	1.09	.15	1.56					.49	.19	.29	.25	18
19	.42		.72	.26				.12	.01	.01	.17	.04	19
20	.41	.13	.20	.07							.42	.28	20
21	.40		.45	.04		.01	.01				.08	.01	21
22	.01	.01	.01			.09				.81	.01	.22	22
23	.15	.03	.01	.11		.07		.19		.35	.30	.51	23
24		.36	.01	.22	2.06	.03		.29		.61	.06	.12	24
25	.01	.10	.50		.05	.05		.37	.06	.18	.90	.04	25
26	.18	.13	.32		.01	.26		.77	.32	.46	.05		26
27	.02	.09	.45		.04	.03		.95	.43	1.76			27
28	.01	.19	.05			.01				.57	.13	.84	28
29		.07	.03		.06	.45		.23		.76	.07	.92	29
30		X				.09		.07		.75		.10	30
31		X		X	.01	X		.23	X	.74	X	.25	31
Total	5.62	9.22	3.90	6.19	4.71	3.33	3.28	5.15	3.85	12.82	6.62	4.01	YEAR'S TOTAL 68.70
Rain Days.	26	27	25	16	21	21	11	15	15	27	22	20	246

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

Form A. 228
BRITISH RAINFALL.

Kept at Nantgwyllt

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.16	.24		.13		.05	.54		.01	.38	1
2	.02			.19		.18				.01	.15	.12	2
3	.20	.07	.03	.12		.03				.60	.02	.03	3
4	.02	.06	.32							.60			4
5	.67		.29	.27		.05			.54	.65	.40		5
6	.05		.30			.08				.18	.68	.18	6
7	.70		.09				.14	.08		.74	.54	.05	7
8	.25		.08	.46			.29	1.00	.01	.86	.47	.17	8
9			.26	.43	.09			.48		.28	1.22		9
10	.21		1.13	.47	.09			.50		.03			10
11	.24			.07				.76		.50	.14		11
12	.15		.01	.04	.92			.26		.47		.04	12
13	.02		.01	.30		.02		1.70	.45	.10	.04	.13	13
14	.01			.15	.01		.38	.39		.25		.02	14
15	.02			.10	.01		.10	.03		.48		.57	15
16		.04	.01	.24			.07	.15	.01	.01		.26	16
17		.01	.09	.43	.07		.68	1.16	.17	.30	.03		17
18			.07		.06		.07	.11	.57	.11			18
19	.01	.33	.71			.44		.01	.21		.09		19
20		.15	.01		.55	.85		.27	.33		.59		20
21		.02				.09		.02		.13	.04		21
22		.01						.99	.06	.17	.22		22
23		.14			.44	.13		.72		.21		.05	23
24		.03				.09		.46		.74	.31	.06	24
25		.10	.14					.24		.26	.20		25
26					.38	.07	.04	.51	.22	.46	.96		26
27		.02	.01		.76	.45	.41	1.82	.01	.19	.34		27
28		.12	.29		.30	.02	.02	1.35		.06	.02		28
29		X	.09				.02	.34		1.12	.02	.26	29
30	.01	X						.36		.05	.09		30
31		X	.22	X	.75	X		.44	X	.01	X		31
Total	2.61	1.10	4.32	3.51	4.43	2.63	2.22	14.20	3.12	9.57	6.58	2.32	YEAR'S TOTAL 56.61
Rain Days.	16	13	21	14	13	14	11	26	12	28	22	14	204

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

Kept at Nantgwyllt

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

FORM A.
BRITISH RAINFALL.
4228
22.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.11		.23	.05			.07	1.06	.07	.66		1
2		.32		.01				.32	.15	.06	.05	.54	2
3		.25		.15	.33			.03	.97	.31	.03		3
4	.06	.13							.53	1.02	1.23	.54	4
5		.22	.02	.10	.44			.12	.18	.67		.01	5
6	.07	1.15		.55		.10			.13	.76		.15	6
7		.27		.02	.44			.02	.35	.58	.61	.14	7
8	.46	.85				.03	.11		.40	.38	.05	.04	8
9	.05	1.10		.21		1.24	.19		1.03	.31	.04	.34	9
10	.11	.13		.03			.30		.07	.19	.51	.55	10
11	.11	.19	.10	.06	.19		.63		.49	.02		.42	11
12	.03	.61			.11	.05	.06		.35			.05	12
13	.03	.01				.12			.13	.03		.21	13
14	.74		.03		.02	.15	.43	.01	.33	.10		.59	14
15	.61					.14	.88		.48	.02		.80	15
16	.15			.25			.10	.08	.58			.69	16
17	1.09					.03	.45	.04	.34	.15		.57	17
18	.89					.57	.26		.48	.02		1.18	18
19	.44	.10	.15	.07			.31		.38	.03		.64	19
20	1.05	.22		.11		.14			.51				20
21	.47	.43		.16		.04	.15		.88			.35	21
22	.09	.07			.65		.25		.69	.03		.75	22
23	.33				1.54		.29		.21		.03	.07	23
24	.14	.10					.01	.32	.25		.28	.40	24
25		.03			.12		.88	1.00	.11	.01	.05	.07	25
26	.07	.03		.09			.11	.01	.16	.01	.30	.52	26
27	.03	.18	.96			.06		.31	.66		.43	1.20	27
28		.02	1.13						.03	.02	.81	.48	28
29		X	.12						.67			.14	29
30		X	.58					.11		.12	.10	.37	30
31		X	1.13	X		X		.07	X	.03	X	.16	31
Total	7.02	6.52	4.22	2.04	3.89	2.67	5.41	2.51	12.60	4.94	5.18	11.97	YEAR'S TOTAL 68.97
Rain Days.	21	22	9	14	10	12	17	14	29	23	15	28	214

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

Kept at Nantgwyllt

in the County of Radnor

by E. A. Lees

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

FORM 228 BRITISH RAINFALL

13 MAR 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·58		·14		·49		·52	·03	·33	·60		·74	1
2	·48		·20					·07	·01	·06	·01	·59	2
3					·06	·11	·03					·61	3
4		·13	·33				·02	·05	·25			·41	4
5	·18	·36							·08		·03	·94	5
6	·29		·93						·02			·52	6
7	·17		·15	·06								·07	7
8	1·14		·04	·14		·14					·05		8
9	·36		·03	·16							·02	·01	9
10	·47		1·03	·16	·02					·07	·05	·86	10
11	·08		2·03	·08	·18	·07	·08			·04		·13	11
12	·10		·59	·24		2·56				·26	·12	·01	12
13	·38			·46			·05		·41	·53		·23	13
14	·37	·04		1·08			·09		·03	·21		·31	14
15	·51	·06		·55						·33		·99	15
16	·32	1·02			·01	·02		·20			·75	·07	16
17		·23		·03		·08	·34	·33			1·30	·02	17
18	·05	·42	·71				·07	·46	·25		·14	·31	18
19	·28	·20	·50			·25		·26	·30		·64	·09	19
20	·66	·11	·27			·03			·25		·43	·82	20
21	·09	1·01					·50	·02	·15		·05	·28	21
22		·40				·12			·52		·07	2·10	22
23				·05		·27		·01		·71	·20	·13	23
24	·01			·01	·04	·13			·06	·42	·44	·82	24
25	·19			·28	·05			·83	·29	·03	·37	·05	25
26	·38	·03	·60	·09		·03		·69	·03			1·02	26
27	·32		·28	·52			·01	·74	·09				27
28			·25	·06				·25				·58	28
29		X	·13	·05		·01		·27		·14		·31	29
30		X	·07	·39		·12		·07			·73	·92	30
31		X	·12	X		X	·13		X	·02	X	·11	31
Total	7·41	4·01	8·40	4·41	·85	3·94	1·84	4·28	3·09	3·42	5·40	14·05	61·10
Rain Days.	22	12	19	18	7	14	11	15	16	13	17	29	193

W. 6,500. VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Birmingham W.W. Nantgwyllt

in the County of Radnor

by E. A. Lees.

Lat. ..... Long .....
Time of Observation .....
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.02	.22	.93		.43		.09	.26		.62	1
2	.19	.06		.23	.03		.38	.03	.20	.17		.40	2
3	.03	.15		.08	.33		.59	.05	.23	1.12		.40	3
4					.01		.01	.95	.32	.15			4
5		.02	.44	.04	1.05		.31	.31	.84	.04			5
6			.76	.22	.26		.02			.45	.03	.03	6
7	.21	.08	.08	.13			.20						7
8	.85	.07		.79	.16		.39	.24					8
9	.94	1.16		.60			.14	.14	.02		.03		9
10	1.28	.73	.15			.65	.31				.02	.02	10
11	.08	.08	.40	.77	.32	.03	.05						11
12	.56	.29	.12	.55	.01	.81	.15	.33			.30	.02	12
13	.18	.03	.62	.80		.58					.08	.01	13
14	.05	.07	.70	.88		.05	.14		1.19	.60	1.02	.01	14
15	.01	.29	.39	1.34	.02	.09				.04	.19		15
16		.02	.47	.24	.27	.14	.64		.48	1.32	.06		16
17	.17		.01		.74	.24		.20	.59	.24			17
18	.37			.30	.60	.11			.37				18
19	.13	.92		.96	.42	.05	.07	.01	.02				19
20	.30	.02		.58		.04	.06		.05			.49	20
21				.05		.02	.21					.28	21
22	.39			.11		.01	.27	.08				.14	22
23	.29		.02	.02			.36					.28	23
24	.10		.73	.06							.25	.41	24
25	.33	.07	.42	.38	.21	.18	.95					.15	25
26	.28	.43	1.03	.54	.03		.12				.08	.16	26
27	.61	.19	1.64	.30	.02	.37	.05				.02	.68	27
28	.79	.01	.45	.20	.01	.12	.01					.22	28
29	.64		.19	.07	.45	.12	.46				.22	1.10	29
30	.22		.53	.53	.03	.41	.01		.68	.06	.33	.59	30
31	.25		.45				.11			1.07		.12	31
TOTAL	9.25	4.72	9.62	10.99	5.90	4.02	6.44	2.34	5.08	5.52	2.63	6.33	YEAR'S TOTAL 72.84
Days with .01 in. or more	25	20	21	27	20	18	26	10	13	12	13	20	225
	23	14	18	26	12	15	22	8	11	12	9	15	185

(44,283). Wt. 24,958—218. 7500. 10/19. Gp.132. A.&E.W.

82

REGIS... 1911

FORM A2. BRITISH RAINFALL.

26 JAN 1912

BIRMINGHAM. W.W
TYNANT.
1911 — 1920

Kept at Tynant

in the County of Radn...

by E. A. Lees

...r of top ..... in.

...top above Ground ..... ft. ..... in.

..., ... Sea Level ..... ft.

...on .....

...Station { Name .....
Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		1.42				.03	.02			.21	.18	1
2			.21	.01	.33		.03	.17		.04	.17	.57	2
3			.06	.04	1.08			.21	.05		.65	.42	3
4			.21		.08			.68	.01	.02	.75	.79	4
5	.32		.13	.04				.80		.28	.28	.05	5
6	.17		.03					.27		.02	.37	.87	6
7	.06										.58	.02	7
8	.73		.33								.46	.82	8
9	.04		.08								.31	.55	9
10	.24	.17	.36								.02	1.77	10
11	.35		.04						.10		.40	.27	11
12		.02	.55		.15				1.42		2.14	.19	12
13										.01	.34	.48	13
14		.28	.01		.02						.09	.70	14
15	.03	.22	.02			.02					.53	.22	15
16		.14				.54					.18	.35	16
17		.13		.03		1.67					.35	1.00	17
18		.87	.15	.58		.36				.08	.28	1.01	18
19		.12		.63		.51	.49	.03	.61	.38	.03	.95	19
20		.12		.31		.02		.18	.30	.12		.40	20
21		.58	.10	.03		.13	.05	.77	.07	.48		.36	21
22		.07		.17		.13			.02	1.17	.03	.78	22
23	.02	.37	.05		.12	.26		.01	.23	.29		.47	23
24	.15	.14	.02	.06	.02	.45		.18	.04	.64		.33	24
25	.26	.41		.37		.15	.10	.10	.23	.09		.49	25
26	.02	.25		.49	.19	.05		.19	.02	.46	.07	.29	26
27		.30	.10	.37				1.20	.60		.04	.27	27
28		.68	.02	.20		.08		.02	.05		.05	.20	28
29				.09		.65	.55	.02	.82	.77		.20	29
30			.10		.04	.07	.01		.03	.63	.15		30
31					.02		.02			.13		.02	31
Total	2.44	4.87	3.99	3.42	2.05	5.09	1.28	4.85	4.60	5.61	8.48	15.02	TOTAL for year 61.70
No. of Rain Days	13	17	20	15	10	15	8	16	16	17	24	30	201

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 26 JAN 1912

Kept at Tynant

in the County of Radnor

by E. A. Lees

RAIN GAUGE: Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. " " " Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station: Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05		1.42				.03	.02			.21	.18	1
2			.21	.01	.33		.03	.17		.04	.17	.57	2
3			.06	.04	1.08			.21	.05		.65	.42	3
4			.21		.08			.68	.01	.02	.75	.79	4
5	.32		.13	.04				.80		.28	.28	.05	5
6	.17		.03					.27		.02	.37	.87	6
7	.06										.58	.02	7
8	.73		.33								.46	.82	8
9	.04		.08								.31	.55	9
10	.24	.17	.36								.02	1.77	10
11	.35		.04						.10		.40	.27	11
12		.02	.55		.15				1.42		2.14	.19	12
13										.01	.34	.48	13
14		.28	.01		.02						.09	.70	14
15	.03	.22	.02			.02					.53	.22	15
16		.14				.54					.18	.35	16
17		.13		.03		1.67					.35	1.00	17
18		.87	.15	.58		.36				.08	.28	1.01	18
19		.12		.63		.51	.49	.03	.61	.38	.03	.95	19
20		.12		.31		.02		.18	.30	.12		.40	20
21		.58	.10	.03		.13	.05	.77	.07	.48		.36	21
22		.07		.17		.13			.02	1.17	.03	.78	22
23	.02	.37	.05		.12	.26		.01	.23	.29		.47	23
24	.15	.14	.02	.06	.02	.45		.18	.04	.64		.33	24
25	.26	.41		.37		.15	.10	.10	.23	.09		.49	25
26	.02	.25		.49	.19	.05		.19	.02	.46	.07	.29	26
27		.30	.10	.37				1.20	.60		.04	.27	27
28		.68	.02	.20		.08		.02	.05		.05	.20	28
29				.09		.65	.55	.02	.82	.77		.20	29
30			.10		.04	.07	.01		.03	.63	.15		30
31					.02		.02			.13		.02	31
Total	2.44	4.87	3.99	3.42	2.05	5.09	1.28	4.85	4.60	5.61	8.48	15.02	TOTAL for year 61.70
No. of Rain Days	13	17	20	15	10	15	8	16	16	17	24	30	201

9,000, IX. '10.

98

REGISTER OF RAINFALL IN 1912

Form A2. British Rainfall. 495

25 JAN 1913

Kept at Tynant

in the County of Radnor

by E. A. Lees

Rain Gauge { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation ...

Nearest Railway Station { Name ... ; Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.69		.03	.36	.04	.16	.05	.08		.36	1
2	.04		.67	.16	.02	.75	.07	.03				.04	2
3	.65		.38		.05	.08		1.09	.43		.07	.24	3
4	1.30		1.69	.12	.10			1.08			.68	.04	4
5	.44	.09	.62	.02	.20			.31	.08		.01	.18	5
6	.84	.23	.02		.09			.05	.02		.05	.03	6
7	.01	.54	.20	.01	.27	.29	.14	.27	.05			.17	7
8	.59	.27	.28	.08	.02	.07		.09	.12				8
9	.06	.33	.28	.44		.29	.04	.32	.01		.16	.30	9
10	.32	.05				.09	.03	.10			.87	.05	10
11	.01	.01					.03				.50	1.00	11
12	.07	.29	.59	.06	.03	.23	.17				.09	.07	12
13	.14					.13	.01	.25		.35	.02	1.16	13
14	.10	.01	.80			.13		.49				.59	14
15	.39	.08	.10		.39	.46		.09				.53	15
16	.41	.16	.63		.17	.02		.15	.02	.27	.04	.25	16
17	.35	.05	.10		.09	.75		.35			.26	1.15	17
18	.18	.05	.43					.40		.56	.06	.16	18
19	.03	.27	.06			.16	.18	.73		.47	.04	.13	19
20	.05	.04	.43		.22	.04		.37		.85	.48	.15	20
21		.04	.65		.22		.02	.63		.85		.13	21
22	.35	.48	.02		.28	.03	.25	.73		.03	.05	.13	22
23	.06	.14	.46			.25	.20	1.38		.05	.44	.18	23
24	.11	.02	.24		.07	.47	.02	.02			.06	.38	24
25		.02	.03			.37	.05	1.27			.95	.73	25
26		.22	.29			.02	.11	.74		1.50	1.16	.33	26
27		.09	.66			.84	1.08			.98	.08	.58	27
28		.27	.02			.16	.78	.49	.30	.71	.65	.01	28
29		.23	.27			.02	.27	.73	.33	.33		.08	29
30			.09			.17	.11	.01	.01	.68		.04	30
31	.03		.21		.02		.55	.19		.06		.21	31
Total	6.54	3.98	10.91	.89	2.27	6.18	4.15	12.52	1.42	7.77	6.72	9.40	TOTAL for year 72.75
No. of Rain Days.	24	24	28	7	17	24	20	28	11	15	21	30	249

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

Ex D2

FORM A. BRITISH RAINFALL. 500

31 JAN 1914

Kept at Tynant

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.12	.10	.22	.14	.05				.03		.32	.12	1
2	.02	.35	.32	.05	.07	.08				.58	.47	.15	2
3	.19	.05	.53	.01	.18				.01	.05	.01	.86	3
4	1.10	.18	.29		.05	.02			.51	.35	.13	1.04	4
5	.13	.15	.23		.19	.40	.12		.04	.53	.20	.02	5
6	.38	.38	.67		.10	.44	.10			.50	.02	.47	6
7	.12	1.01	.09		.42	.30	.02			.50	.09	.01	7
8	.02	.38			.59	.10	.10	.05	.01	.10		.05	8
9		.45	.50	.03	.25	2.24	.38	.37	.01		.62	.27	9
10	.83		.20	.05	.11		.02	.61	.02	.10	.30		10
11	1.04			.88	.13	.10		.02	.02	.16	1.04	.14	11
12	.03				.30	.10	.03		.16		1.10	.17	12
13	.10		.55	.04	.01		.06	.12	1.07		.50		13
14	.45		.47	.21					.16	.55	.35	.07	14
15	.69		1.00	1.71				.05	.06		.25	.09	15
16	.16		.55	.14			.07	.02			.45	.01	16
17	.17		.19	.41			.52		.01		.42		17
18	.22		.75	.53	.10	.01	.07				.35		18
19	.54		.09		.07	.34	.03		.13	.47	.17		19
20	.37		.60	.31	.07				.02	.23	1.10		20
21			.55	.09	.31	.03	.11	.18		.10	.08		21
22	1.86		1.04		.14	.20		.88	.78				22
23	.24			.10	.02	.11		.20	.11		.18	.05	23
24	.53	.07		.15		.02		.02			.10	.05	24
25		.05		.46					.16	.02	.32	.24	25
26		.15		2.30		.06			.07	.02		1.01	26
27	.05	.03	.10	.27						.50	.01	.11	27
28	.12		.32	.71	.05					.40		.04	28
29			.30	.55	.04			.12		.50	.39		29
30	.78		.02	.01	.10					.16	.70		30
31	.08		.40		.07					.02			31
Total	10.34	3.35	9.98	9.15	3.42	4.55	1.63	2.64	3.38	5.84	9.67	4.94	68.92
Rain Days.	26	12	24	22	23	16	13	12	19	20	26	20	234

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

483

FORM A. BRITISH RAINFALL.

22 JAN 1915

Kept at Tynant

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.25	.18	.02		.17	.15	1.08			.04	.27	1
2	.02	.04	.09		.06		.70	.07		.01	.31	.92	2
3	.40		1.71	.10	.71		.50	.52		.07		1.48	3
4	1.23		.66	.33	.41			.03			.70	.96	4
5	.26		.94	.64	.68		.07				.22	.08	5
6	.12	.25	.10	.19	.18	.02	.21	.11			.04	.44	6
7	.06	.63	1.10	.06	.49	.02	.38	.17			.12	.60	7
8	.36	.01	.04	.19	.90	.22	.01	.57	.07		.07	.18	8
9	.75	.10	.09	.44	.34	.68		.44	.07		.19		9
10	.09	.65	.15	.21	.06	.05		.02	.21		.03		10
11		.43	.68	.01	.08	.16	.02		.14		1.40	.75	11
12		1.44	.17		.01				.77		1.32	.19	12
13		.66	1.03	.04	.01		.06		.70	.14	.70	.15	13
14		1.14	.52				.02	.01	.14	.03	.54		14
15		.03	.92				.01		.42	.01	.16	.24	15
16		.08	.19				.02		.30			.12	16
17	.08	.75	.40				.04		1.19			1.82	17
18		.08	.10				.04		.11	.02		.28	18
19		.17	.05				.88		.19		.10	.56	19
20		.88	.34			.35						.33	20
21		.56	.01				.07	.35		.39		.02	21
22		.46	.01	.07	.08	.20		.21		.43			22
23		.08	.23	.02	.03	.01	.35	.01		.09	.01	.01	23
24	.08		.47	.01		.04	.45	.13		.02	.15		24
25	.59	.02	.15				.71	.58		.62	.12	.29	25
26	.15						.63	.16		.22	.70	.92	26
27	.12	.04					.02		.01	.54	.96	1.40	27
28	.36	.20	.19		.20		.01		.03	.03	.10	.67	28
29	.35		.08	.23	.03			.01		.11	1.04	.14	29
30	.04		.58	.02				.01		.02	1.00	1.55	30
31	.88		.17		.01		.42			.46		.56	31
Total	5.94	8.95	11.35	2.58	4.28	1.92	5.77	4.48	4.35	3.21	10.02	14.92	YEAR'S TOTAL 77.77
Rain Days.	18	23	29	16	17	11	23	18	14	17	23	26	235

W.7,000, XI. 13

82

4218
465

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Tynant

in the County of Radnor

by E. A. Lees

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.92	.41	.12		.58			.93	.08	.34		.28	1
2	.25	.54	.70	.46		.06	.02	1.01	.24	.03		.28	2
3	.01	.58	.21	.44	.05		.29	.09				.43	3
4	.20	.44	.03		.12		.05	.01				1.14	4
5	.14	.84	.34	.12	.01	.12		.06				1.47	5
6	.35	.08	.06	.37			.42	.15				.35	6
7	.72	1.10		.18	.23		.36	.24				.64	7
8	.60	.44		.16				.10			.73	.01	8
9	.14	.58		.65				.02			.74	1.07	9
10	.86	.02	.10	.11			.08	.05		.06	.37	.25	10
11	.21		.04	.01			.07	.21		.04	2.04	.10	11
12	.39	.12		.04	.24		.01	.04		.18	.60	.02	12
13	.08	.36		.01	.61			.52	.01	.02	.25	.16	13
14	.35	.01			.01			.86	.04	.01	.10	.87	14
15	1.30	.03			.30		.16	.46	.19		.12	.25	15
16	.04	1.38			.52		1.65	.05	.08			.15	16
17		1.25	.02	.01	.95							.01	17
18	.07	1.04	.08				.03	.13					18
19	.04	.13	.07	.31	.25		.61						19
20	1.33		.01	.04			.02	.02		.02		.57	20
21	.38	.08			.09		.40	.02		.12		.32	21
22	.03	.09	.10		.12		.28		.01	.01		.64	22
23		.08	.19			.18	.15		.03	.79		.68	23
24			.07	.04					.07	.42		.70	24
25		.03	.01			.61	.14		.01	.01	.01	.27	25
26		.28					.36		.07			1.05	26
27		.28				.07	.65			.48		.79	27
28		.54	.01			.09	.01	.02	.09	.14	.01	.02	28
29						.40	.02		.14		.27	.16	29
30	.30			.27		.37		.01	.01	.42	.36	.74	30
31	.10		.02				.24	.27		.15		1.30	31
Total	8.81	10.73	2.18	3.22	4.08	1.90	6.02	5.27	1.07	3.24	5.60	14.72	YEAR'S TOTAL 66.84
Rain Days.	23	25	18	16	14	8	22	22	14	17	12	29	220

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

Kept at Tynant

in the County of Radnor

by E A Lees

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

4149
425

FORM A.
BRITISH RAINFALL.
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28	.09	.06		.06	.32	.21			.45	.26		1
2	.28	.50	.14			.06	1.16		.47	.90	.16		2
3	.02	1.50	.02		.02	.24			.51	.45	.66	.01	3
4	.67	.28		.03	.31	.55	.12		.11	.15	.72		4
5	.26	.25	.04		.07	.26				1.04	.38		5
6	.60	.55	.07		.26		.54			.31	.59	.02	6
7	.36	.18	.04		.22	.01			.01	.36	.36	.19	7
8		.20	.05	.01	.53	.15				.10	.21	.11	8
9	.04	.05			.04	.16	.04				.05	.11	9
10	.02	.28	.03	.22	.02		.05		.01	.14	.04		10
11	.17	.03	.02	1.40	.14	.18	.03		.08				11
12	.07	.32	.03	.21	.23		.53	.46	.09	.30			12
13	.02	.37	.21	.40	.01			.84	.01	.34		.01	13
14	.04	.43	.20	.15	.14			.43		.34			14
15	.07	1.38	.20	.15	.19			.41	.07	.20			15
16	.02	.08		.48			.05			.21			16
17	.29	.61		1.31				.01	1.46	.35	.25	.02	17
18	.12	1.28	.20	1.50					.46	.10	.18	.27	18
19	.51		.56	.17				.22	.01		.21	.05	19
20	.37	.12	.31	.05							.41	.32	20
21	.48		.35	.08		.04					.04	.02	21
22		.01				.06		.01		.71	.02	.31	22
23	.14	.05	.01	.10		.06		.22		.18	.26	.44	23
24		.56	.01	.10	1.40	.06		.28		.76	.03	.08	24
25	.01	.26	.58		.55	.07		.35	.05	.07	.93	.11	25
26	.34	.14	.32		.25	.37		.39	.36	.40	.03		26
27	.02	.09	.48			.04		.36	.44	1.58			27
28	.03	.43	.10			.02				.43	.04	1.05	28
29		.09	.05		.30	.48		.17		.42	.07	.85	29
30						.21		.10		.57		.15	30
31					.05			.27		.44		.35	31
Total	5.23	10.13	4.08	6.36	4.79	3.34	2.73	4.52	4.14	11.30	5.90	4.47	YEAR'S TOTAL 66.99
Rain Days.	25	27	24	16	19	19	9	15	15	26	22	19	236

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

3976
404

FORM A.
BRITISH RAINFALL.

Kept by Tynant

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05		·11	·15		·22		·06	·29		·03	·30	1
2	·02		·01	·22		·20				·02	·18	·05	2
3	·36	·05	·02	·06		·09				·54	·02	·06	3
4	·02	·07	·31							·67	·01		4
5	·93		·24	·47		·04			·54	·63	·48		5
6	·07		·36			·05				·20	·64	·19	6
7	·64		·07				·09	·06		·71	·45	·04	7
8	·10		·09	·20			·18	·91	·07	1·00	·64	·34	8
9			·19	·23	·08			·72		·20	1·22		9
10	·17		·90	·50	·14			·29		·02			10
11	·27			·06				·24		·47	·16		11
12	·15		·01	·06	·87			·25		·56		·02	12
13	·02		·01	·37		·04		1·24	·71	·10	·04	·11	13
14	·02			·21	·01		·54	·11		·23		·16	14
15	·03			·05	·03		·29	·06		·47		·36	15
16		·09		·35			·04	·08	·02	·02		·28	16
17		·01	·12	·43	·05		·46	1·16	·16	·19	·06		17
18			·16		·05		·29	·20	·51	·16			18
19	·01	·25	·53			·42		·02	·16		·14		19
20		·17	·05		·30	1·12		·15	·47		·51		20
21		·02				·14		·01		·15	·08		21
22		·01						·90	·07	·25	·16		22
23		·20			·35	·06		·54		·20		·20	23
24		·05				·07		·54		·86	·26	·07	24
25		·03	·12					·25		·48	·15		25
26					·36	·04	·04	·24	·18	·45	1·11		26
27		·01	·02		·61	·59	·36	1·29	·01	·37	·39		27
28		·11	·28		·14	·02	·04	1·56		·06	·07		28
29			·12				·02	·65		·95	·03	·19	29
30	·01	X						·53		·18	·12		30
31		X	·13	X	·55	X		·41	X	·02	X		31
Total	2·87	1·07	3·85	3·36	3·54	3·10	2·35	12·47	3·19	10·16	6·95	2·37	YEAR'S TOTAL 55·28
Rain Days.	16	13	21	14	13	14	11	26	12	28	23	14	205

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

Kept at Tynant

in the County of Radnor

by E. A. Lees

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

FORM A. BRITISH RAINFALL. 22.1.19.1

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.05		.13	.03			.08	.97	.09	.93		1
2		.23		.02				.22	.22	.13	.06	.58	2
3		.20		.11	.22			.02	.82	.32	.02		3
4	.04	.09							.89	.90	1.16	.42	4
5		.24	.05	.06	.47			.08	.14	1.13		.03	5
6	.08	1.24		.63		.07			.02	.82		.13	6
7		.29		.04	.12				.47	.42	.58	.14	7
8	.32	.43				.02	.09		.45	.53	.02	.02	8
9	.16	1.15		.23		1.29	.08		.60	.53	.08	.42	9
10	.12	.30		.02			.36		.12	.18	.86	.43	10
11	.12	.30	.08	.04	.08		.57		.54	.01		.58	11
12	.06	.62			.05	.02	.10		.49			.13	12
13	.03	.01				.13			.15	.01		.22	13
14	.62		.02		.02	.08	.37	.02	.31	.09		.60	14
15	.54					.12	.88		.15	.02		.80	15
16	.17			.14			.18	.09	.43			.75	16
17	1.27						.27	.02	.47	.13		.61	17
18	.80					.45	.27		.47	.02		1.09	18
19	.25	.16	.17	.05			.38		.43	.03		.68	19
20	1.14	.23		.06		.11			.80				20
21	.44	.45		.12		.07	.15		1.05			.40	21
22	.05	.10			.63		.23		.58	.03		1.05	22
23	.29				.98		.09		.28		.03	.10	23
24	.17	.11					.03	.38	.13		.51	.30	24
25		.03			.10		.85	1.12	.03		.05	.02	25
26	.04	.05					.10	.02	.23	.02	.33	.38	26
27	.03	.10	.73			.05		.47	.60		.45	1.65	27
28		.05	1.35						.04	.04	.56	.99	28
29			.13						.66			.15	29
30			.38					.17		.10	.13	.30	30
31			1.05					.06		.02		.12	31
Total	6.74	6.43	3.96	1.65	2.70	2.41	5.00	2.75	12.54	5.57	5.77	12.99	YEAR'S TOTAL 68.51
Rain Days.	21	22	9	13	10	11	17	13	29	22	15	28	210

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Tynant

in the County of Radnor

by E. A. Lees

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.54		.10		.68		.43	.02	.14	.43		.62	1
2	.44		.18					.10	.17	.12	.02	.67	2
3					.07	.11	.04				.01	1.07	3
4		.12	.34		.03		.01	.08	.16			.33	4
5	.20	.40							.04		.02	1.24	5
6	.24		.88						.05			.51	6
7	.15		.16	.09								.05	7
8	.98		.05	.04		.12					.10		8
9	.50		.03	.19								.01	9
10	.52		.98	.27	.02					.04	.05	.73	10
11	.23		1.65	.14	.14		.05			.04		.07	11
12	.14		.47	.23		2.99				.16	.12	.01	12
13	.46			.39			.05		.11	.39		.20	13
14	.35	.03		.93			.09		.03	.12		.30	14
15	.48	.07		.59						.25		.91	15
16	.26	.95						.07			.80	.02	16
17		.27		.08		.13	.27	.15			1.90	.02	17
18	.03	.33	.78				.06	.48	.26		.10	.31	18
19	.22	.32	.40			.26		.30	.28		.57	.10	19
20	.42	.17	.25			.03		.07	.21		.38	1.30	20
21	.06	.65					.61	.01	.10		.09	.20	21
22		.31				.18	.05		.65		.08	2.92	22
23				.04		.23		.03		.86	.13	.23	23
24	.01				.04	.10			.10	.35	.27	.71	24
25	.27			.18	.04			.70	.07	.02	.24	.16	25
26	.31	.01	.78	.20		.03		.90	.31			.89	26
27	.37		.10	.41				.31	.15				27
28			.29	.12				.67				.60	28
29			.15	.02		.02		.28		.11		.36	29
30		X	.05	.44		.15		.08			.41	.58	30
31		X	.09	X		X	.22		X	.02	X	.14	31
Total	7.18	3.63	7.73	4.36	1.02	4.35	1.88	4.25	2.83	2.91	5.29	15.26	YEAR'S TOTAL 60.69
Rain Days.	22	12	19	17	7	12	11	16	16	13	17	29	191

W. 6,500, VII. 18. w w c

3672

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Birmingham W. W. Tyrant

in the County of Radnor

by ~~E. A. Lees~~

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.05	.02	.15	.41		.20		.08	.33		.42	1
2	.10	.04		.12	.04		.34	.03	.18	.13		.24	2
3	.12	.09		.06	.17		.39	.03	.19	.85		.22	3
4					.01		.01	.36	.25	.12			4
5			.26	.04	.40		.24	.15	.68	.07			5
6			.40	.11	.15		.06		.02	.37	.03	.01	6
7	.17	.03	.07	.08	.01		.16						7
8	.92	.09		.67	.15		.17	.14					8
9	1.19	.97		.49			.11	.10	.01		.06		9
10	1.15	.85	.10			.64	.15				.01		10
11	.05	.07	.20	.45	.25	.05	.03						11
12	.60	.18	.01	.26	.02	.68	.09	.25			.25	.03	12
13	.24	.06	.50	.39		.38					.04	.01	13
14	.05	.03	.63	.31		.04	.08		.80	.59	.62		14
15	.02	.14	.30	.54	.01	.09				.19	.11		15
16		.02	.34	.20	.31	.16	.38		.33	1.12	.13		16
17	.25		.03		.32	.16		.17	.40	.22			17
18	.20			.13	.23	.28			.28				18
19	.15	.65		.21	.58	.03	.08						19
20	.23	.05		.34		.03	.04		.05			.33	20
21				.03		.01	.16					.31	21
22	.19			.04			.10	.04				.13	22
23	.05		.03	.02			.35					.39	23
24	.07		.68	.02							.15	.23	24
25	.08	.08	.23	~~.12~~	.29	.14	.48					.08	25
26	.23	.29	.77	~~1.52~~	.17	.01	.05				.07	.08	26
27	.35	.13	1.15	~~.15~~	.02	.29	.01				.02	.42	27
28	.56	.02	.35	.23	.03	.09	.01					.13	28
29	.60		.16	.09	.15	.09	.40				.08	1.03	29
30	.20		.30	.40	.05	.25	.04		.41	.04	.25	.41	30
31	.33		.28				.09			1.01		.08	31
TOTAL	8.10	3.84	6.81	5.80	3.77	3.42	4.22	1.27	3.68	5.04	1.82	4.55	YEAR'S TOTAL 52.32
Days with .01 in. or more	25	19	21	27	21	18	26	9	13	12	13	18	222
	24	15	17	24	15	14	22	7	11	12	10	15	186

(14,385). Wt. 11458—218—7500. 10/20. Gp.132. A.&E.V.

TELEGRAMS:
"WATER, LUDLOW"
POST OFFICE TELEPHONE No 27.

CITY OF BIRMINGHAM WATER DEPARTMENT

METEOROLOGICAL ORGANIZATION
BRITISH RAINFALL ORGANIZATION
Ansd
C. S. M.
Temp. File Perm. File

Office.
Springfield House.
Ludlow.
SALOP.

E.P.
F. W. MACAULAY, M.INST.C.E.
ENGINEER.
ELAN SUPPLY.

7th. May, 1920.

3672

Carle Salter Esq.,
62 Camden Square,
LONDON, N.W.

Dear Sir,

Welsh Gathering Ground - Rainfall Returns.

Herewith I send you the returns shewing the rainfall on the Gathering Ground during the month of April.

In so doing it occurs to me to comment on the record for last month of the Tynant gauge. This is one of the gauges which is observed by a regular member of my own staff in the Elan Valley who observes also Nantgwyllt, Elan Village and Tyrmynydd, this I think eliminates any question of inaccurate measurement. Mr. Swan, the Superintendent had noticed the readings and had examined the gauge and to some extent been watching it. He says there is absolutely nothing wrong with it that he can find and suggests that the peculiarity is due to its exposure, which he thinks henders it liable to miss rainfall when the wind is in the South West. Against this may be put its previous performance and the further fact that, even during last month, the apparently low readings do not always coincide with a particular direction of the wind. In this connection I have noted in the first column the direction of the wind daily. Of course when you come to plot your isohyetals you may find that the gauge has recorded more accurately than it appears to, but if it is badly adrift as it seems to be, I shall be glad of any suggestions you can make with regard to it.

TELEGRAMS-
"WATER, LUDLOW"
POST OFFICE TELEPHONE No 27.

CITY OF BIRMINGHAM WATER DEPARTMENT

Office.
Springfield House.
Ludlow.
SALOP.

F. W. MACAULAY, M.INST.C.E.
ENGINEER.
ELAN SUPPLY.

On the whole, if you can possibly afford the time this summer it would be a good idea for you to visit the Valley and go round the gauges with me with a view to-possibly-improving them in the matter of exposure.

Yours faithfully,

F. W. Macaulay

METEOROLOGICAL OFFICE
BRITISH RAINFALL ORGANIZATION.
Recd..... Ansd. 10.5.20
A. C. S. M.
.....
Temp. File..... Perm. File.....
Exd.

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

BOUGHROOD CASTLE

RADNORSHIRE

1914-17, 19

Kept at Boughr

in the County of R

by Hon. Mrs F

in.

und ft. in.

Level ft.

IMPORTANT

previous day. If a result entered to the

requested to add the l rule, he is earnestly

for it at the end of the space provided

the selection and placing of rain gauges, and particulars of rain,

Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Rainfall

Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.02	.08	.00	.00	.10	.114	119		.00			1
2			.06	.00	.00	.00	134	22	.00	.01		.34	2
3	.00		.29	.12	.32	.00			.00	.00	.11	.38	3
4	.40		.08	.08	.22	.00			.00	.00	53	.84	4
5	.35		.14	.58	.22	.00	.11	.01	.00	.00	.35	.01	5
6	.00		.04	.13	.04	.02	0		.00	.01	.09	.20	6
7	.11	.24	.38	.30	.38	.0	10	18	.14	.00	.00	.59	7
8	02	.00	.08	.01	.44	.24	.40	.20		.00	.01	.34	8
9			.10	.22	.05	103	.30	.05				.10	9
10	.00	.32	.04	.51	.02	.11		.00	.21	.00	.00	.00	10
11	.00	.13	.32	.03	.19	.30		.00	.04	.00	.68	.60	11
12	.00	.90	.12	.00	.03			.00	.36	.00	.30	.28	12
13	.00	.36	.39	.00	.00			.00	.34	.00	.30	.14	13
14	.00	.45		.00	.00			.00	.8	.09	.14	.01	14
15	.00	.03				.0	.00	.06	.11	.01	.32	.02	15
16	.00	.00	.04				.05		.11	.06	.00	.00	16
17	.06	.21	.19	.00			.09	.01	.09	.00	.00	.44	17
18	.00	.01		.00			.03	.00	.10		.00	.30	18
19	.00	.03	.42	.00				.00	.09	.00	.09	.22	19
20	.00	.34	.15	.00				.00	.00	.00	.00		20
21	.00	.10	.01	.00					.00		.00		21
22	.00	.31	.02	.00				.10	.00				22
23	.00		.15					.09	.00				23
24	.02	.00	.04	.00	.00				.00		.11		24
25	.14	.01	.10	.00	.00				.00		.08		25
26	.04	.00	.25		.00				.01		.18		26
27	.00	.02	.00	.00	.00				.00	.11	.44	.91	27
28	.11	.06	.08		.08				.00	.10	.05		28
29	.12												29
30	.05		.17	.03		.00						.89	30
31	.14		.00									.15	31
Total	2.11 / 3.11	4.08	5.00 / 5.10	2.01 / 2.01	2.16	2.22	4.56 / 4.56	3.20	1.73 / 1.78	3.92	4.99	8.34 / 9.34	YEAR'S TOTAL 43.34
Rain Days.	13	26	29	10	14	10	19	14	12	15	20	34	200

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

R[redacted]

Kept at Boyhood Castle

in the County of Radnor

by Hon. Mrs F. J. Boyce

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.02	.08	.00	.00	.10	.44	1.19	.00	.01	.07	.11	1
2	.00	.00	.06	.00	.00	.00	1.34	.23	.00	.01	.35	.34	2
3	.00	.00	.29	.12	.32	.00	.00	.00	.00	.00	.11	.38	3
4	.40	.00	.08	.08	.22	.00	.00	.00	.00	.00	.53	.84	4
5	.35	.00	.14	.58	.22	.00	.11	.01	.00	.00	.35	.01	5
6	.00	.04	.04	.13	.04	.02	.06	.00	.00	.01	.09	.20	6
7	.11	.24	.38	.30	.38	.02	.10	.18	.14	.00	.00	.59	7
8	.02	.00	.08	.01	.44	.24	.40	.20	.00	.11	.01	.34	8
9	.22	.04	.10	.22	.05	1.03	.30	.05	.06	.00	.01	.10	9
10	.00	.32	.04	.51	.02	.11	.01	.00	.21	.00	.01	.00	10
11	.00	.43	.32	.03	.19	.30	.13	.01	.04	.01	.68	.60	11
12	.00	.90	.12	.00	.00	.00	.00	.00	.36	.00	.30	.28	12
13	.00	.36	.39	.00	.00	.00	.00	.00	.34	.00	.30	.14	13
14	.00	.45	.3	.00	.01	.00	.00	.00	.8	.09	.14	.01	14
15	.00	.03	.12	.00	.01	.00	.00	.6	.11	.01	.32	.02	15
16	.00	.00	.04	.00	.00	.00	.05	.00	.11	.06	.00	.00	16
17	.06	.21	.19	.00	.00	.00	.09	.01	.09	.00	.00	.44	17
18	.00	.01	.35	.00	.00	.04	.03	.00	.10	.00	.00	.30	18
19	.00	.03	.42	.00	.00	.00	.00	.00	.09	.01	.09	.22	19
20	.00	.34	.15	.00	.00	.34	.00	.00	.00	.10	.00	.35	20
21	.00	.10	.01	.00	.00	.00	.00	.00	.00	.05	.00	.00	21
22	.00	.31	.02	.00	.01	.09	.00	.10	.00	.02	.00	.00	22
23	.00	.04	.15	.00	.04	.00	.00	.09	.00	.41	.00	.00	23
24	.02	.00	.04	.00	.00	.00	.00	.06	.00	.04	.11	.00	24
25	.14	.01	.10	.00	.00	.00	.00	.00	.00	.01	.08	.18	25
26	.04	.00	.25	.00	.00	.00	.02	.00	.01	.20	.18	.43	26
27	.00	.02	.00	.00	.00	.00	.03	.00	.00	.11	.44	.91	27
28	.11	.06	.08	.00	.08	.00	.00	.00	.00	.10	.05	.00	28
29	.12		.14	.00	.04	.02	.00	.00	.00	.11	.36	.01	29
30	.05		.17	.03	.01	.00	.10	.00		.11	.08	.89	30
31	.14		.00		.00		.01	.00		.00		.15	31
Total	2.11	4.02	5.00	2.01	2.16	2.38	4.56	3.20	1.73	2.92	4.99	8.34	YEAR'S TOTAL 43.36
Rain Days.	13	26	29	10	14	10	19	14	12	15	20	24	200

W. 7,500, XI. 12

cwd for auth 16.V.16

REGISTER OF RAINFALL IN 19[illegible]

4203

FORM A. BRITISH RAINFALL.

3 - JAN 1916

Kept at Bonchurch Castle

in the County of Radnor

by Hon^ble F. J. Mayow

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.58	.14	.07	.00	.25	.00	.00	.38	.20	.35	.01	.15	1
2	.42	.21	.33	.22	.00	.04	.00	1.30	.04	.[illegible]	.00	.05	2
3	.02	.18	.04	.05	.10	.00	.59	.07	.00	.00	.00	.35	3
4	.13	.60	.00	.00	.14	.01	.34	.03	.00	.00	.00	.46	4
5	.02	.39	.02	.03	.00	.00	.01	.01	.00	.00	.00	.41	5
6	.24	.03	.01	.93	.00	.00	.69	.18	.00	.00	.00	.24	6
7	.22	.64	.00	.05	.45	.00	.09	.13	.00	.00	.00	.54	7
8	.47	.66	.00	.11	.00	.00	.00	.02	.00	.00	.19	.00	8
9	.25	.49	.00	.09	.00	.00	.00	.00	.00	.00	.28	.82	9
10	.52	.01	.02	.10	.01	.00	.01	.06	.00	.02	.18	.01	10
11	.22	.00	.02	.01	.00	.00	.00	.18	.00	.02	1.04	.00	11
12	.08	.24	.00	.08	.65	.00	.20	.10	.02	.06	.41	.00	12
13	.02	.51	.01	.01	.42	.00	.01	.10	.05	.0[illegible]	.10	.04	13
14	.03	.01	.01	.00	.00	.00	.00	.23	.03	.03	.10	.32	14
15	.89	.06	.00	.00	.13	.00	.09	.15	.00	.00	.21	.06	15
16	.01	.46	.00	.00	.68	.00	1.56	.05	.00	.00	.00	.00	16
17	.05	.24	.00	.00	1.03	.00	.00	.02	.00	.00	.02	.01	17
18	.01	.80	.00	.00	.00	.00	.00	.00	.00	.00	.00	.01	18
19	.00	.01	.00	.04	.06	.00	.44	.00	.00	.00	.00	.00	19
20	.16	.00	.00	.05	.01	.00	.02	.01	.00	.15	.00	.04	20
21	.04	.03	.00	.01	.01	.00	.24	.00	.00	.05	.00	.01	21
22	.19	.00	.22	.21	.01	.00	.55	.00	.00	.02	.00	.65	22
23	.08	.04	.09	.00	.00	.08	.10	.00	.01	.85	.00	.42	23
24	.00	.06	.03	.11	.00	.00	.08	.00	.10	.99	.00	.80	24
25	.00	.00	.02	.01	.00	.55	.52	.00	.00	.00	.00	.24	25
26	.00	.10	.00	.00	.00	.00	.39	.00	.03	.00	.00	.68	26
27	.00	.08	.00	.01	.00	.01	.34	.00	.00	.47	.00	.33	27
28	.00	.38	.02	.00	.00	.11	.00	.00	.15	.08	.03	.14	28
29	.00		.00	.00	.00	.09	.01	.02	.00	.01	.51	.13	29
30	.30	X	.00	.02	.00	.09	.00	.00	.00	.20	.31	.18	30
31	.00	X	.00	X	.00	X	.14	.26	X	1.28	X	.42	31
Total	4.78	6.78	.89	1.46	4.56	1.01	6.29	3.20	.63	4.68	3.39 3.39	8.25	45.92
Rain Days.	23	24	12	18	12	8	18	19	9	16	13	24	196

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

4135

FORM A. BRITISH RAINFALL

10 JUL 1917

Kept at Braywood Castle

in the County of Radnorshire

by F. J. Morgan

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.38	.00	.02	.00	.01	.11	.09	.00	.00	.24	.39	.00	1
2	.81	.12	.28	.61	.03	.03	.00	.00	.14	1.04	.32	.00	2
3	.00	.24	.03	.00	.05	.00	.00	.00	.20	.36	.40	.00	3
4	.36	.24	.06	.00	.14	.41	.03	.00	.02	.13	.10	.00	4
5	.03	.00	.00	.00	.49	.23	.01	.00	.00	.30	.01	.00	5
6	.08	.39	.01	.00	.08	.01	.10	.00	.01	.32	.43	.00	6
7	.14	.06	.05	.00	.23	.00	.08	.00	.00	.34	.51	.11	7
8	.00	.01	.04	.00	.24	.03	.00	.00	.00	.02	.14	.00	8
9	.01	.06	.01	.00	.11	.10	.00	.00	.00	.01	.06	.00	9
10	.00	.34	.14	.09	.02	.00	.43	.00	.01	.05	.00	.00	10
11	.05	.02	.04	.15	.03	.06	.44	.00	.00	.00	.00	.01	11
12	.00	.08	.02	.19	.36	.00	.04	.00	.00	.09	.00	.02	12
13	.00	.34	.04	.11	.02	.00	.00	.50	.00	.18	.00	.00	13
14	.00	.26	.01	.05	.01	.00	.00	.04	.00	.04	.02	.00	14
15	.00	.24	.24	.14	.24	.00	.00	.14	.04	.08	.00	.01	15
16	.01	.22	.06	.16	.00	.00	.07	.00	.00	.08	.00	.00	16
17	.15	.26	.00	.40	.00	.00	.00	.00	.30	.41	.00	.00	17
18	.04	.26	.15	.29	.00	.00	.00	.02	.18	.02	.16	.00	18
19	.20	.00	.43	.10	.00	.00	.00	.00	.00	.00	.48	.03	19
20	.14	.02	.29	.01	.00	.00	.00	.00	.00	.00	.06	.24	20
21	.16	.00	.25	.03	.09	.07	.00	.00	.00	.00	.04	.14	21
22	.24	.00	.00	.01	.00	.03	.00	.00	.00	.28	.31	.28	22
23	.01	.01	.00	.02	.00	.25	.04	.16	.00	.03	.08	.94	23
24	.00	.14	.21	.00	1.44	.00	.00	.06	.00	.01	.00	.00	24
25	.00	.23	.31	.00	.09	.04	.00	.44	.02	.31	.43	.00	25
26	.09	.04	.06	.00	.04	.00	.00	.21	.33	.29	.00	.01	26
27	.02	.08	.16	.00	.00	.13	.00	.56	.53	.54	.00	.00	27
28	.00	.01	.65	.00	.00	.10	.00	.00	.13	.08	.02	.46	28
29	.00	.41	.01	.00	.00	.35	.00	.53	.00	.35	.00	.38	29
30	.00	X	.00	.00	.00	.03	.00	.02	.00	.40	.00	.00	30
31	.00	X	.00	X	.00	X	.00	.08	X	.68	X	.11	31
Total	2.67	6.09 ~~6.10~~	3.66	1.76	3.78 ~~3.77~~	1.98	1.41	2.79	1.94	6.83	3.98	2.07	YEAR'S TOTAL 38.99 ~~38.99~~ 38.99
Rain Days.	17	24	25	15	19	16	10	12	12	27	17	13	207

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL. 3962

Kept at

in the County of

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.11	.00	.00	.23	.00	.19	.16	.00	.05	.04	1
2	.01	.00	.00	.53	.00	.02	.00	.00	.00	.02	.14	.05	2
3	.05	.00	.00	.12	.00	.01	.00	.00	.00	.39	.01	.03	3
4	.26	.13	.00	.26	.00	.00	.00	.01	.00	.59	.00	.00	4
5	.00	.04	.21	.12	.00	.04	.00	.01	1.34	.36	.09	.00	5
6	.38	.03	.38	.00	.00	.05	.00	.00	.00	.03	.19	.06	6
7	.39	.00	.11	.00	.00	.03	.00	.14	.00	.25	.16	.04	7
8	.02	.00	.00	.23	.00	.00	.04	.74	.03	.94	.14	.11	8
9	.00	.00	.05	.25	.10	.00	.43	.39	.04	.08	.48	.05	9
10	.00	.00	.34	.08	.01	.00	.00	.37	.02	.01	.15	.00	10
11	.00	.00	.00	.06	.00	.00	.00	.26	.00	.49	.02	.00	11
12	.15	.00	.02	.04	1.09	.00	.00	.04	.00	.26	.00	.00	12
13	.01	.00	.06	.23	.00	.00	.00	.86	.11	.09	.00	.00	13
14	.00	.00	.00	.16	.00	.00	.00	.28	.01	.03	.00	.00	14
15	.02	.00	.00	.00	.09	.00	.36	.00	.00	.05	.00	.32	15
16	.01	.13	.00	.18	.00	.00	.02	.00	.00	.04	.00	.24	16
17	.12	.00	.02	.00	.45	.04	.00	.67	.15	.21	.02	.08	17
18	.00	.01	.00	.00	.10	.00	.22	.00	.88	.00	.00	.00	18
19	.00	.40	.24	.00	.00	.38	.28	.05	.03	.00	.00	.00	19
20	.03	.09	.00	.00	.58	.12	.00	.12	.10	.00	.00	.00	20
21	.01	.03	.16	.00	.05	.01	.00	.00	.00	.03	.00	.00	21
22	.01	.00	.01	.00	.26	.15	.00	.44	.00	.05	.00	.00	22
23	.00	.03	.00	.00	.00	.00	.00	.33	.00	.12	.00	.00	23
24	.00	.23	.01	.00	.21	.16	.00	.25	.00	.45	.13	.00	24
25	.00	.03	.13	.00	.00	.00	.00	.12	.00	.20	.05	.00	25
26	.00	.00	.00	.00	.14	.06	.00	.62	.09	.06	.09	.00	26
27	.00	.00	.02	.00	.00	.51	.53	.21	.02	.04	.01	.00	27
28	.00	.00	.34	.00	.00	.02	.00	.22	.00	.00	.00	.02	28
29	.00		.10	.00	.20	.00	.00	.25	.00	.63	.00	.61	29
30	.00	X	.01	.00	.07	.09	.00	.23	.00	.11	.00	.00	30
31	.00	X	.08	X	.16	X	.00	.19	X	.01	X	.00	31
Total	1.37	1.11	3.40	3.29	3.64	1.85	1.92	6.99	3.01	5.87	1.79	1.65	33.15
Rain Days.	14	11	19	13	14	15	7	24	13	26	16	11	183

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 19[illegible]

3761

FORM A. BRITISH RAINFALL.

Kept at [illegible]

in the County of [illegible]

by Hon. F. G. Morgan.

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station Bowen

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.00	.04	[illegible]	.04	.00	.14	.00	.03	.15	.0	.49	1
2	.04	.00	.24	.00	00	.00	.24	.00	.10	.05	.03	.09	2
3	—	.00	00	.00	.06	.34		.00	.08	.00	.04	.29	3
4	.00	.06	.00	.00	.00	.00		.00	.04	.00	.01	.19	4
5	.00	.25	.00	.00	.00	.00		.00	.00	.00	.00	.44	5
6	.13	.04	.43	.00	.05	.00	.00	.00	.00	.00	.00	.28	6
7	.11	.02	.12	.05	.00	.00	.00	.00	.00	.00	.00	.01	7
8	.24	.00	.01	.04	.00	.09	.00	.00	.00	.00	.00	.01	8
9	.20	.00	.04	.00	.03	.00	.00	.01	.00	.00	.04	.00	9
10	.32	.00	.44	.00	.00	.00	.00	.00	.00	.00	.00	.23	10
11	.12	.00	1.34	.00	.00	.01	.00	.00	.00	.03	.00	.05	11
12	.02	.00	.44	.00	.00	.00	.00	.00	.00	.08	.00	.12	12
13	.19	.00	.00	.00	.00	.01	.00	.00	1.19	.14	.00	.14	13
14	.36	.00	.00	.00	.00	.00	.00	.00	.53	.00	.00	.02	14
15	.54	.12	.00	.00	.00	.00	.00	.00	.00	.16	.00	.31	15
16	.14	.09	.00	.00	.00	.05	.00	.05	.00	.00	.18	.01	16
17	.00	.46	.00	.00	.00	.00	.00	.18	.04	.00	.40	.01	17
18	.01	.32	.68	.00	.00	.00	.00	.14	.00	.00	.12	.11	18
19	.18	.24	.54	.00	.00	.19	.03	.00	.00	.00	.15	.01	19
20	.19	.45	.42	.00	.00	.02	.00	.38	.00	.00	.21	.01	20
21	.03	.42	.01	.00	.00	.00	.00	.14	.21	.00	.00	.10	21
22	.00	.10	.00	.00	.00	.00	.05	.00	.10	.00	.01	.33	22
23	.00	.02	.00	.00	.00	.00	.00	.00	.00	.51	.15	.28	23
24	.00	.00	.00	.14	.00	.00	.00	.00	.00	.25	.31	.39	24
25	.12	.00	.00	.11	.04	.00	.00	.03	.05	.02	.10	.53	25
26	.02	.01	.00	.01	.01	.00	.00	.32	.25	.00	.02	.41	26
27	.31	.00	.24	.36	.00	.12	.03	.61	.01	.00	.00	.14	27
28	.05	.00	.05	.06	.00	.00	.00	.14	.00	.00	.01	.05	28
29	.04		.24	.05	.00	.00	.00	.11	.00	.21	.02	.16	29
30	.00	X	.13	.03	.00	.02	.00	.05	.00	.00	.23	.40	30
31	.01	X	.06	X	.00	X	.02	.06	X	.00	X	.02	31
Total	4.01	3.23	5.92	1.80	.35	1.65	.85	3.29	3.26	2.13	2.0	5.95	33.89
Rain Days.	24	14	19	15	6	10	9	12	11	11	7	30	179

W, 6,500, VII. 18. w w c

W.D. corr. 3.V.12

RE … IN 1911

FORM A2. BRITISH RAINFALL. 15 JAN 1912

BUILTH
CEFNDYRYS

1911–15, 17, 19

Kept at Welfie …

in the County of R…

by Eaubre…

…ttern …

…ameter of top 5 in.

…eight of top above Ground 1 ft. 10 in.

„ „ „ Sea Level 740 ft.

…servation 9·0 a.m.

…ailway Station { Name … / Distance … Direction …

IMPORTANT NOT… 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·40								·20	·17	1
2			·29									·06	2
3					·28			·22		·06	·30	·10	3
4					·76			·14	·11		·18	·50	4
5								·52			·15	·60	5
6			·25					·30		·14	·20	·	6
7	·60		·14					·06			·30	·79	7
8											·62	·	8
9											·43	·60	9
10											·25	·09	10
11	·27		·28									1·03	11
12									·08		·34	·25	12
13			·35		·30				1·09		1·14	·10	13
14									·05		·12	·17	14
15		·50									·05	·60	15
16		·10									·35	·25	16
17						·18					·16	·28	17
18						1·15					·57	·26	18
19		·82		·83		·16					·08	·68	19
20		·42				·35			·60	·34	·10	·75	20
21				·14		·04			·10	·12	·07	·20	21
22		·30		·06		·04		1·33		1·01		·12	22
23		·15				·14				·68		·50	23
24						·04			·30	·65		·25	24
25		·28				·25		·12	·12	·08		·22	25
26						·02			·08	·27		·30	26
27		·50		·45				·15		·46		·17	27
28		·35		·14				·68	·40			·18	28
29				·27		·07		·08	·05		·10	·06	29
30				·29		·32	·31		·32	·45		·07	30
31		·40						·09		·38			31
Total	·87	~~3·42~~ 3·82	~~1·71~~ 1·31	2·18	1·34	2·76	·31	3·69	3·30	~~4·64~~ 4·84	~~5·77~~ 5·68	~~9·35~~ 9·18	TOTAL for year ~~39·28~~
No. of Rain Days.	2.	~~4.~~	6.	7.	3.	12.	1.	11.	12.	12.	20	28	~~123~~

W. 8,000, X. '11.

W.D. corr. 3.V.12

REGISTER OF RAINFALL IN 1911.

FORM A2. BRITISH RAINFALL. 15 JAN 1912

Kept at Welfield

in the County of Radnor

by Aubrey Nonas

RAIN GAUGE { Pattern ; Diameter of top 5 in. ; Height of top above Ground 1 ft. 10 in. ; " " " Sea Level 740 ft.

Time of Observation 9·0 a.m.

Nearest Railway Station { Name ; Distance ; Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·40								·20	·17	1
2			·29									·06	2
3					·28			·22		·06	·30	·10	3
4					·76			·14	·11		·18	·50	4
5								·52			·15	·60	5
6			·25					·30		·14	·20		6
7	·60		·14					·06			·30	·79	7
8											·62	·	8
9											·43	·60	9
10											·25	·09	10
11	·27		·28									1·03	11
12									·08		·34	·25	12
13			·35		·30				1·09		1·14	·10	13
14									·05		·12	·17	14
15		·50									·05	·60	15
16		·10									·35	·25	16
17						·18					·16	·28	17
18						1·15					·57	·26	18
19		·82		·83		·16					·08	·68	19
20		·42				·35			·60	·34	·10	·75	20
21				·14		·04			·10	·12	·07	·20	21
22		·30		·06		·04		1·33		1·01		·12	22
23		·15				·14				·68		·50	23
24						·04			·30	·65		·25	24
25		·28				·25		·12	·12	·08		·22	25
26						·02			·08	·27		·30	26
27		·50		·45				·15		·46		·17	27
28		·35		·14				·68	·40			·18	28
29				·27		·07		·08	·05		·10	·06	29
30				·29		·32	·31		·32	·45		·07	30
31		·40						·09		·38			31
Total	·87	~~3·42~~ 3·82	~~1·71~~ 1·31	2·18	1·34	2·76	·31	3·69	3·30	~~4·64~~ 4·84	~~5·71~~ 5·68	~~9·35~~ 9·18	TOTAL for year ~~39·28~~ 39·28
No. of Rain Days.	2.	~~9.~~ 9.	6.	7.	~~3.~~ 3.	12.	1.	11.	12.	~~12.~~ 12.	20	~~28~~ 28	~~122~~ 122

W. 8,000, X. '11.

Cor. for wrong day. 17. III. 13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

10 JAN 1913

Made

Kept at Dilfield.

in the County of Radnor.

by Edward Thomas.

Lat. ..... Long. .....

Time of Observation 9-0 a.m.

Nearest Railway Station Builth Rd.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 740 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (·10) estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·15					·20			·10		1
2			·28			·53		·06	·11			·27	2
3			·50	·06		1·07		.	·14			.	3
4	·15		·05	.	·15	·10		·75	.			·09	4
5	·65		1·30	.	.	·14		·37	.		·34	.	5
6	·58		·50	.	·24	.		·28	·12			·10	6
7	·32	·20	·05	.	·12	.		·10				·14	7
8	.	·54	·15	.	·15	·64	·15	·15				.	8
9	·79	·18	·20	·30	.	·11	.	·13				.	9
10	·12	·21	·12	.	.	·07	.	·56				·52	10
11	·30	.	.	.	.	·36	·04	·32			·70	.	11
12	.	.	.	.	.	.	.	.			·12	·55	12
13	·07	·28	·17	·12	·05	.	·15	.				·07	13
14	.	.	.		.	.	.	·05		·12		·68	14
15	·14	·06	·52		·12	.	.	·18				·10	15
16	·15	·10	·05		·16	·22	.	.				·57	16
17	·10		·45		·10	.	.	·12		·15		·12	17
18	.		·08			·27	.	·32			·16	1·10	18
19	.		·10			.	.	·15				·15	19
20	·70		.			·08	·16	·80		·22		·21	20
21	.		·43			·09	.	·16		·53		.	21
22	.		·45		·23	.	.	·72		·42		.	22
23	·26	·45	·07		·30	.	·45	·58		·06	·14	·15	23
24	·07	.	·51			·27	.	·70		·12	·22	.	24
25	·08	.	·12			·32	.	.				·54	25
26		·10	.			·20	.	1·10			·57	·53	26
27		·15	·15			.	·10	1·02		1·06	·68	·44	27
28		.	·20			·56	1·55	.		1·34	.	·65	28
29		·22	.			·28	·45	·45		·15	·44	.	29
30			·18			·26	·25	·12	·52	·52		·10	30
31			·25				·07			·45		·07	31
Total	~~4·48~~	~~2·49~~ 2·64	~~7·03~~ 6·88	~~·48~~	1·62	~~5·57~~ 5·57	~~3·37~~ 3·57	~~9·39~~ 9·19	~~·89~~	~~5·14~~ 5·24	~~3·47~~ 3·37	~~7·15~~ 7·25	YEAR'S TOTAL ~~51·08~~ 51·18
Rain Days.	15	~~11~~ 12	~~25~~ 24	3.	10.	18.	~~10~~ 11	~~24~~ 23	4.	~~12~~ 13	~~10~~ 9	~~24~~ 22	~~163~~ 164

W. 7,500, XI. 12

Ca. for wD. 30.IV.14.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 13 JAN 1914

Kept at Delfield.

in the County of Radnor

by T. Aubrey Thomas

Lat. ..... Long. .....

Time of Observation 9.0 a.m.

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·42	·					·	·	·	1
2			·27	·25	·15					·	·10	·	2
3		·72	·16	·27	·10	·17				·45	·37	·10	3
4		·10	25		·40	·				·05	·	·34	4
5	·82	·13	·08		·	·			·75	·52	·	·68	5
6	·36	·09	·10		·25	·20			·04	·27	·34	·45	6
7	·12	·28	·47		·09	·14				43		·48	7
8		·75	·		·47	·40				1·09	·15	·05	8
9		·34	·		·40	·16		·56		·10	·	·07	9
10		·36	·28		·15	1·30	·50	·30		·	·37	·	10
11	·28		·09		·27	·		·45		·20	·28	·	11
12	·56		·	·35	·10	·		·		·	·82	·12	12
13			·	·	·15	·		·07		·	·30	·09	13
14			·35	·	·	·			·50	·	·28	·	14
15	·32		·62	·25	·	·			·12	·38	12	·	15
16	·27		1·05	1·25	·	·			·	·	·08	·	16
17			·	·05	·	·		·60	·08	·	·33	·	17
18	·42		·	·25	·	·			·	·	·25	·	18
19	·28		1·02	·67	·09	·			·	·	·10	·	19
20	·32		·14	·	·	·12			·10	·32	·07	·	20
21	·10		·53	·06	·	·			·	·22	·65	·	21
22	·		·27	·28	·15	·		·12	·	·14	·18	·	22
23	·90		1·15	·		·35		·75	·55	·	·	·	23
24	·		·06	·		·09			·12	·	·		24
25	·29		·	·05	·				·	·	·23	·	25
26			·	·20	·				·14	·	·18	·20	26
27			·	1·45	·							·75	27
28			·	·50	·					·35		·	28
29	·27		·37	·65	·15					·43		·	29
30			·45	·40						·76	·27	·	30
31	·38									·25			31
Total	5·69	2·77	7·71 (42)	7·25	2·92	2·93	·50	2·85	2·40	5·95	5·47	3·33	YEAR'S TOTAL 49·77
Rain Days.	15	8	19. (20)	17. (16)	14.	9.	1	7	9.	16.	20.	11	146

5.69 2·77 8.13 6.83 2·92 2·93 ·50 2·85 2·40 5.95 5·47 3·33 49·77

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914.

FORM A2. BRITISH RAINFALL. 16 JAN 1915

Kept at Welfield. (Builth Wells.)

in the County of Radnor.

by E. Aubrey Thomas Esqre

RAIN GAUGE — Pattern

Diameter of top 5 in.

Height of top above Ground 2 ft. 2 in.

" " " Sea Level 740 ft.

Time of Observation 9. a.m.

Nearest Railway Station — Name Builth Wells.

Distance mile 1/4 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .25

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.67						.27				.57	1
2		.15				.26	.20	.85			.52	.23	2
3			.25				.84	.26			.25	.78	3
4			.45		.42			.08				.76	4
5	.64		.27	.14	.15		.25	.38			.57	.87	5
6			.40	.63	.27						.32		6
7				.15	.10						.14	.28	7
8	.32	.36	.62	.22	.22		.75	.15				.89	8
9					.34	.25	.06	.40	.10			.27	9
10		.12		.26		.80		.21					10
11		.35		.48	.12				.32				11
12		.54	.68			.28			.15		.65	.67	12
13		1.12	.16						.36		.54		13
14		.55	.65				.18		.42		.41	.34	14
15		.84	.17						.07				15
16			.54				.06		.14		.54		16
17			.12				.10		.18			.14	17
18		.38	.22				.14		.16			.92	18
19		.06							.08			.34	19
20		.07					.56		.19				20
21		.65	.51			.30							21
22		.25				.36	.54			.27			22
23		.17	.05		.10			.30		.75			23
24		.30	.17				.09			.22			24
25			.28				.25	.12					25
26	.76		.15				.23	.25		.35		1.04	26
27	.05		.09				.08			.18	.40	.66	27
28							.06				.75	1.35	28
29	.22		.05		.18								29
30	.14		.27							.34	.54		30
31	.67		.38									1.65	31
Total	2.13	6.58	6.48	1.88	1.90	2.25	4.39 .27	3.27	2.17	2.11	5.63 .57	11.76	50.80
No. of Rain Days	2.80 6	5.91 16	21	6	9	6	4.66 18	3.00 11	11	6	6.20 12	11.44 17	50.55 137

9,000, IX. '10.

cond for W.D. 16.V.16

REGISTER OF RAINFALL IN 1915

4205

FORM A. BRITISH RAINFALL. 21 JAN 1916

Kept at Welfield

in the County of Radnor

by Capt E. Aubrey Thomas.

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·27		·32		·53		1
2			·76		·44				·41	·58		·37	2
3			·37						·26				3
4					·10							·48	4
5			·12		·15							1·10	5
6												·75	6
7				·75								·15	7
8					·42							·47	8
9				·17							·30		9
10											·28	·65	10
11										·15	·16	·12	11
12											1·37		12
13					·52					·18	·78		13
14					·54								14
15												·52	15
16					·27							·14	16
17		1·04			·42								17
18		·57			·65								18
19		·68											19
20				·30	·15								20
21													21
22													22
23										·18		·54	23
24						·22				·65		·52	24
25									·56	·42		·47	25
26						·61			·28			·10	26
27												·53	27
28						·10				·45		·45	28
29						·15						·10	29
30		X				·65					·35	·15	30
31		X		X		X			X	·58	X	1·06	31
Total	—	2·29	1·25	1·22	3·66	1·73 2·00	·27	—	1·83 1·51	3·19 3·72	3·77 3·24	8·67	YEAR'S TOTAL 27·88
Rain Days.	—	3	3	3	10	5	1	—	5	8	7	19	64

W. 8,000. X. 14.

cwb in WD

3964

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

Kept at Welfield. Builth-Wells.
in the County of Radnor.
by Capt. E. Aubrey Thomas.

Lat. ..... Long. .....
Time of Observation 9. a.m.
Nearest Railway Station Builth-Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 740 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						26			26				1
2			10			58		27	15		10		2
3						10					7		3
4										45			4
5										37			5
6			35			9			66	48	38		6
7						11				10	27	8	7
8	50							7		52	29	6	8
9							92	52		78	45		9
10				1.10 (snow)	12			25		12	58		10
11	67		1.05 (snow)		28			15					11
12	16		6					28		30	15		12
13					95			20		22			13
14				55				1.25	25	17			14
15								34					15
16						7	20	5					16
17				27			32	7		9			17
18				5	15		54	63	35				18
19			10				57	26	78				19
20			15			35			5				20
21		64 (snow)			52	41		8	28				21
22						15				17			22
23								54					23
24		10			47	6		46		32			24
25						28		32		64			25
26		8						10		37			26
27					38	7		56	30		65		27
28					82	65	53	65					28
29			45		34			53					29
30		X					5	26		1.03	10		30
31		X		X		X		35	X	35	X		31
Total	1.33	.82	2.26	1.97	~~4.03~~ 4.29 (26)	~~3.18~~ 2.92	3.13	~~8.19~~ 8.45 (26)	~~3.08~~ 2.82	6.48	3.04	.14	YEAR'S TOTAL 37.65
Rain Days.	3	3	7	4	9	13	7	23	9	17	10	2	107

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at CEFNDYRYS (formerly "Delfield")

in the County of Radnor

by E. A. Thomas - Capt.

Lat. ..... Long. .....

Time of Observation 9.0 a.m.

Nearest Railway Station Builth Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 730 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (—)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												.45	1
2					.35		.15		.5	.40		.68	2
3		[illegible]	.12				.56					.40	3
4												.36	4
5			.33				.7		.26			.22	5
6							.12					1.06	6
7			.54									.34	7
8			.15	.20									8
9						.47							9
10												.40	10
11			.65										11
12			2.50	.76			.17						12
13			.26			1.08				.16			13
14				.42					.68	.18			14
15				.65			.9			.7		.26	15
16	.45			.18						.12		.80	16
17	.27							.42					17
18											1.15		18
19			.67					.55			.20		19
20	.28		.54			.22		.54	.45		.32		20
21	.26	2.66	.22								.23		21
22		.67					.28	.8				.62	22
23												.65	23
24										.54			24
25						.12				.15	.50	.27	25
26				.23	.7			.40			.32		26
27			.35					.45	.50			1.10	27
28								.42					28
29				.45				.26				.45	29
30		X						.9				.27	30
31		X		X		X		.25	X		X	.38	31
TOTAL	1.26	3.33	6.32	2.89	.42	1.89	1.44	3.46	1.94	1.62	~~2.45~~ 2.72 3.17	~~8.61~~ 8.16	YEAR'S TOTAL ~~35.90~~
Days with .01 in. or more	4.	2.	11.	7.	2.	4.	7.	10.	5.	7.	6	17	82.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Rec'd Aug. 29.V.15. 4220.

FORM A. BRITISH RAINFALL

15 MAY 1915

4220.

GLASBURY-ON-WYE
HAMPTON. SCHOOL.
1914–20

RE

Kept at Glasbury-o… 3°. 10 W.

in the County of Ra… aim. Glasbury on Wy. MAY 15

by D.C. Lloyd 5 in.

…ove Ground 1 ft. – in.

Sea Level 2?4 ft.

IMPORTANT N… …d the result entered to the previous day. If an… …iversal rule, he is earnestly requested to add the … …ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			1·0	·01	Keen frost	·07	·37	·75			·09	·05	1
2		·02	·05		·01		1·24	·18			·38	·30	2
3			·19	·07	·25		·07	·04				·40	3
4	·33		·06	·04	·21		·10	·06			·55	·80	4
5	·30		·12	·54	·26						·17	·03	5
6	·06	·05	·05	·12	·01						·09	·17	6
7	·01	·19	·35	·22	·31	·02	·34	·14				·46	7
8	·01		Snow *1·0	·01	·32	·26	·23	·17	·09			·19	8
9	·13	·06	" 1·5 Days	·15	·05	1·22		·09	·09				9
10		·26	" ·07 ·09	·38	·02	·09			·21				10
11		·30	·22	·02	·12	·27	·20		·05		·46	·63	11
12		·86	·11						·26	·01	·20	·42	12
13		·33	·27	·01			·09		·25	·22	·27	·13	13
14		·37	·31				·02			·02	·10		14
15		·04	·41					·05	·07	·05	·22	·01	15
16			·03				·05		·09			·01	16
17	·05	·15	·20				·08		·05			·43	17
18			·40				·01		·06			·42	18
19		·03	·10				·97		·12		·06	·09	19
20		·32	·12			·09						·23	20
21		·34	·01				·29	·09		·10		·01	21
22		·24	·02			·06	·10	·18		·56			22
23		·06	·17		·11		·08			·20			23
24	·02		·05				·15	·10		·04	·10		24
25	·12		·06				·37	·57		·38	·02	·24	25
26	·02	·05	·17				·16	·02		·20	·15	·34	26
27	·04		·005								·45	·76	27
28	·07	·06	·045		·07					·05	·05	·48	28
29	·06	X	·15		·11					·30	·35	·03	29
30	·06	X	·16	·02	·02					·14	·44	·84	30
31	·35	X	·005	X		X	·11		X	·95	X	·27	31
Total	1·63	3·73	5·945 3·668	1·59	1·87	2·08	4·87	2·38	1·34	3·22 2·22	4·15	7·74	YEAR'S TOTAL 37·24" 40.545
Rain Days.	15	18	30	12	14	8	20	13	11	14	18	25	198

W. 8,000. X. 14.

* Rainfall in mm on 8.9.10

4220

FORM A. BRITISH RAINFALL.

15 MAY 1915

RE

Kept at Glasbury-on-Wye

in the County of Radnor

by D. C. Lloyd, Hampton Grammar School

3° 10' W.

Time of Observation 9 a.m.

Nearest Railway Station Glasbury on Wye, M.R.S.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			1·0	·01	Keen frost	·07	·37	·75			·09	·05	1
2		·02	·05		·01		1·24	·18			·38	·30	2
3			·19	·07	·25		·07	·04				·40	3
4	·33		·06	·04	·21		·10	·06			·55	·80	4
5	·30		·12	·54	·26						·17	·03	5
6	·06	·05	·05	·12	·01						·09	·17	6
7	·01	·19	·35	·22	·31	·02	·34	·14				·46	7
8	·01		Snow × 1·0	·01	·32	·26	·23	·17	·09			·19	8
9	·13	·06	" 1·5 →07	Rain ·15	·05	1·22		·09	·09				9
10		·76	" ·09	·38	·02	·09			·21				10
11		·30	·22	·02	·12	·27	·20		·05		·46	·63	11
12		·86	·11						·26	·01	·20	·42	12
13		·33	·27	·01			·09		·25	·22	·27	·13	13
14		·37	·31				·02			·02	·10		14
15		·04	·41					·05	·07	·05	·22	·01	15
16			·03				·05		·09			·01	16
17	·05	·15	·20				·08		·05			·43	17
18			·40				·01		·06			·42	18
19		·03	·10				·97		·12		·06	·09	19
20		·32	·12			·09						·23	20
21		·34	·01				·29	·09		·10		·01	21
22		·24	·02			·06	·10	·18		·56			22
23		·06	·12		·11		·08			·20			23
24	·02		·05				·15	·10		·04	·10		24
25	·12		·06				·21	·57		·38	·02	·24	25
26	·02	·05	·17				·16	·02		·20	·15	·34	26
27	·04		·005								·45	·76	27
28	·07	·06	·045		·07					·105	·05	·48	28
29	·06	X	·15		·11					·30	·35	·03	29
30	·06	X	·16	·02	·02					·14	·44	·84	30
31	·35	X	·005	X		X	·11		X	·95	X	·27	31
Total	1·63	3·73	5·945 3·665	1·59	1·87	2·08	4·87	2·38	1·34	3·22 3·22	4·15	7·74	YEAR'S TOTAL 37·24" 40.545
Rain Days.	15	18	30	12	14	8	20	13	11	14	18	25	198

W. 8,000. X. 14.

× Rainfall in error on 8.9.10

REGISTER OF RAINFALL IN 1915

4204

FORM A. BRITISH RAINFALL.

Kept at Glasbury-on-Wye

in the County of Radnor

by (Rev) D. C. Lloyd

Lat. 52°.1 Long. 3°.1 W

Time of Observation 9 a.m.

Nearest Railway Station Glasbury on Wye

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·39	·10	·07		·24			·26	·13	·21		·13	1
2	·30	·14	·21	·18		·06		·04	·98	·12		·10	2
3	·06	·09	·04	·03			·53		·07			·50	3
4	·10	·41			·17		·18					·45	4
5	·01	·61		·03			·08		·01			·58	5
6	·20	·04		·09			·64		·20			·21	6
7	·14	·59		·04			·10				·01	·46	7
8	·36	·40		·08					·02		·19		8
9	·05	·58		·09					·07		·24	·62	9
10	·32	·01	·04	·09						·03	·12		10
11	·12		·01				·02				1·17	·04	11
12	·07	·40		·08	·44				·14	·01	·50		12
13	·02	·57			·69			·10	·18		·07	·03	13
14	·01							·03	·20		·02	·25	14
15	·56				·11		·08		·08	·04	·13	·04	15
16	·05	·50			·38		1·37		·10				16
17		·22	·02 (Snow)		·62								17
18		·74							·08				18
19		·03			·05		·48						19
20	·18	·01		·04						·09			20
21	·17	·01					·28					·13	21
22	·09	·06	·16				·47					·62	22
23		·01	·15			·04	·04	·08		·75		·40	23
24						·01	·02	·13		1·05		·70	24
25			·02			·56	·30					·20	25
26		·08					·33	·01				·55	26
27		·10				·01	·25			·36		·24	27
28		·21	·01			·13	·01	·16	·01	·08		·02	28
29						·07			·01	·02	·44	·04	29
30	·14			·04		·11			31st ·06	·46	·25	·24	30
31							·09			1·35		·62	31
Total	3·34	5·91	·73	·79	2·70	·99	5·27	·81	2·34	4·57	3·14	7·17	YEAR'S TOTAL 37·76
Rain Days.	20	23	10	11	8	8	18	8	16	13	11	23	169

W. 8,000. X. 15.

4136

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 6. MAR 1917

Kept at Glasbury-on-Wye

in the County of Radnor

by (Rev) D. C. Lloyd

Lat. 52.1 N Long. 3.10 W.

Time of Observation 9 a.m.

Nearest Railway Station Glasbury on Wye

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.147		.09		.02		.17		.07	.20	.30	.01	1
2	.48	.12	.36 snow		.01		.16		.10	1.05	.40		2
3		1.02			.09	.06	.03		.22	.23	.30		3
4	.25	.40			.46	.33	.07		.02	.12	.52		4
5	.03	.10	.01		.20	.26	.02			.23	.09		5
6	.07	.34	.05 snow		.07		.39			.24	.42		6
7	.20	.04	.03		.28		.06			.25	.53	.21	7
8		.05	.05		.20					.02	.14	.06	8
9		.03	.02		.10					.01	.10	.06	9
10		.30	.12	.06						.03		.05	10
11	.09	.01	.08	.09	.03	.04							11
12		.06	.08		.49		.20	.03		.11			12
13	.05	.27	.12	.18	.01			.40		.05	.01		13
14		.39 snow	.22	.09	.02			.16		.06		.02	14
15		.69	.10	.17	.24			.14	.01	.07			15
16		.16		.12				.04		.07			16
17	.08	.17		.26					.18	.32	.20		17
18	.02	.19	.40	.13					.09	.02 .24	.18	.05	18
19	.15	.01	.35	.06						.01	.19	.02	19
20	.14		.24								.05	.27	20
21	.10		.32	.09	.11	.03						.10	21
22	.01			.04		.03				.28		.32	22
23	.02	.11	.03	.01		.15		.17		.17	.06	.14	23
24		.26	.02		1.10	.08		.12		.38		.15	24
25		.08	.22		.09	.03		.22		.16	.38	.03	25
26		.07	.07		.08	.26		.31	.34	.60			26
27			.50 snow			.005		.50	.49	.60			27
28	.05	.26	.23 snow						.23	.13	.02	.38	28
29		.30				.23		.43		.22		.34	29
30						.03		.20		.34			30
31					.13					.67		.11	31
Total	2.21	5.43	3.71	1.30	3.73	1.535	1.10	2.72	1.75	6.64	3.89	2.32	YEAR'S TOTAL 36.335
Rain Days.	16	24	23	12	19	13	8	12	10	28	17	17	199

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

Kept at Glasbury-on-Wye

in the County of Radnor

by (Rev) D. L. Lloyd

Lat. 52°.1 N Long. 3°.10 W

Time of Observation 9 a.m.

Nearest Railway Station Glasbury-on-Wye

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

" " " " Sea Level 274 ft.

FORM A. BRITISH RAINFALL. 3 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.16	.71		.55		.21	.16		.05	.09	1
2				.10		.05				.05	.08		2
3		.17		.42						.31	.02	.06	3
4	.03	.05	.07							.54			4
5	.17		.33	.16		.06		.18	1.49	.32	.10		5
6			.64			.03		.02		.27	.12	.02	6
7	.33		.08	.15			.04	.17		.21	.18		7
8	.47		.05	.22		.04	.86	.77		.46	.13	.14	8
9			.08		.18			.34	.10	.08	.53	tr	9
10	.18		.16	.26	.09			.11		.02		tr	10
11	.13		.01	.09				.33		.46	.14		11
12	.15				.96			.12		.26			12
13			.05	.12				1.32	.08	.05		tr	13
14				.09				.63		.02		.04	14
15	.06				.06		.32	.01		.02			15
16	.02	.04		.15		.31	.12	.04				.60	16
17		.01			.56	.11	.45	.85	.13	.29			17
18	.01		.02		.20		.44	.05	.81	.01			18
19	.02	.42	.18			.33		.01	.02				19
20		.13	.05		.75	.06		.05	.09				20
21		.05	.20		.08			tr		.03			21
22		.01						.41		.05			22
23		.20			.21	.01		.36		.23		tr.	23
24		.05				.09	.01	.18		.50	.09		24
25			.13					.10		.22	.03		25
26					.08	.14		.63	.11	.06	.06		26
27					1.08	.43	.58	.66		.03			27
28			.25		.41	.05		.23				.04	28
29			.07		.01		.01	.19		.62		.57	29
30			.02					.22		.10	.01	tr	30
31			.15		.16			.15		.01			31
Total	1.57	1.13	2.70	2.47	4.83	2.26	2.53	8.34	2.99	5.22	1.54	1.56	YEAR'S TOTAL 37.14
Rain Days.	11	10	19	11	14	14	9	27	9	26	13	8	171

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 1.18

Kept at Glasbury on Wye

in the County of Radnor

by (Rev) D. C. Lloyd

Lat. 52° 1' N Long. 3° 10' W

Time of Observation 9 a.m.

Nearest Railway Station Glasbury on Wye

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.05		.13				.06	.18	.05	.01		1
2		.06		.04				.87	.05	tr	.11	.16	2
3		.13	.01	.14	.29			.02	.59	.14	.14		3
4		.12		.04				.06	.29	.38	.47	.47	4
5		.06		.15	.43			.09	.19	.24	.02	.01	5
6		.37		.18		.03	.09		.04	.24		.06	6
7	.04	.05			.52				.62	.06	.25	tr	.62 7
8	.09	.18					.82		.04	.16		.03	8
9	.02	.54		.42		.23	.88		.21	.07	.04	.04	9
10	.05			.09			.80		.26	.12	.03	.20	10
11	tr	.06	.04	.05	.02		.52		.13	.12	.03	.12	11
12	tr	.10	.09		.08		.13		.07				12
13	.01	.03			.04				.20	.01		.13	13
14	.34		.11			.02	.18		.40	.01		.31	14
15	.95					.03	.45		.41			.54	15
16	.22			.66			.06	.005	.17	.01		.15	16
17	.40						.34	.005	.38	.16		.12	17
18	.45					.22	.19		.60	.01		.58	18
19	.24	.02	.20	.01			.06	.02	.02	.07	.01	.08	19
20	.31	.10		.34		.09			.55				20
21	.09	.12		.28			.17		.32		.01	.04	21
22	tr				.47		.22		.17	.07		.41	22
23	.13				.76		.09		.16		.02		23
24		.05					.22		.06		.15	.15	24
25					.26		.30	.77	tr	.05	.03	.04	25
26							.09	.01	.04	.01	.11	.18	26
27			.19				.02	.28	.15		.03	.18	27
28	tr	.19	.72						.01		.03	.08	28
29			.11						.80			.03	29
30			.17						.05	.01	.01	.13	30
31			.45							.60		.03	31
Total	3.34	2.23	2.09	2.43	2.87	.62	3.88	2.19	7.16	2.59	1.50	4.27	YEAR'S TOTAL 35.17
Rain Days.	14	17	10	13	9	6	18	11	29	21	18	25	191

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Glasbury-on-Wye

in the County of Radnor

by Rev D. C. Lloyd

Lat. 52° 1' Long. 3 · 10 W

Time of Observation 9 a.m.

Nearest Railway Station Glasbury on Wye

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34		·01		·10		·16		·03	·39	·03	·45	1
2	·10		·02		·01		·02		·03	·07		·07	2
3	·01		·01			·16	·15		·02		·03	·21	3
4	·02	·08	·24				·11		·06			·11	4
5	·02	·17					·02					·41	5
6	·37	·04	·30									·14	6
7	·17		·14	·05	·02				·02			·01	7
8	·55		·05	·02		·04							8
9	·25		·01	·04						[illegible]	·03		9
10	·28		·72		·11					[illegible]		·21	10
11	·01		1·15	·02	·03		·17					·03	11
12	·01		·20	·03		·70	·03			·09			12
13	·12			·22					1·27	·08		·04	13
14	·29			·38					·30	·16		·13	14
15	·54	·01		·10				·01		·12		·24	15
16	·18	·94						·02			·12		16
17	·01	·73				·05		·03			·30		17
18	·01		·57				·01	·16	·03		·06	·06	18
19	·10	·16	·37			·16	·15	·32	·12		·07	·02	19
20	·19	·07	·68					·05			·14	·14	20
21	·07	·66	·02				·09		·02		·01	·06	21
22		·02										·25	22
23						·04				·54	·10	·06	23
24	·04			·12	·03	·01			·01	·30	·27	·36	24
25	·04			·09	·04	·01		·88	·02		·10	·01	25
26	·02		·20	·05		·02		·20	·03			·36	26
27	·25	·01	·07	·27				·49	·01		·01		27
28	·06		·16					·11			·02	·38	28
29	·09		·04									·28	29
30			·02	·05		·13		·22			·29	·27	30
31	·01		·03				·01					·01	31
TOTAL	4·15	2·89	5·01	1·44	·34	1·32	·92	2·49	1·97	1·75	1·58	4·31	YEAR'S TOTAL 28·17
Days with ·01 in. or more	28	11	21	13	7	10	11	11	14	8	15	25	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max Daily fall 1.27 in on Sept 13

Rec'd. 1921

3660

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

RECEIVED 8 JAN 1921

Kept at Glasbury-on-Wye

in the County of Radnor

by (Rev.) D. C. Lloyd

Lat. 52° 1' Long. 3° 10 W

Time of Observation 9 a.m.

Nearest Railway Station Glasbury-on-Wye

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ? in.

" " " " Sea Level 274 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·11	·15		·54		·09			·35	1
2	·02			·16	·03		·04	·07	·02	·06		·10	2
3		·03		·28			·44		·01	1·30		·09	3
4	·01		·02				·02	·36		·09			4
5			·23	·04	·09		·32	·14		·06			5
6			·31		·09		·05			·27			6
7				·07			·10						7
8	·18	·13		·65	·13		·31	·16		·02			8
9	·38	·18		·44			·03						9
10	·74	·21	·03	·03		·99	·11				·02		10
11	·22		·15	·40	·21	·03	·04			·02		·06	11
12	·03	·02		·10		·68	·01	·08		4	·12		12
13	·06		·45	·35		·04					·01		13
14		·01	·44	·69			·03		·72	·28	·42		14
15		·11	·15	1·03	·05	·18					·06		15
16			·05	·28	·08	·48	·20		·19	·25	·18		16
17	·03		·01	·01		·37		·07	1·25	1·00			17
18	·10			·01	·31		·01	·02	·64			·01	18
19		·38		·17	·03	·05							19
20	4	·02		·27		·04	·01		·10			·20	20
21				·02			·32			·02		·24	21
22	·05			·06			·09	·11	·01			·26	22
23			·02				·33					·32	23
24	·02		·26								·09	·20	24
25		·07	·16	·02		·03	·44					·02	25
26	·20	·04	·53	·02	·12	·02	·20				·07	·15	26
27	·51	·01	·56	·10	·01	·33	·02					·37	27
28	·55		·26	·14	·14	·05						·08	28
29	·38		·27		·20	·05					·17	·55	29
30			·40	·26	·01	·17	·28		·19		·23	·27	30
31	·16		·23				·01			·41		·06	31
TOTAL	3·64	1·21	4·53	5·71	1·65	3·51	3·95	1·01	3·22	3·78	1·37	3·33	YEAR'S TOTAL 36.91
Days with ·01 in. or more	6	5	19	25	15	15	24	8	10	12	10	17	184
Days with ·04 in. or more	12	7	15	19	11	12	16	7	7	9	8	15	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

92

REGIS 1911

LLANDRINDOD WELLS
KIMBERLEY
1911.

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Llandrindo of top in.

in the County of Radnor top above Ground ft. in.

by W. B. de Winton „ „ Sea Level ft.

on

Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.24	.05			.01	.02			.16	.01	1
2	.015			.015	.15			.295		.055	.135	.18	2
3			.01	.02	.47			.13	.04		.205	.21	3
4			.05	.015	.025			.49	.02	.01	.40	.355	4
5	.15		.09	.03				.49		.17	.19		5
6	.15		.055					.10			.21	.46	6
7	.02										.44		7
8	.08		.16								.40	.48	8
9	.07		.06								.17	.145	9
10	.07	.10	.14		.05							.58	10
11	.215		.01		.30				.05		.31	.175	11
12		.01	.28		.155			.01	1.19		.83	.065	12
13			.01						.01	.05	.12	.145	13
14		.09	.01								.025	.50	14
15	.01	.095	.01			.01				.01	.165	.13	15
16		.03	.01			.14					.12	.14	16
17		.08	.01	.04		1.02					.46	.35	17
18		.52	.22	.18		.25				.04	.02	.54	18
19	.02	.055		.22		.47	.07	.04	.73	.255	.025	.535	19
20	.02	.08		.12				.03	.11	.08		.20	20
21		.22	.125	.01		.05	.01	1.49	.03	.66		.12	21
22		.03		.07		.16				.65	.01	.47	22
23	.01	.17	.02		.06	.11		.01	.255	.36		.16	23
24	.04	.06				.35		.13	.08	.26		.28	24
25	.04	.195		.05		.04			.065	.08		.185	25
26		.21		.39	.01			.135	.01	.24	.04	.19	26
27		.235	.22	.14				.785	.26		.12	.16	27
28		.30	.01	.23		.02		.025	.025		.025	.01	28
29				.085		.26	.355		.315	.615	.01	.02	29
30			.045		.03	.03	.02	.01		.275	.095	.015	30
31			.01		.13					.07			31
Total	.91	2.48	1.795	1.665	1.38	2.91	.465	4.19	3.19	3.875	4.685	6.825	TOTAL for year 34.37
No. of Rain Days	14	17	22	16	10	13	5	16	15	17	24	28	197

9,000, IX. '10.

82

REGISTER OF RAINFALL 1911

FORM A 2. BRITISH RAINFALL. 26 JAN 1912

Kept at Llandrindod Wells, Kimberley

in the County of Radnor

by W. B de Winton

RAIN GAUGE: Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. „ „ „ Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.24	.05			.01	.02			.16	.01	1
2	.015			.015	.15			.295		.055	.135	.18	2
3			.01	.02	.47			.13	.04		.205	.21	3
4			.05	.015	.025			.49	.02	.01	.40	.355	4
5	.15		.09	.03				.49		.17	.19		5
6	.15		.055					.10			.21	.46	6
7	.02										.44		7
8	.08		.16								.40	.48	8
9	.07		.06								.17	.145	9
10	.07	.10	.14		.05							.58	10
11	.215		.01		.30				.05		.31	.175	11
12		.01	.28		.155			.01	1.19		.83	.065	12
13			.01						.01	.05	.12	.145	13
14		.09	.01								.025	.50	14
15	.01	.095	.01			.01				.01	.165	.13	15
16		.03	.01			.14					.12	.14	16
17		.08	.01	.04		1.02					.46	.35	17
18		.52	.22	.18		.25				.04	.02	.54	18
19	.02	.055		.22		.47	.07	.04	.73	.255	.025	.55	19
20	.02	.08		.12				.03	.11	.08		.20	20
21		.22	.125	.01		.05	.01	1.49	.03	.66		.12	21
22		.03		.07		.16				.65	.01	.47	22
23	.01	.17	.02		.06	.11		.01	.255	.36		.16	23
24	.04	.06				.35		.13	.08	.26		.28	24
25	.04	.195		.05		.04			.065	.08		.185	25
26		.21		.39	.01			.135	.01	.24	.04	.19	26
27		.235	.22	.14				.785	.26		.12	.16	27
28		.30	.01	.23		.02		.025	.025		.025	.01	28
29				.085		.26	.355		.315	.615	.01	.02	29
30			.045		.03	.03	.02	.01		.275	.095	.015	30
31			.01		.13					.07			31
Total	.91	2.48	1.795	1.665	1.38	2.91	.465	4.19	3.19	3.876	4.685	6.825	TOTAL for year 343
No. of Rain Days	14	17	22	16	10	13	5	16	15	17	24	28	197

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 25 JAN 1913

Kept at Kimberley, Llandrindod Wells

in the County of Radnor

by W B de Winton

RAIN GAUGE { Pattern ; Diameter of top ... in. ; Height of top above Ground ... ft. ... in. ; " " " Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name ; Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			175		01	55	02	055	01			21	1
2		05	345	02	015	62			01			01	2
3	08		05		12	115	01	70	08		05	11	3
4	49	03	1.16	005	11	125		17	01		21		4
5	36	025	42		18	01		20	04		01	03	5
6	52	15	015		10			075		01		02	6
7	02	295	11		145	26	09	20	02			03	7
8	52	125	25	05		08		01	02			01	8
9	15	14	13	205		05	03	34			10	41	9
10	32	01		02		34	06	345		01	39	02	10
11	03	035			01		02			01	21	46	11
12	01	23	15	08	03	03	12				01	05	12
13	04					01	015	025	01	17	02	33	13
14	055	06	58		01	13		15		01	01	14	14
15	07	(10) 18	03		235	08		01				25	15
16	135	06	505		03	01		135		19		13	16
17	58	02	065			27		43			14	60	17
18	125	06	08					17		08	01	15	18
19	03	10	02			065	13	63		12	01	03	19
20	02	015	40		015	035	025	135	01	41	01		20
21	01	015	45		17		01	69		37		02	21
22	26	21	06		35		36	43		06	02	13	22
23	10	015	36			14	01	33		10	19	09	23
24	05	03	085			23	015	01			23	19	24
25		01	01			135	015	90		01	21	47	25
26		13	11				115	97		1.03	58	23	26
27		035	11			72	1.35		07	1.42		46	27
28		125				28	79	40	45	11	49	02	28
29		105	19			04	355	155		24		04	29
30			19		015	07	095		01	32			30
31	01		18		03		275	035		03		08	31
Total	4.015	2.18	6.23	38	1.575	4.395	3.91	7.70	74	4.70	2.70	4.62	TOTAL for year 43.145
No. of Rain Days.	23	26	27	6	17	24	21	26	12	19	19	25	248

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 499

31 JAN 1914

Kept at Limberley, Llandrindod Wells

in the County of Radnor

by W. B. de Winton

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.04	.05	.16	.29	.095						.05		1
2		.33	.17	.17	.09	.035				.40	.14	.08	2
3	.01	.03	.19	.01	.38					.01	.02	.31	3
4	.69	.11	.13		.02				.37	.28	.09	.64	4
5	.23	.09	.04		.275	.17	.04		.01	.41	.37	.01	5
6	.12	.15	.22		.04	.14	.07			.39	.01	.38	6
7	.01	.50	.04		.44	.34	.07			.86	.10	.02	7
8		.31	.02		.34	.15	.095	.16		.07		.01	8
9	.33	.41	.07	.03	.215	.97	.265	.25	.02		.18	.03	9
10	.45	.02	.04	.04	.245		.005	.26		.15	.19		10
11			.01	.24	.025	.01		.085		.07	.59	.07	11
12			.02		.04			.01	.06	.01	.37	.04	12
13	.30		.28	.04	.12		.005		.39		.28		13
14	.34		.45	.20					.08	.27	.09		14
15	.20	.01	.90	.85					.015		.12		15
16	.09	.02	.30	.01				.54	.025		.06		16
17	.06			.31	.01		.215				.22		17
18	.10		.46	.26	.05		.005				.10		18
19	.21		.07	.03	.03	.13			.095	.30	.11	.02	19
20	.15		.45	.16	.03					.18	.54		20
21			.18	.30	.175		.185	.07		.04	.10		21
22	.88		.92		.01	.26		.675	.71		.03		22
23	.05		.01			.07		.06	.08		.15		23
24	.15	.02		.02							.11		24
25		.03		.175					.135	.04	.06	.08	25
26		.04		.875	.23				.04	.06		.47	26
27	.05		.09	.44						.31			27
28	.20		.18	.47	.06					.47			28
29	.01		.37	.35	.03			.07		.56	.03	.165	29
30	.31			.02	.02					.23	.11		30
31	.12		.32		.40					.03			31
Total	5.10	2.12	6.09	5.29	3.365	2.275	.955	2.18	2.03	5.14	4.22	2.325	YEAR'S TOTAL 41.090
Rain Days.	24	15	26	22	24	10	9	10	13	21	26	14	214

W. 7,500, XI. 12

Exhibit C

FORM A. BRITISH RAINFALL. 22 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Kimberley Llandrindod Wells

in the County of Radnor

by W. B. de Winton

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.14	.04	.07		.18	.465	1.08			.08	.16	1
2		.15	.05		.01		.86	.195			.20	.505	2
3	.02		.33	.10	.315			.045				.38	3
4	.48		.13	.11	.09		.20	.18			.46	.695	4
5	.21	.09	.40	.40	.08		.105				.18	.01	5
6	.09		.03	.14	.08		.07				.09	.19	6
7	.03		.53	.16	.16	.005	.56	.23	.035		.05	.41	7
8	.09	.18	.02	.02	.22	.275	.075	.46			.01	.14	8
9	.19	.13	.14	.14	.07	.83		.18			.055		9
10		.31	.28	.36	.02	.07		.01	.205			.01	10
11		.34	.19		.02	.10	.08		.02		.58	.60	11
12		.77	.17						.265		.28	.165	12
13		.38	.41				.055	.005	.285	.21	.35	.10	13
14		.64	.33	.01			.055		.020	.055	.23	.01	14
15		.10	.30			.05		.005	.07	.035	.195	.025	15
16		.03	.09				.03		.30			.05	16
17		.02	.15				.04		.27			.72	17
18		.46	.17						.06	.02		.215	18
19		.28	.08				.42		.21		.09	.315	19
20		.03	.11			.325						.37	20
21		.46				.05	.30	.25		.16	.02		21
22		.17		.02	.05	.03		.20		.70			22
23		.35	.19				.105			.16			23
24	.05		.16				.11	.12		.01	.075		24
25	.23	.06	.10				.23	.445		.43	.03	.22	25
26	.03		.04				.16	.16		.20	.17	.43	26
27	.01	.04								.26	.62	1.03	27
28	.27	.09	.07		.15		.01			.02	.03	.46	28
29	.23		.06		.08					.10	.38	.015	29
30	.02		.32							.03	.44	.59	30
31	.60		.04				.25	.01		.27		.125	31
Total	2.55	5.22	4.93	1.53	1.345	1.915	4.18	3.575	1.745	2.66	4.615	7.94	YEAR'S TOTAL 42.205
Rain Days.	15	22	28	11	13	10	20	15 +6	11	15	22	26	208

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Kimberley, Llandrindod Wells

in the County of Radnor

by W. B. de Winton

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.57	.16	.045		.28			.485	.06	.34	.01	.21	1
2	.18	.22	.36	.21		.08		1.375	.205	.08		.155	2
3	.016	.095	.065	.09	.05		.945	.08				.23	3
4	.12	.455	.005		.16		1.285	.075	.04			1.04	4
5	.055	.41	.055	.025		.07	.08	.055			.02	.45	5
6	.22	.06		.205			.66	.13				.11	6
7	.24	.42		.065	.33		.07	.09		.005	.005	.315	7
8	.31	.405		.13				.06			.33	.01	8
9	.06	.495		.175							.29	.68	9
10	.48	.02	.04	.105				.035		.08	.09	.085	10
11	.215		.015	.05			.05	.055			1.31	.035	11
12	.07	.145		.075	.35			.03		.04	.575	.03	12
13	.03	.49		.02	.39			.315	.07	.12	.10	.06	13
14	.07							.225	.045	.01	.03	.405	14
15	.65	.005			.17		.09	.09	.02	.03	.10	.08	15
16	.10	.54			.395		1.46	.04	.005			.04	16
17		.405			.69			.02		.015			17
18	.01	.47	.03				.015	.01			.02		18
19		.06		.105	.125		.405						19
20	.21			.02	.01		.01			.12		.04	20
21	.19	.075		.005	.02		.18			.05		.01	21
22	.01	.01	.05	.12	.005		.325			.03		.23	22
23	.01	.04	.11			.16	.095			.71		.35	23
24			.10	.09					.11	.42		.65	24
25			.025			.285	.16		.19	.04		.24	25
26		.11					.585		.02			.73	26
27		.055	.01			.43	.72			.37		.175	27
28		.225				.12		.015	.11	.03		.05	28
29					.005	.255		.065	.065	.02	.225	.075	29
30	.16	X		.08		.53	.14		.02	.25	.21	.25	30
31	.01	X		X		X	.14	.28	X	.55	X	.30	31
Total	3.875	5.37	.91	1.57	2.98	2.13	7.415	3.53	.96	3.31	3.315	7.235	YEAR'S TOTAL 42.600
Rain Days.	23	23	13	17	14	8	19	20	13	20	14	25	205

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 30 JAN 1917

Kept at Limberley, Llandrindod Wells

in the County of Radnor

by W. B. de Winton

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.015	.035		.01	.14	.25			.295	.39		1
2	.555	.16	.45				.46		.305	.865	.20		2
3		.785			.055	.05	.18		.145	.32	.32	.02	3
4	.175	.18		.025	.415	.39	.02		.08	.09	.455		4
5	.10	.04	.01		.06	.16	.005			.615	.14		5
6	.16	.47	.08		.125	.06	.45			.60	.37		6
7	.165	.065	.06		.28				.03	.215	.53	.16	7
8		.08	.12		.42	.02				.16	.175	.035	8
9		.05	.01		.27	.07	.095			.02	.07	.10	9
10		.28	.08	.055	.05		.02			.03	.02		10
11	.07	.05	.065	.31	.065	.02	.01		.01				11
12	.02	.15	.025	.11	.24		.195	.18		.19	.02		12
13	.01	.33	.20	.125			.035	.27		.25	.01	.025	13
14		.555	.24	.13	.04			.315		.225			14
15		.59	.155	.115	.20		.05	.10	.06	.09			15
16	.03	.095		.14	.06		.01	.03		.08			16
17	.19	.22		.32					.36	.30	.16		17
18	.09	.23	.21	.25					.185	.07	.08	.16	18
19	.13		.475	.09				.02		.01	.29	.03	19
20	.23	.01	.48	.01							.105	.205	20
21	.07		.30			.05				.005	.06	.03	21
22	.01			.01		.065				.375	.01	.165	22
23	.045	.08	.01	.05		.175		.16		.075	.08	.395	23
24		.46	.01	.185	1.69	.04		.12		.48	.02	.125	24
25		.16	.20		.03	.075		.115	.01	.08	.38	.01	25
26	.04	.095	.095		.09	.28		.13	.39	.25	.03		26
27	.03	.025	.685		.025			.27	.425	.95	.005	.01	27
28		.50	.03		.03					.205	.10	.48	28
29		.16	.025			.43		.49		.315	.03	.525	29
30		X				.115		.03		.33		.01	30
31		X		X		X		.09	X	.42	X	.23	31
Total	2.215	5.83	4.05	1.925	4.155	2.14	1.78	2.32	2.00	7.91	4.05	2.715	41.09
Rain Days.	19	26	24	15	19	16	13	14	11	28 29	25	18	226

W. 8,000. X. 16.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Llandrindod Wells, Kimberley

in the County of Radnor

by W. B. de Winton

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.20	.12		.47		.18	.08	.005	.035	.17	1
2	.01			.36		.11				.015	.09		2
3	.07	.10		.185						.33	.005	.04	3
4	.015	.10	.14	.01		.02		.025		.43	.005		4
5	.24		.23	.22		.07		.01	.69	.315	.28		5
6	.005		.42			.10		.06		.35	.35	.09	6
7	.40			.005			.16	.095	.005	.245	.16	.03	7
8	.14		.20	.255			.455	.75	.015	.68	.285	.125	8
9			.065	.12	.135			.245	.02	.09	.46		9
10	.175		.44	.22	.17			.155	.005	.005			10
11	.14		.015	.12				.34		.335	.175		11
12	.03		.02	.03	1.05			.19		.26	.015	.015	12
13	.01		.07	.12		.035		1.52	.14	.17		.01	13
14			.02	.03			.01	.03		.165	.005	.03	14
15	.02			.04	.025		.15	.02	.02	.17	.015	.41	15
16		.05		.21		.02	.13	.01		.045	.005	.41	16
17		.01	.015	.03	.11		.545	.67	.225	.13	.01		17
18			.04		.015		.35	.18	.66	.07			18
19		.465	.185			.25		.015	.02		.02		19
20		.115	.04		.345	.45		.17	.13		.01		20
21		.03	.03		.055	.04		.11		.08			21
22			.01		.01			.36	.06	.08	.025		22
23		.20			.38	.01		.32	.015	.10			23
24		.04				.18		.23	.005	.49	.175		24
25		.04	.12					.055		.24	.08		25
26					.275	.045	.015	.47	.22	.20	.145		26
27		.01	.03		.83	.46	.55	.52		.06	.01		27
28			.135		.01			.495		.005	.005	.01	28
29			.12		.425		.04	.20		.42	.01	.32	29
30	.01	X					.03	.37	.01	.115	.035	.01	30
31		X	.05	X	.33	X		.28	X	.02	X		31
Total	1.295	1.16	2.595	2.075	4.165	2.26	2.435	8.075	2.32	5.62	2.41	1.67	YEAR'S TOTAL 36.080
Rain Days.	14	11	22	16	15	14	11	29	17	29	26	13	210

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Kimberley. Llandrindod Wells

in the County of Radnor

by W. B. de Winton

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·055	·005	·35	·065			·065	·33	·08	·665		1
2		·06		·05				·185	·03	·03	·02	·355	2
3		·095		·06	·16			·12	·70	·14	·16	·01	3
4		·11						·05	·165	·58	·605	·42	4
5		·09	·025	·27	·525	·125		·12	·07	·53	·07	·06	5
6	·07	·65		·15		·02		-	·22	·36		·05	6
7	·02	·165		·01	·585			·02	·31	·195	·225	·01	7
8	·21	·46				·03	·01	-	·11	·285	·02	·11	8
9	·08	·825		·20		·42	·055	-	·435	·23	·02	·115	9
10	·04	·125	·01	·01			·475	·005	·115	·06	·265	·31	10
11	·03	·10	·08	·04	·07		·61	-	·12	·11	·01	·21	11
12	·02	·115	·03		·09		·11	-	·18	·005		·07	12
13		·03			·01	·02		-	·33	·09	·005	·12	13
14	·56		·05		·04	·07	·335	·01	·33	·05		·46	14
15	·83					·02	·88	-	·23	·02		·48	15
16	·16			·34			·06	·07	·27			·165	16
17	·52		·015		·34	·005	·305	·03	·315	·225		·275	17
18	·79		·02			·255	·17	-	·455	·055		·53	18
19	·15	·03	·185	·04			·21	·005	·085	·05		·265	19
20	·37	·18	·005	·215		·06		-	·29	·03		·01	20
21	·09	·275		·27	·06		·065	-	·50			·09	21
22	·04	·005			·42		·13	-	·325	·005	·005	·56	22
23	·215	·02			·76	·01	·11	-	·09		·025	·03	23
24	·01	·05					·04	·11	·09	·06	·21	·10	24
25		·005			·34	·015	·385	·915	·06	·04	·06	·14	25
26	·03	·01		·08			·19	·02	·08	·035	·165	·235	26
27	·02	·09	·38			·01	·015	·28	·43	·01	·11	·55	27
28		·015	·535					·05	·005	·015	·06	·28	28
29			·12					-	·76	·01	·01	·10	29
30		X	·265					·04	·02	·02	·08	·12	30
31		X	·475	X		X		·03	X	·01	X	·01	31
Total	4·255	3·56	2·20	2·085	3·465	1·06	4·155	2·125	7·45	3·33	2·79	6·24	YEAR'S TOTAL 42·715
Rain Days.	20	22 ~~23~~	14 ~~15~~	14	13	13	18	~~18~~ 17	29 ~~30~~	27 ~~28~~	19 ~~20~~	30	236

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

3765 350

FORM A. BRITISH RAINFALL

Kept at Kimberley, Llandrindod Wells

in the County of Radnor

by W. D. de Winton

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.01	.08		.21		.35		.09	.40	.01	.50	1
2	.36		.14				.03	.01	.04	.05	.05	.27	2
3			.02		.06	.21	.27		.02		.01	.29	3
4		.06	.30				.16	.02	.15	.01		.12	4
5	.10	.30			.02		.01		.03	.01	.01	.70	5
6	.22	.03	.52									.26	6
7	.07		.10	.07								.04	7
8	.40		.11	.11		.24				.01	.01		8
9	.27		.03	.09					.02		.01		9
10	.31		.71	.06	.07				.01	.05	.03	.24	10
11	.05		2.17	.11	.06	.02	.23			.03		.05	11
12	.01		.23	.13		1.04	.03			.16	.08	.01	12
13	.46			.20			.01		.63	.18		.04	13
14	.41	.02		.49			.05		.03	.04		.07	14
15	.30	.01		.20	.01					.16		.86	15
16	.15	.93		.01	.01	.01	.12	.40	.01		.20	.01	16
17		.80	.01	.01		.07	.04	.18			.70	.02	17
18	.06	.05	.82				.07	.64	.02		.10	.11	18
19	.25	.24	.40			.23		.33	.28		.23	.02	19
20	.18	.05	.41			.02		.04	.08		.17	.23	20
21	.03	.63	.01			.01	.22	.01	.12		.01	.17	21
22		.03				.03			.22		.01	.38	22
23	.01			.05		.02		.01		.64	.13	.06	23
24	.01			.06	.14	.07			.08	.25	.24	.33	24
25	.09	.01		.10	.13	.01		.41	.12	.02	.16	.03	25
26	.14	.04	.38	.09		.04		.32	.10			.71	26
27	.24	.01	.10	.40				.45			.01	.01	27
28	.09		.24	.10				.16				.54	28
29	.02		.12	.02				.07		.11	.02	.29	29
30	.01	X	.04	.09		.06		.08	.01	.02	.25	.27	30
31		X	.08	X		X	.03		X	.01	X	.02	31
Total	4.68	3.22	7.02	2.39	.71	2.08	1.62	3.13	2.06	2.15	2.44	6.65	YEAR'S TOTAL 38.15
Rain Days.	26	16	22	19	9	15	14	15	19	17	21	29	222

38.15
45

W, 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Llandrindod Wells, Kimberley

in the County of Radnor

by W. B. de Winton

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.01	.03	.17	.30		.47		.10	.18		.40	1
2	.04	.03		.25	.02		.09	.03	.03	.23		.23	2
3		.17		.28	.06	.02	.46		.08	.76		.26	3
4	.01				.01		.02	.58	.02	.07			4
5		.01	.16	.10	.42		.41	.10		.11		.02	5
6			.43	.09	.16		.02			.23		.03	6
7	.07	.03	.06	.07			.07				.01	.01	7
8	.42	.18		.75	.18		.08	.27				.01	8
9	.81	.65		.63			.09	.01			.01		9
10	.99	.66	.09	.02		.76	.11				.03	.02	10
11	.14	.02	.29	.52	.28	.01	.11						11
12	.44	.10	.01	.20		.50	.12	.12	.01	.02	.16		12
13	.14	.06	.41	.47		.02					.04		13
14	.05	.05	.42	.33		.11	.10		.75	.62	.66	.08	14
15	.01	.15	.07	.67	.04	.14	.01			.03	.18		15
16			.14	.19	.08	.41	.47		.37	1.19	.16		16
17	.14			.10	.45	.13		.19	.67	.06			17
18	.27			.09	.22	.01		.03	.36				18
19	.06	.65		.33	.14	.09	.02						19
20	.07	.04		.36		.09	.03		.05			.18	20
21				.02		.02	.36			.04		.18	21
22	.11			.09			.15	.20		.01		.25	22
23	.01		.06				.19		.01		.01	.52	23
24	.05		.36	.04		.01					.06	.31	24
25	.04	.13	.14	.06	.06	.01	.83		.01			.02	25
26	.26	.16	.66	.12	1.07	.01	.06				.07	.09	26
27	.38	.02	.86	.09	.07	.42	.04				.04	.35	27
28	.47	.03	.43	.10	.23	.20	.01					✓	28
29	.26		.18		.10	.08	.32				.11	✓1.23	29
30	.14	X	.74	.39	.10	.51	.02		.30	.01	.27	.46	30
31	.19	X	.33	X	.01	X	.05		X	.74	X	.11	31
TOTAL	5.58	3.15	5.87	6.53	4.00	3.55	4.71	1.53	2.76	4.29	1.81	4.71	YEAR'S TOTAL 48.49
Days with .01 in. or more	26	19	20	27	20	20	27	9	13	15	14	26	230

(44758) Wt.31958—2187500. 10/20. Gp.134. (A.&E.W.)

04 22 12 18 25 17 12 20 6 8 11 10 17 175

NEW ~~RADNOR~~
EDNOL

1911-1912

FORM A2
BRITISH RAINFALL
10 JAN 1912

Kept at Ednol

in the County of Ra

by John Jones

1 ft. in.

vel 950 ft.

New Radnor

Direction West

IMPORTANT NO… result entered to the previous day. If an … rule, he is earnestly requested to add the re… the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.15	—	—	—	—	.5	—	—	.03	.20	1
2	.02	—	.01	.03	.22	—	—	.6	—	.05	.03	.50	2
3	—	—	.02	.02	.77	—	—	—	—	—	.35	.65	3
4	—	—	.16	.02	—	—	—	.45	.45	—	.05	.05	4
5	.06	—	.08	.06	—	—	—	.05	.05	—	.40	.03	5
6	.11	—	.12	—	—	—	—	—	.50	—	.05	.72	6
7	.01	—	—	—	—	—	—	—	—	—	1.0	.75	7
8	.15	—	.21	—	—	—	—	—	—	—	.50	.50	8
9	.06	—	.01	—	—	—	—	—	—	—	.75	.60	9
10	.04	.10	.13	—	—	—	—	—	.45 .45	—	.25	.95	10
11	.30	—	—	—	.05	—	—	—	.03	—	.50	.25	11
12	—	—	.40	—	.15	—	—	—	.02	—	.70	.33	12
13	—	—	—	—	—	—	—	.5	—	—	.10	.57	13
14	—	.10	.02	—	—	—	—	.47	—	—	—	1.01	14
15	—	.06	.05	—	—	—	—	.03	—	—	—	.47	15
16	.01	.01	—	—	—	.39	—	—	—	—	—	.12	16
17	—	.24	.08	.02	—	.82	—	—	—	—	—	.57	17
18	—	.56	.07	.39	—	.25	—	—	—	.05	—	.46	18
19	—	.05	—	.28	—	.89	.15	—	—	.25	—	.68	19
20	—	.07	.03	.11	—	—	—	—	—	.25	—	.39	20
21	.01	.28	.30	—	—	—	—	—	—	.75	—	.27	21
22	.01	.08	.06	.05	—	—	—	—	.50 .05	.50	—	.59	22
23	—	.36	.08	—	—	—	—	—	.05	.35	—	.36	23
24	.01	.11	—	—	—	—	—	.25	.12	.05	—	.28	24
25	.05	.11	—	.08	—	—	—	.15	.17	—	—	.46	25
26	—	.20	—	.37	.19	—	—	.1	.25	.05	—	.12	26
27	—	.39	.30	.24	—	—	—	.26	.27	.45	—	.13	27
28	—	.73	—	.28	—	—	—	.08	.13	.05	—	.12	28
29	—	x	—	.09	—	—	.4	.01	—	.50	—	.01	29
30	—	x	.09	—	—	.31	—	.1	—	.45	—	—	30
31	—	x	—	x	—	x	.14	—	x	.20	x	—	31
Total	.86	3.45	2.37	2.24	1.38	2.66	.70	3.54	2.99	3.95 4.50	4.70 4.70	11.34 10.38	TOTAL for year 40.28
No. of Rain Days	14	16 3.45	20	14	5	5	3	15 14	13	14	13	29	161 160

9,000, IX. '10.

Corr by C+

FORM A 2.
BRITISH RAINFALL
10 JAN 1911

Kept at Edrol

in the County of Radnor

by ~~John Jones~~ Fred Dorrell.

RAIN GAUGE: Pattern Circular; Diameter of top 5 in.; Height of top above Ground 1 ft. in.; " " " Sea Level 950 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name New Radnor; Distance [illegible] Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.15	—	—	—	—	.5	—	—	.03	.20	1
2	.02	—	.01	.03	.22	—	—	.6	—	.05	.03	.50	2
3	—	—	.02	.02	.77	—	—	—	—	—	.35	.05	3
4	—	—	.16	.02	—	—	—	.45	.45	—	.05	.05	4
5	.06	—	.08	.06	—	—	—	.05	.05	—	.40	.03	5
6	.11	—	.12	—	—	—	—	—	.50	—	.05	.72	6
7	.01	—	—	—	—	—	—	—	—	—	.10	.75	7
8	.15	—	.21	—	—	—	—	—	—	—	.50	.50	8
9	.06	—	.01	—	—	—	—	—	—	—	.75	.60	9
10	.04	.10	.13	—	—	—	—	—	.45 .45	—	.25	.95	10
11	.30	—	—	—	.05	—	—	—	.03	—	.50	.25	11
12	—	—	.40	—	.15	—	—	—	.02	—	.70	.33	12
13	—	—	—	—	—	—	—	.5	—	—	.10	.57	13
14	—	.10	.02	—	—	—	—	.47	—	—	—	1.01	14
15	—	.06	.05	—	—	—	—	.03	—	—	—	.47	15
16	.01	.01	—	—	—	.39	—	—	—	—	—	.12	16
17	—	.24	.08	.02	—	.82	—	—	—	—	—	.57	17
18	—	.56	.07	.39	—	.25	—	—	—	.05	—	.46	18
19	—	.05	—	.28	—	.89	.15	—	—	.25	—	.68	19
20	—	.07	.03	.11	—	—	—	—	—	.25	—	.39	20
21	.01	.28	.30	—	—	—	—	—	—	.75	—	.27	21
22	.01	.08	.06	.05	—	—	—	—	.50 .05	.50	—	.59	22
23	—	.36	.08	—	—	—	—	—	.05	.35	—	.36	23
24	.01	.11	—	—	—	—	—	.25	.12	.05	—	.28	24
25	.05	.11	—	.08	—	—	—	.15	.17	—	—	.46	25
26	—	.20	—	.37	.19	—	—	.1	.25	.05	—	.12	26
27	—	.39	.30	.44	—	—	—	.26	.27	.45	—	.13	27
28	—	.73	—	.28	—	—	—	.08	.13	.05	—	.12	28
29	—	×	—	.09	—	—	.41	.01	—	.50	—	.01	29
30	—	×	.09	—	—	.31	—	.1	—	.45	—	—	30
31	—	×	—	×	—	×	.14	—	×	.20	×	—	31
Total	.86	3.45	2.37	2.24	1.38	2.66	.70	3.54	2.99	3.95	4.70	11.34	TOTAL for year 40.28
No. of Rain Days	14	16	20	14	5	5	3	14	13	14	13	29	161

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.2. BRITISH RAINFALL.

Kept at Ednol

in the County of Radnor

by Fred Dowell

RAIN GAUGE: Pattern ; Diameter of top 5 in. ; Height of top above Ground 1 ft. 0 in. ; " " " Sea Level 951 ft.

Time of Observation Month end.

Nearest Railway Station: Name New Radnor ; Distance 3½ Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total	4·50	3·50	3·99	·54	2·76	2·98	4·50	6·86	1·22	5·30	2·18	5·85	TOTAL for year 44·18
No. of Rain Days	X	X	X	X	X	X	X	X	X	X	X	X	

9,000, IX. '10.

PRESTEIGNE

NORTON MANOR

GDN

RADNORSHIRE

1914 13 - 17

FORM A2.
BRITISH RAINFALL.

4 - JAN 1913

Kept at The Kitche

in the County of

by Wilson

in.

ound 1 ft. 6 in.

a Level 650 ft.

2.m about

me Prestfign & W R

stance 2 m Direction S. E

IMPORTANT NO

e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.39	.5		.9		.2				.9	1
2			.12	3			.8	.16					2
3								.10		.5	.24	.21	3
4					.70						.13	.14	4
5			.7					.16	.5		.35	.84	5
6	.12							.12		.12	.20		6
7											.6	.50	7
8			.11								.42		8
9			.9								.32	.56	9
10	.20		.14								.71	.32	10
11												.50	11
12											.50	.10	12
13	.20								.54		.44	.3	13
14											.5	.30	14
15		.14										.74	15
16			.4								.11	.32	16
17						.25					.9	.56	17
18						.86					.34	.12	18
19		.58		.40		.12	.12			.5		.34	19
20				.19				.2	.22	.15	.3	.44	20
21				.9					.23	.5		.42	21
22		.25	.41					1.16		.71		.9	22
23						.22				.25		.70	23
24		.41	.8			.19			.35	.12		.10	24
25									.5	.8		.27	25
26		.16				.10		.14	.6	.41		.25	26
27		.15		.49	.22						.19	.19	27
28		.35	.22	.21				.60	.21			.10	28
29				.23		.2	1.62	.8		.53	.12		29
30				.13		.18			.25				30
31										.34			31
Total	~~.52~~	~~2.04~~ 2.43	~~1.72~~ 1.38	~~1.82~~ 1.77	~~.92~~ 1.01	~~2.03~~ 1.94	~~1.82~~ 1.84	2.56	1.99	2.86	~~4.36~~ 4.45	~~8.26~~ 8.17	TOTAL for year
No. of Rain Days.	3	~~7~~ 8	10	~~8~~ 8	~~2~~ 3	~~8~~ 8	~~3~~ 4	~~10~~ 9	9	12	~~11~~ 18	~~25~~ 24	116

W. 8,000, X. '11. 30.90 30.90

FORM A2.
BRITISH RAINFALL.

REGISTER OF [redacted]

Kept at The Kitchen Garden. Rodney Manor

in the County of Radnor

by Wilson Pallister

RAIN GAUGE { Pattern Verteh
Diameter of top 5 1/2 in.
Height of top above Ground 1 ft.
" " " Sea Level 650 ft.

Time of Observation 8.30 a.m. about

Nearest Railway Station { Name Prestfign & W R
Distance 2 m Direction S. E.

4 - JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (—) estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·39	·5		·9		·2				·9	1
2			·12	3			·8	·16					2
3								·10		·5	·24	·21	3
4					·70						·13	·14	4
5			·7					·16	·5		·35	·84	5
6	·12							·12		·12	·20		6
7											·6	·50	7
8			·11								·42		8
9			·9								·32	·56	9
10	·20		·14								·71	·32	10
11												·50	11
12											·50	·10	12
13	·20								·57		·47	·3	13
14											·5	·30	14
15		·14										·77	15
16			·4								·11	·32	16
17						·25					·9	·56	17
18						·86					·34	·12	18
19		·58		·40		·12	·12			·5		·34	19
20				·19				·2	·22	·15	·3	·44	20
21				·9					·23	·5		·42	21
22		25	·41					1·16		·71		·9	22
23						·22				·25		·70	23
24		·41	·8			·19			·35	·12		·10	24
25									·5	·8		·27	25
26		·16				·10		·14	·6	·41		·25	26
27		·15		·49	22						·19	·19	27
28		35	·22	·21				·60	·21			10	28
29				·23		·2	1·62	·8		·53	·12		29
30				·13		·18			·25				30
31										·34			31
Total	·52	2·04	1·72	1·82	·92	2·03	1·82	2·56	1·99	2·86	4·36	8·26	TOTAL for year
No. of Rain Days.	3	7/8	10	8/8	2/3	8/8	3/4	10/9	9	12	11/18	25/24	30.90 116

W. 8,000, X. '11 — 52 2·43 1·38 1·77 1·01 1·94 1·84 2·54 1·99 2·86 4·45 8·17 30.90

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 2 JAN 1914

Kept at The kitchen garden Norton Manor

in the County of Radnor

by Wilson Palliser

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Presteigne

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	8		17	7							5		1
2	7	31	8	11					10	50	15	3	2
3		5	17		55					8		68	3
4	85	6	4		9	31			106	22	11	55	4
5	25	11			36	24	5		7	94	13	2	5
6	9	11	34		8		9			45	3	38	6
7		60	5		79	26				40		1	7
8	6	18			52	94	18	2		9	24		8
9		44			24						35		9
10	28		11		28		10	20		50			10
11	79				14	6			10		45		11
12					50					6	32		12
13			25		3			4	63		26		13
14	31		135	52						13	20		14
15	18			44					3		27		15
16	7							14					16
17	22			18			10						17
18			117										18
19			11	28		4	6		12	20	8		19
20			34	26						28	33		20
21	18		23	29			14	3			12		21
22	65		102			20		71	68				22
23											14		23
24	24	11		2				6	14		6		24
25				15			71		15				25
26				131						6		62	26
27	31			42						42			27
28			40	42						29			28
29			64	39						31			29
30	32									26	29		30
31	9		28							4			31
Total	5.04	2.00	6.78	5.49	3.61	2.05	1.46	1.23	3.08	5.56	3.58	1.99	YEAR'S TOTAL
Rain Days.	18	9	17	14	11	7	8	7	10	18	18	7	41.87

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. JAN 1915

Kept at The Kitchen Garden Norton Farm

in the County of Radnorshire

by Wilson Pallister

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Presteigne G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " . " " Sea Level about 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.2	.10	.6		.7	.49	1.06			.13	.16	1
2			.7	.9			1.05				.39	.41	2
3			.13	.20	.22		.8					.34	3
4	.53		.22	.16	.6		.30	.30			.90	.73	4
5	.18		.14	.46	.19		.40				.15		5
6				.10	.15	.5	.3				.2	.35	6
7	.9	.30	.52	.9	.11		.40	.17				.31	7
8			.6			.44						.13	8
9	.8		.9	.23		1.30		.47	.15		.3		9
10		.38	.36		.28				.27				10
11			.28	.47		.21			.8		.60	.85	11
12		.55					.10		.15		.20	.30	12
13		.80	.34				.11		.8	.34		.25	13
14		.30	.26								.36		14
15	.8	.34	.44							.12	.12		15
16		.6	.5						.21	.2		.4	16
17		.30	.25						.10			.64	17
18			.5			.21						.23	18
19			.27				1.40		.19		.13	.40	19
20		.38	.6			.15	.10						20
21		.53				1.48	.52	.35		.38			21
22		.17			.19	.6		.15		.62			22
23		.28	.9							.22			23
24			.10	.4			.14	.12		.4			24
25			.9				.10	.34		.52		.3	25
26	.22									.12	.22	.50	26
27		.2								.12	.56	.99	27
28		.9	.18							.2	.6	.25	28
29	.20		.6		.19					.10	.32		29
30	.7		.15	.6						.11	.46	.95	30
31	.51						.26			.26		.29	31
Total	1.96	4.52	4.36	1.96	1.39	3.97	5.48	2.96	1.23	2.99	4.65	8.18	YEAR'S TOTAL 43.65
Rain Days.	9	15	24	11	8	9	15	8	8	14	16	20	157

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 19

cont'n omitted 16.V.16

4211 FORM A. BRITISH RAINFALL. 5. JAN. 1916

Kept at The Kitchen Garden Norton Manor.

in the County of Radnorshire

by Wilson Palliser

Lat. 52-18 Long. 3-1.

Time of Observation 8-45

Nearest Railway Station Presteigne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 617 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·55	·16	·12		·24			·12		·36		·1	1
2	·8	·15	·28	·17				2·34	·8	·15		·19	2
3	·42	·8				·9	·46	·3				·38	3
4		·50		·12	·29		·36	·9				1·20	4
5	·8	·40	·3	·5							·5	1·15	5
6	·8	·14		·17			·96					·5	6
7	·20	·58		·8	·14		·6	·21				·48	7
8	·26	·31		·9				·3		·3	·8		8
9	·17	·29		·15				·3			·41	·82	9
10	·58	3		·13						·14	·16	·2	10
11	·10										2·34	·6	11
12	·6				·48			·8		·11	2·35	·6	12
13		1·42			·89			·35				·3	13
14	·3							·35	·19			·35	14
15	·72				·14			·12		·7	·13	·13	15
16		·75			·51		1·66						16
17		·42			·87							·1	17
18	·15	·49											18
19		·5			·20		·36						19
20												·9	20
21	·24						·19			·19			21
22	·10	·3	·22				·25					·3	22
23	·10		·9		~~·3~~	·3	·6			1·19		·65	23
24			6	·40						1·20		·45	24
25					~~·25~~	·25	·2		·22	·5		·35	25
26		·19					·21		12			·63	26
27		·24			~~·35~~	35	·49			·42		·25	27
28		·30						·5	7	·5		·3	28
29					~~·6~~	·6				·14		·9	29
30					~~1·04~~	1·04	·8			·45	·67	·27	30
31	·9						16	22		88		·57	31
Total	4·01	6·56	·80	1·36	3·76	1·82	5,32	4·02	·68	5·43	6·19	~~8·15~~ 8·35	48·30
Rain Days.	18	19	6	9	9	6	14	13	5	15	8	26	148

THAMES TOTAL 4850

W. 7,500, XI. 12

4142

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

4 JAN 1917

Kept at The Kitchen Garden Norton Manor

in the County of Radnor

by Wilson Pallister

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Presteigne

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14	24	3			8	15			14	24		1
2	63	109	25				41		26	77	12		2
3		45			10		12			43	56		3
4	20				65	38	30			16	70		4
5	6		24		33					43	27		5
6	11	52			24	11	50				47		6
7	11	6	20		56		24			33	29		7
8			3		25						13		8
9					41	30					10		9
10	1	54								12			10
11		8	17				5						11
12	6		6	27	33		19	8		9			12
13		47	30	13	3			27					13
14		44	3					33		9	4		14
15		107	59		8			8					15
16	13	26		20			8						16
17		16		35					44	57			17
18	3	10	10	20									18
19	10		92	22							58		19
20	14		48								7	25	20
21	2		63	10							6		21
22				8		7				24		50	22
23	3							18		11	6		23
24		11			158			20		36		78	24
25								23	19	12	34		25
26	3	8	36		25	42		30	6	84			26
27			16						43	53			27
28	4	32	37		6					32	19	41	28
29		57				48		39		22		30	29
30		X				5				20			30
31		X		X		X		5	X	48	X	15	31
Total	184	656	492	155	487	189	204	211	138	658	422	239	YEAR'S TOTAL 4035
Rain Days.	16	17	17	8	13	8	9	10	5	20	16	6	145

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 19 17

3969

FORM A. BRITISH RAINFALL. 2 JAN 1918

Kept at The Kitchen Garden Portmadoc

in the County of Radnorshire

by Wilson Palliser

Lat. 52·18 Long. 3·0

Time of Observation 8.30

Nearest Railway Station Prestatyn & York

Diameter of Funnel of Rain Gauge 5½ in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·6			·36			·9		·2	·14	1
2				·25							·25		2
3	·9			·20						·21			3
4						·11		·26		·25		·7	4
5	·7		·61						·28	·27	·17		5
6				·16		·10		·8		·26	·25		6
7										·10	·12		7
8	1·30			·24			·39	·99		·36	·31	·14	8
9			·56		·22					·15	·28		9
10	·10		1·08	·25	·8			·49					10
11	·15		·17					·35		·48	·8		11
12				·20	1·26			·3		·37			12
13			·9	·15				·95	·7				13
14								35		·8		·5	14
15							·47			·5		·20	15
16				·26							·5		16
17					·37	·77	·43	·85	·17	·29			17
18				·14			·63	·21	·72				18
19			·27			·46					·5		19
20		·66			·66	·15			·10	·7			20
21		·12						·7					21
22					·8		·6	·57		5		·31	22
23			·14		·29			·25		·19			23
24		·26				·38		·16		·39			24
25		·6						·48					25
26								·54		·60			26
27			·15		1·27	·47	·42	·86	·17		·41		27
28					·5							·4	28
29			5		·3			·28		·47		·41	29
30								·38		·9			30
31			·16		·15			·28		·4			31
Total	1·71	1·10	3·34	1·85	4·46	2·80	·240	8·43	1·60	4·77	1·99	1·36	YEAR'S TOTAL 35·81
Rain Days.	5	4	11	9	11	8	6	·20	7	20	11	8	120

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.
19 JAN 1914

REGIS

PRESTEIGNE
ST. DAVID'S
RADNORSHIRE

1913 - 17, 19-20

Kept at Pres

in the County of R

by Hy Dod

leys

in.

1 ft. — in.

500 ft.

IMPORTANT NOTE.— lt entered to the previous day. If an Observ universal rule, he is earnestly requested to add the reading 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.01	—	.29	—	—	—	—	—	—	.02	.18	1
2	.01	.30	.15	.12	—	—	—	—	.07	.01	.07	.02	2
3	.11	.06	.20	.01	.28	—	—	—	—	.32	.12	.01	3
4	.36	.10	—	—	.40	—	—	—	—	—	.01	.40	4
5	.63	.11	.02	—	—	.27	.05	—	.87	.96	.06	.38	5
6	.04	.06	.02	—	.47	.01	.05	—	.07	.18	.11	.34	6
7	.04	.66	.28	—	.36	.04	.03	—	—	.61	.04	.06	7
8	.02	.02	.02	—	.95	.24	—	—	—	.22	.25	.01	8
9	.04	.16	.01	—	.20	.02	.06	.19	.05	.03	.01	.01	9
10	.01	.41	.03	.04	.26	.58	.02	—	—	—	.32	—	10
11	.75	—	.02	.44	—	—	—	.06	.01	.41	.14	—	11
12	.13	—	—	.04	.41	.02	—	—	—	—	.40	.01	12
13	—	—	—	—	.18	.01	—	—	—	—	.34	—	13
14	.04	—	.45	.05	—	—	—	.03	.51	—	.16	—	14
15	.30	.01	.12	.11	—	—	—	.18	.02	.14	.12	—	15
16	.09	—	1.02	.84	—	—	—	.12	—	—	.23	—	16
17	.05	.03	.71	.02	—	—	.01	—	.01	—	.01	—	17
18	.09	—	.04	.25	—	—	.05	—	.10	—	.05	—	18
19	.21	—	.35	.13	—	—	.05	—	.01	—	—	.01	19
20	.11	—	.20	—	—	.02	—	—	.03	.40	.04	—	20
21	.04	—	.35	.60	.01	—	—	—	—	.15	.40	—	21
22	.34	—	.87	.01	.01	—	.12	.02	.10	—	—	—	22
23	.78	—	.29	—	—	.20	—	.50	.60	—	—	—	23
24	.14	—	—	.02	—	.02	—	.04	—	—	.09	.01	24
25	.01	.01	—	.07	—	—	—	—	—	—	.05	—	25
26	—	.03	—	.59	—	—	—	—	.12	.05	.03	.11	26
27	—	.01	—	1.00	—	—	—	.08	.01	.04	—	.42	27
28	.35	—	.33	.61	—	—	—	—	—	.96	—	.04	28
29	.05		.34	.26	.16	—	—	—	—	.20	—	.11	29
30	.05		.26	.18	—	—	—	—	—	.02	.02	—	30
31	.30		—		.01		—	—		.37		—	31
Total	5.12	1.98	6.08 6.08	5.68	3.70	1.43	0.44	1.11	2.58	5.07	3.09	2.12	YEAR'S TOTAL 38.40 38.40
Rain Days.	28	15	22	21	13	11	9	9	15	17	24	16	200

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

19 JAN 1914

REGIS

Kept at Prestleigh

in the County of Rutland.

by Ivy Lower.

Lat. ..... Long. .....

Time of Observation 6 pm.

Nearest Railway Station Prestleigh

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03	.01	—	.29	—	—	—	—	—	—	.02	.18	1
2	.01	.30	.15	.12	—	—	—	—	.07	.01	.07	.02	2
3	.11	.06	.20	.01	.28	—	—	—	—	.32	.12	.01	3
4	.36	.10	—	—	.40	—	—	—	—	—	.01	.40	4
5	.63	.11	.02	—	—	.27	.05	—	.87	.96	.06	.38	5
6	.04	.06	.02	—	.47	.01	.05	—	.07	.18	.11	.34	6
7	.04	.66	.28	—	.36	.04	.03	—	—	.61	.04	.06	7
8	.02	.02	.02	—	.95	.24	—	—	—	.22	.25	.01	8
9	.04	.16	.01	—	.20	.02	.06	.19	.05	.03	.01	.01	9
10	.01	.41	.03	.04	.26	.58	.02	—	—	—	.32	—	10
11	.75	—	.02	.44	—	—	—	.06	.01	.41	.14	—	11
12	.13	—	—	.04	.41	.02	—	—	—	—	.40	.01	12
13	—	—	—	—	.18	.01	—	—	—	—	.34	—	13
14	.04	—	.45	.05	—	—	—	.03	.51	—	.16	—	14
15	.30	.01	.12	.11	—	—	—	.10	.02	.14	.12	—	15
16	.09	—	1.02	.84	—	—	—	.12	—	—	.23	—	16
17	.05	.03	.71	.02	—	—	.01	—	.01	—	.01	—	17
18	.09	—	.04	.25	—	—	.05	—	.10	—	.05	—	18
19	.21	—	.35	.13	—	—	.05	—	.01	—	—	.01	19
20	.11	—	.20	—	—	.02	—	—	.03	.40	.04	—	20
21	.04	—	.35	.60	.01	—	—	—	—	.15	.40	—	21
22	.34	—	.87	.01	.01	—	.12	.02	.10	—	—	—	22
23	.78	—	.29	—	—	.20	—	.50	.60	—	—	—	23
24	.14	—	—	.02	—	.02	—	.04	—	—	.09	.01	24
25	.01	.01	—	.07	—	—	—	—	—	—	.05	—	25
26	—	.03	—	.59	—	—	—	—	.12	.05	.03	.11	26
27	—	.01	—	1.00	—	—	—	.05	.01	.04	—	.42	27
28	.35	—	.33	.61	—	—	—	—	—	.96	—	.04	28
29	.05		.34	.26	.16	—	—	—	—	.20	—	.11	29
30	.05		.26	.18	—	—	—	—	—	.02	.02	—	30
31	.30		—		.01		—	—		.37		—	31
Total	6.12	1.98	6.08 6.08	5.68	3.70	1.43	0.44	1.11	2.58	5.07	3.09	2.12	YEAR'S TOTAL 38.40 38.40
Rain Days.	28	15	22	21	13	11	9	9	15	17	24	16	200

W. 7,500, XI. 12

cert for milk Mar WD. 26.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 7 JAN 1915

Kept at Pwllheli

in the County of Carnarvon

by W. G. Lower

Lat. ____ Long. ____

Time of Observation 6 pm.

Nearest Railway Station Pwllheli

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .30 in appx

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.32	.08	—	—	—	.16	.40	—	—	.28	.33	1
2	—	.01	.02	.02	—	.05	.60	.87	—	—	.29	.15	2
3	—	—	.05	—	.03	—	.93	.13	—	—	.08	.37	3
4	.02	—	.10	.20	.20	—	—	.08	—	—	.01	.95	4
5	.25	—	.14	.31	.09	—	.75	.02	—	—	.70	.16	5
6	.15	.03	.06	.26	.10	—	—	.01	—	—	.08	.10	6
7	.01	.17	.07	.15	.12	.04	—	—	—	—	.01	.41	7
8	.02	.14	.46	.01	.09	.04	.36	.22	.05	—	—	.15	8
9	.01	.04	.08	.08	.05	.55	—	.13	—	—	—	.02	9
10	.11	.02	.01	.06	.10	.96	—	.04	.14	—	.02	—	10
11	.01	.36	.02	.39	.01	—	.02	—	.24	—	.48	.56	11
12	—	.88	.27	—	.02	.10	.19	—	.21	—	.10	.14	12
13	—	.40	.25	—	—	—	—	—	.11	—	.46	.27	13
14	—	.22	.35	—	—	—	.10	—	.15	.45	.12	.24	14
15	.02	.35	.13	—	—	—	—	.05	.07	.07	.30	—	15
16	.01	—	.34	—	—	—	—	—	.07	.01	.10	.01	16
17	.01	.05	.01	—	—	.06	—	—	.07	—	—	.07	17
18	—	.15	.21	—	—	.74	—	—	.07	—	—	.50	18
19	—	.02	.25	—	—	.—	.41	—	.04	—	.10	.25	19
20	—	.15	.01	—	—	—	.85	—	.07	—	.01	.08	20
21	—	.28	.03	—	—	.75	.77	.10	—	—	—	.20	21
22	—	.53	.01	—	—	.04	.02	.07	—	.43	.01	.01	22
23	—	.33	.05	—	.26	—	—	.07	—	.51	—	—	23
24	—	.01	.06	—	—	—	.01	.18	—	.26	—	—	24
25	.02	—	.04	.01	—	—	.10	—	—	.37	.02	—	25
26	.13	—	.05	—	—	—	.05	.28	—	.07	.13	.23	26
27	—	—	—	—	—	—	—	—	—	.19	.04	.41	27
28	—	.01	—	—	—	—	—	—	—	.01	.59	1.14	28
29	.16	X	.22	—	.12	—	—	—	—	—	.01	.43	29
30	.05	X	.12	.02	.01	—	—	—	—	.12	.42	.07	30
31	.01	X	.05	X	—	X	.10	.02	X	.07	X	.50	31
Total	~~.02~~ .32	~~4.49~~ .08	~~3.57~~ —	~~1.51~~ —	~~1.20~~ —	~~3.33~~ .16	~~5.32~~ .40	~~2.67~~ —	~~1.29~~ —	~~2.56~~ .28	~~4.36~~ .33	~~7.78~~ .30	YEAR'S TOTAL ~~39.01~~
Rain Days.	~~1.34~~ 16 17	~~4.25~~ 21	~~3.49~~ 29 28	11	13	~~3.49~~ 10 11	~~5.56~~ 16	~~2.27~~ 16 15	12	~~2.84~~ 12 13	~~4.41~~ 24	~~7.72~~ 26	~~39.37~~ 206

W. 8,000. X. 14.

corrd for WD 16.V.16 — corrd for month 16.V.16

4210

FORM A. BRITISH RAINFALL.

20 JAN 1916 — 22 JAN 1916

REGISTER OF RAINFALL IN 19 15

Kept at Penleigh

in the County of Devon.

by R. G. Lower.

Lat. ____ Long. ____

Time of Observation 6. pm

Nearest Railway Station Penleigh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .30

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.57	—	.28	—	.02	—	.06	.14	.51	—	.74	.29	1
2	.21	.24	.01	.05	.22	—	—	.52	.03	.41	—	.01	2
3	.14	.11	.26	.15	—	.10	.03	1.20	—	.06	—	.38	3
4	.22	.16	.01	.01	.11	—	.48	.01	—	.01	—	1.10	4
5	.02	.35	—	—	.13	—	.03	.03	—	—	—	.03	5
6	.06	.49	—	.09	—	—	—	.02	—	—	—	1.16	6
7	.12	.28	—	.16	—	—	1.04	.20	—	—	—	.34	7
8	.36	.36	—	.05	.35	—	.02	—	—	.01	.01	.18	8
9	.25	.20	—	.09	—	—	—	—	—	—	.26	.60	9
10	.26	.21	—	.05	—	—	—	.04	—	—	.15	.12	10
11	.19	.02	.03	.10	.01	—	—	—	—	.15	.17	.03	11
12	.01	—	—	.07	.23	—	—	.18	—	.12	1.93	.04	12
13	.05	.55	—	—	.55	—	—	.16	—	.01	.17	—	13
14	.01	.71	—	—	.28	—	.01	.20	.15	—	.01	.06	14
15	.17	—	—	.01	—	—	—	.27	—	—	.08	.42	15
16	.46	—	—	—	.14	—	.18	—	—	.05	.01	.02	16
17	.07	.99	—	—	1.10	—	1.18	.10	—	.01	—	.01	17
18	—	.41	.02	—	.25	—	—	—	—	—	—	.01	18
19	.01	.40	.03	—	—	—	.30	—	—	—	.01	—	19
20	.12	.01	—	.04	.41	—	.13	—	—	—	—	—	20
21	.14	.02	—	.01	—	—	—	—	—	.16	—	.06	21
22	.12	—	—	.09	.01	—	.16	—	—	—	—	.01	22
23	.10	.03	.15	—	—	—	.36	—	.01	.10	.01	.33	23
24	.01	.02	.01	.10	—	.03	.03	—	—	1.93	—	.52	24
25	—	—	.10	.01	—	—	.02	—	.24	.27	.01	.38	25
26	—	—	—	—	—	.26	.02	—	—	.03	—	.17	26
27	—	.10	.01	—	—	.11	.37	—	—	.01	—	.89	27
28	—	.25	—	—	—	.11	.22	—	.03	.44	—	.01	28
29	—	X	—	—	—	—	—	.02	.07	.12	.05	.09	29
30	—	X	—	—	—	.99	.18	—	.01	.01	.31	.14	30
31	.05	X	—	X	—	X	.02	—	X	.47	X	.40	31
Total	~~3.72~~ 3.15	~~5.91~~ .28 6.19	0.91 .63	~~1.11~~ .02 1.13	~~3.81~~ 3.79	~~1.80~~ 1.06 1.66	~~4.84~~ .14 4.92	~~3.09~~ .51 3.46	~~1.05~~ — .54	~~4.37~~ .74 5.11	~~3.92~~ .29 3.47	~~7.80~~ .30 7.81	YEAR'S TOTAL ~~42.73~~ 41.86
Rain Days.	~~24~~ 23	21 22	11 10	~~16~~ 17	~~14~~ 13	~~8~~ 7	20	14	~~8~~ 7	~~19~~ 20	15	28	196

W. 8,000. X. 15.

cwd for W.D.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 11. JAN 1917

Kept at Prestatyn

in the County of Flintshire

by H. G. Dower

Lat. ..... Long. .....

Time of Observation 6 pm

Nearest Railway Station Prestatyn

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.54	—	.24	—	—	.06	.23	—	.03	—	.55	—	1
2	.49	.07	.16	—	.10	—	.16	—	—	.35	.14	—	2
3	.24	.44	.14	—	.01	—	.13	—	.29	.60	.40	—	3
4	.02	.85	—	—	.52	.17	.34	—	.06	.42	.05	.01	4
5	.19	.07	—	—	.13	.10	.01	—	—	.04	.70	—	5
6	.09	.14	.02	—	.24	.02	.08	—	—	1.67	.14	—	6
7	.15	.38	.07	—	.35	.14	.59	—	.01	.25	.77	.08	7
8	.01	.07	.11	—	.12	—	—	—	—	.05	.05	.08	8
9	—	.12	.02	—	.36	.20	—	—	—	.06	.10	.12	9
10	.01	.01	—	—	—	.01	—	—	—	.02	.07	.01	10
11	—	.40	.08	.05	.02	.01	.01	—	—	—	—	—	11
12	.04	.01	.07	.15	.39	—	.14	.03	—	.02	—	—	12
13	.04	.08	.07	.04	.02	—	.04	.05	—	—	—	—	13
14	—	.38	.14	.03	.01	—	—	.36	—	.06	—	.01	14
15	—	.59	.36	.01	.01	—	—	.05	—	.07	.01	—	15
16	—	1.05	.08	.26	.09	—	.08	—	—	—	—	—	16
17	.02	.18	—	.16	—	—	—	.02	.03	.40	—	—	17
18	.06	.20	.03	.15	—	—	—	—	.16	.03	—	—	18
19	.02	.02	.69	.17	—	—	—	.01	.14	.01	.33	.15	19
20	.20	.01	.46	.13	—	—	—	—	—	—	.12	.12	20
21	.06	.01	.56	.10	—	—	.02	—	—	—	.01	.14	21
22	.02	—	.19	.13	.04	.10	—	—	—	—	.02	—	22
23	—	—	.01	.01	—	.01	—	.16	—	.30	.05	.44	23
24	.01	.08	.03	—	.15	—	—	.07	—	.01	.03	.14	24
25	—	.28	.04	—	1.54	—	—	.29	—	.43	.22	.13	25
26	—	.19	.19	—	.15	.32	—	.25	—	—	.16	—	26
27	.04	.06	.01	—	.02	—	—	.05	.05	.75	.07	—	27
28	.04	.01	.80	—	.03	.01	—	.04	.33	.65	.02	.18	28
29	—	.52	—	—	—	.16	—	.13	.06	.27	.03	.28	29
30	—	X	.04	—	—	.19	—	.16	—	.17	—	.12	30
31	—	X	—	X	—	X	—	.01	X	.27	X	.07	31
	—	.24	—	—	.06	.23	—	.03	—	.55	—	—	YEAR'S TOTAL
Total	2.28	6.22	4.61	1.41	4.30	1.50	1.83	1.68	1.16	6.90	4.04	2.08	38.01
Rain Days.	1.74	6.46	4.37	1.41	4.36	1.67	1.60	1.71	1.13	7.45	3.49	2.08	37.47
	~~20~~	~~26~~	~~25~~	13	~~20~~	14	~~12~~	~~15~~	~~10~~	~~22~~	~~23~~	16	~~218~~
	19	27	24		21		11	16	9	24	21		215

W. 8,000, VIII. 16

3968

REGISTER OF RAINFALL IN 19 17

FORM A. BRITISH RAINFALL 5 JAN 1918

Kept at Presteign Radnor

in the County of Radnor

by Ivy Tower -

Lat. ____ Long. ____

Time of Observation 6 pm

Nearest Railway Station Presteigne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.03	"	.10	"	.45	"	.02	.23	"	.04	.03	1
2	.01	"	.12	.47	"	.15	"	.01	"	"	"	.02	2
3	.01	.01	.01	.12	"	.01	"	"	"	"	.31	"	3
4	.03	.03	"	.17	"	"	"	.04	"	.25	.01	.01	4
5	.09	.05	.72	.05	"	"	"	.02	"	.14	"	.05	5
6	.03	"	.10	.12	"	"	"	.15	.32	.19	.10	"	6
7	.09	"	.93	"	"	.10	"	"	"	.19	.23	.01	7
8	.85	"	"	.01	"	"	.31	.40	"	.32	.16	"	8
9	.15	"	.33	.25	"	"	.06	.54	.01	.17	.18	.08	9
10	"	"	.44	.17	.22	"	"	.06	.15	.04	.19	"	10
11	.29	"	.14	.28	.08	"	"	.07	.04	.01	"	"	11
12	.09	"	.04	.04	.08	"	"	.42	"	.59	.07	"	12
13	"	"	.01	"	1.26	"	"	.92	.06	.18	"	.01	13
14	.02	"	.08	.14	"	"	"	.54	.01	"	.01	.02	14
15	.04	"	.02	"	"	"	.52	.03	"	.04	"	"	15
16	.02	"	"	.18	"	"	.04	"	"	.03	"	.48	16
17	.01	.01	"	.05	.30	.35	"	.33	.12	.11	.01	.10	17
18	"	"	"	.02	.03	"	1.04	.73	.09	.01	.01	"	18
19	"	.01	.02	"	.01	.30	.03	.01	.69	"	"	"	19
20	.01	.56	.21	"	"	.40	"	"	.07	"	.01	"	20
21	"	.03	.01	"	.65	.09	"	"	"	.02	"	"	21
22	"	.01	.11	"	.02	"	"	.05	"	.01	"	"	22
23	"	.26	"	"	"	.02	"	.63	.02	.11	"	"	23
24	"	.02	"	"	.21	.24	"	.37	"	.26	"	.01	24
25	"	.10	"	"	"	"	.03	.02	"	.28	.26	"	25
26	"	.01	.08	"	"	.02	"	.79	.11	.21	.02	"	26
27	"	"	"	"	.55	.33	.41	.20	"	.11	.01	"	27
28	"	"	"	"	.90	.02	"	.88	"	"	"	"	28
29	"	X	.12	"	"	.02	"	.13	"	.01	"	.04	29
30	"	X	.06		.04	"	"	.11	"	.56	"	.30	30
31	"	X	.04	X	"	X	"	.22	X	.04	X	.01	31
Total	~~1.76~~ 1.77	1.13	~~3.59~~ 3.69	2.17	~~4.35~~ 4.80	2.50	~~2.44~~ 2.46	~~7.69~~ 7.90	1.92	~~3.88~~ 3.92	~~1.62~~ 1.61	1.17	YEAR'S TOTAL ~~34.22~~ 34.80
Rain Days.	16	13	29	18	13	14	8	26	12	24	16	14	192

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Pres Eryn

in the County of Radnor

by Mydown -

Lat. ..... Long. .....
Time of Observation 9 a.m.
Nearest Railway Station Penbryn
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1' ft. ..... in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	"	.05	"	.12	"	.26	"	.04	.12	.02	.46	1
2	.26	"	.11	"	.04	"	.07	"	.08	"	.08	.09	2
3	"	"	.01	"	.02	.15	.02	"	"	"	.04	.32	3
4	"	.07	.30	"	"	"	.41	"	.20	"	"	.12	4
5	.01	.42	"	"	.02	"	.01	"	"	"	.01	.43	5
6	.32	.08	.20	"	"	"	"	"	.08	"	.01	.13	6
7	.23	"	.06	.06	"	"	"	"	.01	"	.01	.05	7
8	.45	"	.10	.01	"	.03	"	"	"	.01	.01	"	8
9	.17	"	"	.05	"	"	"	"	"	"	.01	"	9
10	.12	"	.70	.01	.01	"	"	"	"	.02	.04	.35	10
11	.02	"	1.61	.02	.04	"	.23	"	"	.03	"	.05	11
12	.06	"	.52	.05	"	.51	"	"	"	.01	.05	.01	12
13	.16	"	"	.28	"	"	"	"	.94	.10	"	.04	13
14	.38	.04	"	.46	"	"	"	"	.12	.01	"	.25	14
15	.38	.09	"	.14	.03	"	"	"	"	.06	"	.55	15
16	.29	.82	"	"	"	"	.01	.17	"	"	.06	"	16
17	.01	.79	"	.01	"	.03	.05	.03	"	"	.46	.01	17
18	.01	"	.73	"	"	"	.01	.43	"	"	.02	.04	18
19	.37	.36	.78	"	"	.18	.64	.31	.10	"	.28	.02	19
20	.42	.03	.34	"	"	.05	"	.08	.02	"	.12	.21	20
21	"	.67	.01	"	"	"	.26	"	.03	"	.01	.18	21
22	"	.05	"	"	"	"	.01	"	.18	"	.01	.22	22
23	"	"	"	"	"	.01	"	"	.01	.59	.85	.08	23
24	"	"	"	.04	.08	.03	"	"	.02	.55	.23	.26	24
25	.07	"	"	.16	.08	"	"	.68	.03	.01	.09	.01	25
26	"	.01	.21	.10	"	.05	"	.11	.02	"	"	.54	26
27	.22	"	.11	.52	"	.01	"	.55	"	"	.03	.01	27
28	.03	"	.14	.03	"	"	"	.48	"	"	.03	.45	28
29	.04		.02	.03	"	"	"	.03	"	.25	.01	.29	29
30	"		.01	.04	"	.05	"	.10	"	.01	.25	.38	30
31	.01		.02		"		.04	"		"		.01	31
TOTAL	4.28	3.43	6.03	2.01	0.44	1.10	2.02	2.97	1.88	1.77	1.93	5.56	YEAR'S TOTAL 33.42
Days with .01 in. or more	24	12	20	17	9	11	13	11	15	13	24	28	197

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1.61 in on March 11

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Pres Teign

in the County of Devon

by W. Rowe

Lat. ..... Long .....

Time of Observation 9 am

Nearest Railway Station Preston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 530 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.02	.25	.47	—	.31	—	.12	.16	.01	.45	1
2	.05	—	—	.17	—	—	.55	—	.01	.01	—	.14	2
3	.04	.04	—	.33	.08	.01	.70	—	.06	.82	—	.11	3
4	.01	—	—	—	—	—	.05	.37	—	1.01	—	—	4
5	—	.01	.13	.10	.10	—	.44	.03	—	.26	—	—	5
6	—	—	.45	—	.07	—	.15	—	—	.21	—	.02	6
7	—	—	.01	.12	.01	—	.11	—	—	—	—	.01	7
8	.45	.12	—	.65	.11	—	.17	.13	—	.01	—	—	8
9	.70	.19	—	.48	—	—	.04	—	—	—	—	—	9
10	.62	.38	.05	.07	—	.40	.19	—	—	.01	—	.02	10
11	.21	.06	.17	.84	.18	.01	.10	—	—	—	—	.01	11
12	.25	.03	.05	.25	—	.75	.05	.19	—	—	.08	—	12
13	.11	.04	.29	.21	—	.01	—	—	—	.02	.01	.03	13
14	.03	.04	.60	.37	—	.11	.11	—	.44	.40	.38	.01	14
15	—	.20	.19	.77	.09	.63	—	—	.01	.01	.09	—	15
16	—	.01	.02	.17	.10	.47	.61	—	.25	.90	.01	—	16
17	.05	—	—	—	.13	.09	—	.03	.68	.19	—	—	17
18	.16	—	—	.11	.07	.19	—	—	.63	—	—	—	18
19	.06	.58	—	.24	.02	.10	—	.03	.02	—	—	—	19
20	.01	.05	—	.28	—	.06	.01	—	.01	—	—	.07	20
21	—	—	—	.01	—	—	.24	—	—	—	—	.15	21
22	.04	—	—	.10	—	—	.06	.15	—	.01	.01	.13	22
23	.01	—	—	—	—	—	.18	.01	—	—	—	.45	23
24	.02	—	.33	—	—	—	—	—	—	—	.03	.20	24
25	.05	.07	.20	.08	—	—	.73	—	—	—	—	.01	25
26	.35	.05	.59	.01	.46	—	.01	—	—	—	.13	.06	26
27	.42	.01	.48	.03	.07	.24	.05	—	—	—	.05	.53	27
28	1.06	—	.31	.01	.05	.04	.01	—	—	—	—	.15	28
29	.30	—	.25	—	.13	.04	.24	—	—	—	.14	.67	29
30	.08	X	.41	.26	.01	.15	.03	—	.33	—	.36	.23	30
31	.10	X	.11	X	—	X	.01	—	X	.81	X	.06	31
TOTAL	5.18	1.88	4.66	6.11	2.15	2.70	5.15	0.94	2.56	4.83	1.29	3.51	YEAR'S TOTAL 40.96
Days with .01 in. or more	24	16	19	24	17	16	25	8	11	15	12	21	208
Days with .04 in. or more	19	12	16	20	14	12	20	4	7	9	7	14	154

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RHAYADER.
VICARAGE
RADNORSHIRE
1915

4220

FORM A. BRITISH RAINFALL.

4 JAN 1916

REC

Kept at Rhayader V

in the County of Rad

by Rev Geo Rob

Rayader

in.

ound 1 ft. in.

ea Level 740 ft.

IMPORTANT NO

e result entered to the previous day. If an O

al rule, he is earnestly requested to add the rea

n the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·31

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·80	·23	·15	0	0	0	0	·74	·02	·42	0	·39	1
2	·11	·38	·39	·22	·42	0	0	2·05	·10	·06	0	·19	2
3	0	·52	·08	·33	·05	0	·43	·16	0	0	0	·34	3
4	·16	·51	0	0	·20	0	·42	0	·20	0	0	1·08	4
5	·13	·76	·18	0	0	·12	0	·17	0	0	0	1·09	5
6	·15	0	·05	·25	0	0	·48		0	0	0	·55	6
7	·51	1·07	0	·15	·14	0	·08	·19	0	0	0	·57	7
8	·56	·44	0	0	0	0	0	·11	0	0	·37	0	8
9	·12	·36	0	·50	0	0	0	0	0	0	·57	·94	9
10	·91	·00	·05	·12	0	0	0	·14	0	0	·20	·10	10
11	·42	·00	0	0	0	0		·23	0	0	1·78	·17	11
12	·13	·08	0	·08	·19	0		·06	0	·21	1·11	0	12
13	·03	·49	0	0	·33	0		·27	0	0	·07	·13	13
14	·11	0	0	0	0	0		·67	0	0	0	·63	14
15	1·52	·05	0	0	·32	0		·53	·09	0	·15	0	15
16	·12	1·53	0	0	·68	0	1·90	0	0	0	0	·27	16
17	0	·85	0	0	1·05	0	0	0	0	0	0	·05	17
18	0	·79	·14	0	·32	0	0	·05	0	0	0	0	18
19	·03	·05	0	·24	0	0	·56	0	0	0	0	0	19
20	·83	·00	0	0	0	0	·05	·05	0	·19	0	·14	20
21	·31	00	0	·03	0	0	·22	0	0	·07	0	·08	21
22	·18	0	·08	·05	·05	0	·39	0	0	·05	0	·37	22
23	0	·15	·21	·01	0	·26	·08	0	0	·54	0	·51	23
24	0	0	·08	0	0	0	0	0	·09	·64	0	·67	24
25	0	0	0	0	0	0	0	0	0	0	0	·27	25
26	0	·27	0	0	0	·70	·49	0	·07	0	0	1·14	26
27	0	·29	0	0	0	0	·41	0	0	·48	0	·52	27
28	0	·59	0	0	0	·08	0	·07	0	·08	0	·04	28
29	0		0	0	0	·10	0	0	·25	0	·17	·20	29
30	·22		0	·17	0	·25	0	0	0	·18	·34	·53	30
31	·10		0				·24	·27		·23		·75	31
Total	7·40	9·29	1·41	2·15	3·75	1·51	5·73	5·76	·82	3·15	4·71	11·72	YEAR'S TOTAL 57.40
Rain Days.	21	19	10	10	11	6	13	16	7	12	9	26	160

20.25 40·97 40·68 57·40

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

RE[illegible]

Form A. 4220
BRITISH RAINFALL.
4 JAN 1918

Kept at Rhayader Vicarage

in the County of Radnor

by Rev. Geo. Rowlands

Lat. [illegible] Long. [illegible]

Time of Observation 9 a.m.

Nearest Railway Station Rhayader

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. [illegible] in.

" " " " Sea Level 740 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.31

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.80	.23	.15	0	0	0	0	.74	.02	.42	0	.39	1
2	.11	.38	.39	.22	.42	0	0	2.05	.10	.06	0	.19	2
3	0	.52	.08	.33	.05	0	.43	.16	0	0	0	.34	3
4	.16	.51	0	0	.20	0	.42	0	.20	0	0	1.08	4
5	.13	.76	.18	0	0	.12	0	[illegible]	0	0	0	1.09	5
6	.45	0	.05	.25	0	0	.48	.17	0	0	0	.55	6
7	.51	1.07	0	.15	.14	0	.08	.19	0	0	0	.57	7
8	.56	.44	0	0	0	0	0	.11	0	0	.37	0	8
9	.12	.36	0	.50	0	0	0	0	0	0	.57	.94	9
10	.91	.00	.05	.12	0	0	0	.14	0	0	.20	.10	10
11	.42	.00	0	0	0	0	[illegible]	.23	0	0	1.78	.17	11
12	.13	.08	0	.08	.19	0	[illegible]	.06	0	.21	1.11	0	12
13	.03	.43	0	0	.35	0	[illegible]	.27	0	0	.07	.13	13
14	.11	0	0	0	0	0	[illegible]	.67	0	0	0	.63	14
15	1.52	.05	0	0	.32	0	[illegible]	.53	.09	0	.15	0	15
16	.12	1.53	0	0	.68	0	1.90	0	0	0	0	.27	16
17	0	.85	0	0	1.05	0	0	0	0	0	0	.05	17
18	0	.79	.14	0	.32	0	0	.05	0	0	0	0	18
19	.03	.05	0	.24	0	0	.56	0	0	0	0	0	19
20	.83	.00	0	0	0	0	.05	.05	0	.19	0	.14	20
21	.31	00	0	.03	0	0	.22	0	0	.07	0	.08	21
22	.13	0	.08	.05	.05	0	.39	0	0	.05	0	.37	22
23	0	.15	.21	.01	0	.26	.08	0	0	.54	0	.51	23
24	0	0	.08	0	0	0	0	0	.09	.64	0	.67	24
25	0	0	0	0	0	0	0	0	0	0	0	.27	25
26	0	.29	0	0	0	.70	.43	0	.07	0	0	1.14	26
27	0	.29	0	0	0	0	.41	0	0	.48	0	.52	27
28	0	.59	0	0	0	.08	0	.07	0	.08	0	.04	28
29	0		0	0	0	.10	0	0	.25	0	.17	.20	29
30	.22		0	.17	0	.25	0	0	0	.18	.34	.53	30
31	.10		0				.24	.27		.23		.75	31
Total	7.40	9.29	1.41	2.15	3.75	1.51	5.73	5.76	.82	3.15	4.71	11.72	YEAR'S TOTAL 57.40
Rain Days.	21	19	10	12	11	6	13	16	7	12	9	26	163

20.25 40.97 45.68 57.40

1,000, XI. 15 EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.